WELCOME TO HENDI'S DIGITAL CATALOGUE
FRIENDLY/ FUNCTIONAL/ ECOLOGICAL
EASY TO NAVIGATE
CLICK THE REGISTER TO GO TO THE CHAPTER
← EASY AND POWERFULL SEARCH FUNCTION
MORE INFO ABOUT THE PRODUCT / PICTURES / VIDEOS
⊕ CREATE YOUR OWN CATALOGUE ↓
⊕ SHARE WITH A CLICK



POTS, PANS &

GN CONTAINERS

KITCHEN TOOLS

WHIPPERS

Ť

H

<u>۾</u>





Professional Tools for Chefs

Catalogue 2023 2024

September 2023

For the latest price information consult our digital catalogue on www.hendi.eu or consult your dealer. Our General Terms and Conditions of Sale, Delivery & Payment, as registered with the Chamber of Commerce of Utrecht with Reference 30053484, apply to all transactions. A copy of these terms will be made available free of charge upon first request.

HENDI Your needs - our tools

Choose the best-in-class #toolsforchefs!

We've got the best tools for the horeca and food service industry. We always strive to offer professional equipment of high-level quality. Our global strategy and almost 90 years of experience helped us build an assortment that follows the latest trends but is also influenced by your needs. We are where the chefs need us. We're constantly evolving to stay a reliable partner for your business.

This catalogue includes over 3.000 products, including lots of novelties and best-sellers. We're proud that chefs from all over the world use our tools on a daily basis and trust them to build their business.



Tools for Chefs



Watch our company movie

HENDI The Netherlands

Innovatielaan 6, 6745 XW De Klomp, The Netherlands T: +31 (0)317 68 10 40 F: +31 (0)317 68 10 45 info@hendi.eu www.hendi.eu

HENDI Greece

5 Metsovou Str. 18346 Moschato, Athens, Greece T: +30 210 483 97 00 F: +30 210 483 97 10 office.greece@hendi.eu www.hendi.eu

HENDI Hong Kong

1208, 12/F, Exchange Tower 33 Wang Chiu Road, Kowloon Bay Hong Kong info-hk@hendi.eu www.hendi.eu

HENDI Austria

Gewerbegebiet Ehring 15 5112 Lamprechtshausen, Austria T: +43 (0)6274 200 10 0 F: +43 (0)6274 200 10 20 office.austria@hendi.eu www.hendi.com

HENDI Italy

Via Leonardo da Vinci 4, 39100 Bolzano (BZ) Italy T: 800 727 438 F: +43 (0)6274 200 10 20 office.italy@hendi.eu www.hendi.it

HENDI Poland

ul. Firmowa 12, 62-023 Robakowo, Polska T: +48 61 658 70 00 F: +48 61 658 70 01 info@hendi.pl www.hendi.com

HENDI Romania

Str. 13 decembrie 94A, Hala 14 Brașov 500164 RO, Romania T: +40 268 320330 F: +40 268 320335 office@hendi.ro www.hendi.ro





On the cover: Carmine de Michele, head chef and owner of "De Michele - verace pizza napoletana"

Sinfully delicious pizza from the heart of Upper Austria



Honest with a touch of exclusivity, that's the gastronomy style Carmine de Michele embodies. In the Austrian restaurant scene you can't get past the head chef and owner of "De Michele - Verace Pizza Napoletana".

> Carmine is far from mainstream and exhibits the essence of Bella Vita. He is Italy in the heart of Austria. This means Italian lifestyle and the country's finest culinary sides alongside gastronomic perfec

tion and entrepreneurial innovation.

Born in Naples, southern Italy, in 1990, his passion for 'forbidden' tasty pizza renders his hometown great services as a culinary ambassador. Whether through his restaurant "De Michele", which opened in 2018, "De Michele Catering" or with his mobile Pizza-Ape.

Carmine de Michele's spirit of innovation and willingness to take risks have proven to be a good combination. Carmine participated in the Campionato Mondiale Pizza DOC, receiving the title of Austria's best pizza baker for multiple years and also being named one of the best pizzaiolos in the world. Rightly so, because with charm and character, he and his team do what they do best: delighting their guests with great dishes, prepared with love and high-quality ingredients. All this within the atmosphere of an Italian enclave in the heart of Upper Austria, making it a special kind of experience.

This requires professionalism, reliability, authenticity, and a strong philosophy. Characteristics that HENDI also embodies and make Carmine de Michele and HENDI an excellent combination and offer anything but dull everyday life.



UNIQ the new design classic

(Difference)

Unique buffet presentations with the new chafing dish and soup kettle designed by Robert Bronwasser

Up till now electric chafing dishes and soup kettles have been functional. But, as often with functional products, the design could hardly be described as beautiful and doesn't do justice to the delicious food served from them.

> design by Robert Bronwasser

For over three years HENDI and Robert Bronwasser have been working extensively on this new range. The effort is not only visible in the design but also in functionality.

Notable features

- The lid guides condensation moisture back into the water container.
- No more loose lids lying around thanks to the hinged glass lid which is mounted in the container cover.

CHENDI

- The display keeps track of the total operation time, reducing the risk of having it out too long.
- And finally, the electric chafing dish and soup kettle are available in 3 colours, black, white and green.

All models on page

• • •



Meet HENDI Profi, Kitchen and Budget Line

Each of them fulfills different requirements - it is profiled towards the specific needs of different levels of chefs and cooks.



PROFI LINE

The partner for professionals ideally suited for the most demanding kitchens. Well thought out and solid construction made of the highest quality materials and components. Ready for intensive everyday use. The guarantee of long operation and ease of maintenance translates into lower costs.

KITCHEN LINE

Reliable tools for professional kitchens. Made of standardized materials, high quality at a reasonable price. Intended for regular, balanced use, it guarantees reliable gastronomic results with an energy-saving focus.

BUDGET LINE

When money counts these are our most cost-efficient tools for daily use in professional kitchens. They're made from basic but good materials with a more basic finish. A well-thought-out design - facilitating simple and uncomplicated use.

All lines meet safety standards, come with standard warranty, and are covered by after-sales service.



Always up-to-date!

Our catalogue is also available online with nice features like:

- + powerfull search tool
- + easy navigation
- + fast sharing.

But most important of all, **up-to-date prices**.

Scan the QR-code and bookmark the page.





20	27	32	37	46	48	POTS, PANS & Gn containers	
50	54	74	86	92	96	KITCHEN TOOLS	ß
104	108	<u>М М М</u> 116	123	124	126 (TD	CREAM WHIPPERS & PASTRY	ŝ
128	131	132	134	137	138	FOOD PROCESSING	ł
144	147	147	148	148	149	VACUUM Packing	
151	154	165		172	176	THERMAL Processing	
210	212	218	221	222	223	CONVECTION OVENS	
	227	228	232	235	237	PIZZA, PASTA & KEBAB	
238	241	242	246	251	260	COOLING	
262	264	267	269	272	273	TRANSPORT	
277	278	279	281	287	287	FURNITURE	ŢŢ,
288	300	302	307	الله من المراجع م	310	HYGIENE	
312	317	318	342	355	362	TABLEWARE	$ \bigcirc $
(rb) 367	376	99999 380	387	394	402	BUFFET Products	
408	415	417	2	428	434	BAR & Cold Drinks	Ŷ
436	438	441	442	443	1 44 (rb)	HOT DRINKS	B
448	453	454	458	461	463	BARBECUES & HEATERS	Ť

Selection of new products for 2023

POTS, PANS & GN CONTAINERS	KITCHEN TOOLS	KITCHEN TOOLS
Cast iron casserole enamelled page 31	Japanese sharpening stone HENDI by Naniwa page 62	Garlic press page 63
	NANIWA.	
	#1000 #3000	

KITCHEN TOOLS

Chef plating set, 6 pcs, black page 66

KITCHEN TOOLS

Bucket Budget Line page 76

KITCHEN TOOLS

Pressure food sprayer page 78







Bent wooden spatula - set of 2 page 82

KITCHEN TOOLS

Conical strainer with wire mesh, reinforced page 89





KITCHEN TOOLS

Extendable sink colander page 91

OHEND!

1.51



NEW

KITCHEN TOOLS

Digital scale up to 200 kg page 93

KITCHEN TOOLS

Sauce bain-marie with dispenser page 99

KITCHEN TOOLS

Mini sauce dispenser set of 4 pcs. page 100



KITCHEN TOOLS

Milkshake mixer BPA Free -Design by Bronwasser page 113

VACUUM PACKING

Teflon tape for top sealbar page 147

THERMAL PROCESSING

Pressure regulator 50 mBar page 153





THERMAL PROCESSING

Nacho warmer

page 195



Salamander GN 1/1 wall mountable page 190







THERMAL PROCESSING

Popcorn machine page 197



Selection of new products for 2023



HYGIENE

Grease trap page 297

HYGIENE

page 307

Professional grill and oven cleaner

HYGIENE

Pull-out basin tap page 298

HYGIENE

Round container body page 304







1	-	1
4	1 PE	3



TABLEWARE

Placemat – set page 335

TABLEWARE

Wooden pepper mill page 352









BUFFET PRODUCTS

UNIQ Chafing dish page 366

design by Robert Bronwasser

BUFFET PRODUCTS

design by Robert Bronwasse

UNIQ Soup kettle page 367 **BUFFET PRODUCTS**

Roll Top Display, double-purpose, Single Deck page 388



BUFFET PRODUCTS

Restaurant calling system page 407

BAR & COLD DRINKS

Bartender bag page 416 **BAR & COLD DRINKS**


Slush machine page 423





HOT DRINKS

Electric milk frother page 439



Grid for Grill master page 456



BARBECUES & HEATERS

Charcoal Marabu page 458









INDEX A-Z

50x60 dishwasher for trays and pots – electronically	
controlled, with detergent dosing system and drain pump	296
2-Door pizza cooling table with 7 drawers,	
with granite worktop	245
2 lamp infrared food warmer bridge	170
9-piece Knives set	57
3-shelf polypropylene service cart	265
3-tier glass rimmer	416
5 wheel dough cutter	
5	

A

A	
Acrylic pepper mill	353
Acrylic salt grinder	353
Adaptor bar for GN containers	38, 41
Air pot	348
Aluminium ice scoop	431
Aluminium Ice scoop slotted	431
Aluminium scoop	77
Aluminium storage rack	274
Aluminium storage rack for GN containers	274
Analog kitchen timer	
Angled frying spatula	
Anti-slip mat	
Apple corer	
Aromatic wood chips	182
Ash collector	364
Ashtray	364
Ashtrays & ash collector	
Ashtray with fire rim	
Ashtray with lid - 3 pcs	
Ashtray with lower tray	
Ashtray with push button	
Asparagus and pasta pan XL	
Automatic cleaning system for Nano Drive ovens	
and their Bakery versions	
Automatic fill boiler	

в	
Back bar refrigerators256,	1.31.
Bag rolls attachment for 975374 vacuum packaging	454
machine Kitchen Line	1/0
Baguette basket	
Bain-marie gastronorm	
Bain-marie gastronorm	
Bain-marie pan	
Bake-Master Maxi	
Bake-Master Mini	
Bakers' sieve	
Bakery basket	
Bakery basket angled Bakery basket angled round	384
Bakery basket GN size	
Bakery basket oval	
Bakery basket with bag	
Bakery basket with stainless steel rim	
Baking tray enamelled for Bake & Grill-master mini	
Ball measuring pourer - 2 pcs	
Banquet tray GN 1/1, with decorative rim	
Banquet tray GN 1/1 with smooth rim	
Barbecue apron	
Barbecue skewers	
Bar blade	
Bar Caddy	
Bar mat	
Bar sieve	
Bar sieve conical	
Bar sieve conical PVD coated	
Bar sieve PVD coated	
Bar spoon	
Bar spoon twisted	
Bartender bag	416
Base for butcher block	
Basic wire basket, oval	
Basket display	
Basket riser	
Baskets	
Baskets with woven sides	
Basket with roll top cover	
Basting spoon	
Beer bucket	433

Beer glass carrier	
Beer skimmer	
Beer tray 3	
Bench 4	
Bent wooden spatula - set of 2	
Big chunks	
Bins and ashtray stands 3	
Bird's nest shaped strainer	
Blackboard markers 15 mm 3	
Blackboard markers 1 mm 3	63
Blackboard markers 3 mm 3	
Blackboard markers with narrow tip3	63
Blackboards	62
Blackboard with easel	63
Blackboard with stand	63
Blast chiller 3x GN 2/3	
Blast chillers	
Blender Jar BPA free143, 4	
Blender Jar with titanium coated blade	
Blender shaft for stick blender 1	
Blender with noise cover142, 4	
Bola patio infrared radiant heater	
Boston shaker	
Boston shaker black	
Bottle cap perforator	
Bottle opener with catcher bin	
Bottle stopper – 3 pcs	11
Bowl ashtray black	16/
Bowl rectangular	
Bowl Vanilla	20
Brass & stainless steel wire brush set - 2 pcs	20
Bread bag, round	
Bread bags	
Bread basket display GN 1/2	
Bread basket GN 1/1	
Bread basket oval	
Bread basket - oval	
Bread basket - rectangular	
Bread basket - round	
Bread cutting board	
Breadroll dispenser	
Breadfort dispenser	
Bucket Budget Line	
Bucket miniatures	
Buckets with handle	
Bucket with reinforced base	
Budget Line tables - screwed	
Buffet platter, oval	
Buffet table	
Buffet table foldable	
Buffet table round foldable 4	
Built-in induction heater, 1000 W1	
Bullet ice cube maker	
Butcher block HDPE	
Butcher's hooks – a set of 4 hooks	
Butter and fat brush flat silicone 1	21
Butter and fat brush with natural bristles – set of 2 pcs 1	
Butter and fat brush with stainless steel bristles 1	
Butter curler	
Butter & Sauce dish - 3 pcs 3	41
C	

L .	
Cake displays	
Cake knife	119
Cake mould	118
Cake scoop/cutter	230, 391
Cake server	
Cake stand cover	
Cake tongs	
Candle holder	
Cannele Bordelais	124
Can opener	
Can opener Kitchen Line	
Cappuccino cup	
Carafe	
Carving board	
Carving fork	
Cast iron casserole enamelled	
Cast iron grid	
Catering chair - black	
5	

Cataring about light group	
Catering chair - light grey	406
Catering furniture foldable	404
Central work table	
Central work table with a shelf Budget Line – screwed	280
Centrifugal juice extractor	
Chafing dish electric Pollina	369
Chafing dish electric Tellano	
Chafing dish electric Tesino	
Chafing dishes Profi Line	372
Chafing Dish fuel	377
Chafing dish fuel bottle	
Chafing dish fuel bucket	
Chafing dish fuel can holder – 2 pcs	377
Chafing dish fuel can	376
Chafing dish fuel jerry can	377
Chafing dish Gastronorm 1/1	371
Chafing dish Gastronorm 1/2	370
Chafing dish GN 1/1 mirror finish Chafing dish GN 1/2 mirror finish	
Chafing dish GN 2/3 mirror finish Chafing dish GN 1/1 satin finish	
Chaing dish GN 1/1 satin finish	
Chafing dish GN 2/3 satin finish Chafing dish heater	
Chaing dish ladles and serving spoons	
Chafing dish - round Chafing dish round satin finish	
Chaing Dish Set	
Charling Dish Set	3/1 /17
Champagne cooler Champagne stopper	41/
Channel knife	
Charcoal barbecue Patio	
Charcoal barbecue Resto	
Charcoal barbecues	
Charcoal Marabu	
Cheese grater	
Cheese grating machine	. 0J 224
Cheese knife for hard cheese	220 25
Cheese knife for soft cheese	. 05
Cheese slicer	
Cheese slicer for soft cheese	
Cheese/sugar dish	
Chef plating set, 6 pcs, black	
Chef plating set, 6 pcs, satined	
Chef's hat - 10 pcs	
Chefs Torch	
Children	331
Children's plate "Bear"	
	331
Chips bag holder	
Chips bag holder	337
Chips basket Chips colander aluminium	337 336 .75
Chips basket	337 336 .75
Chips basket Chips colander aluminium Chips colander stainless steel Chips scoop	337 336 . 75 . 75 . 74
Chips basket Chips colander aluminium Chips colander stainless steel Chip scoop Chips serving stand for 3 bags	337 336 .75 .75 .74 337
Chips basket Chips colander aluminium Chips colander stainless steel Chip scoop Chips serving stand for 3 bags Chips shovel	337 336 .75 .75 .74 337 .74
Chips basket Chips colander aluminium Chips colander staintess steel Chips scoop Chips serving stand for 3 bags Chips shovel. Chocolate fountain	337 336 .75 .75 .74 337 .74 379
Chips basket Chips colander aluminium Chips colander stainless steel. Chips scop. Chips serving stand for 3 bags Chips shovel. Chocolate fountain	337 336 .75 .75 .74 337 .74 379 421
Chips basket	337 336 .75 .75 .74 337 .74 379 421 424
Chips basket	337 336 .75 .75 .74 337 .74 379 421 424 .64
Chips basket	337 336 .75 .75 .74 337 .74 379 421 424 .64 421
Chips basket	337 336 .75 .75 .74 337 .74 337 .74 .74 .421 .64 421 262
Chips basket	337 336 .75 .75 .74 337 .74 379 421 424 .64 421 262 262
Chips basket	337 336 .75 .75 .74 337 .74 337 .74 379 421 424 .64 421 262 262 262
Chips basket	337 336 .75 .75 .74 337 .74 337 .74 421 424 .64 421 262 262 262 262
Chips basket	337 336 .75 .75 .74 337 .74 337 .74 379 421 424 .64 421 262 262 262 263 .89
Chips basket. Chips colander aluminium Chips colander stainless steel. Chip scop. Chips serving stand for 3 bags. Chips shovel. Chocolate fountain	337 336 .75 .75 .74 337 .74 337 .74 421 424 421 262 262 262 262 262 263 .89 415
Chips basket	337 336 .75 .75 .74 337 .74 379 421 424 .64 421 262 262 262 262 262 263 .89 415 415
Chips basket	337 336 .75 .75 .74 337 .74 337 .74 379 421 424 .64 421 262 262 262 262 262 263 .89 415 306
Chips basket	337 336 .75 .75 .74 337 .74 337 421 424 .64 421 262 262 262 262 263 .89 415 306 325
Chips basket. Chips colander aluminium Chips colander stainless steel. Chip scop. Chips serving stand for 3 bags. Chips shovel. Chocolate fountain	337 336 .75 .75 .74 337 .74 337 421 424 .64 421 262 262 262 262 262 262 262 263 .89 415 306 325 438
Chips basket	3377 336 .75 .75 .74 3377 421 424 .64 1262 262 262 263 .89 415 306 325 438 439
Chips basket	3377 336 .75 .75 .74 337 .74 337 .74 421 424 .64 421 262 262 262 262 263 .89 415 325 438 439 306
Chips basket	3377 336 .75 .75 .74 337 .74 337 .74 421 424 .64 421 262 262 262 262 263 .89 415 306 325 438 439 306 436
Chips basket. Chips colander aluminium Chips colander stainless steel. Chip scop. Chips serving stand for 3 bags. Chips shovel. Chocolate fountain	3377 336 .75 .75 .75 .74 3377 .74 3377 421 424 .64 421 262 262 262 262 262 263 .89 415 306 438 439 306 436 436
Chips basket	3377 336 .75 .75 .75 .74 3377 .74 3377 .74 421 262 262 262 262 262 262 263 .89 415 306 438 439 306 436 436 350
Chips basket	3377 336 .755 .74 3377 421 424 424 .64 421 262 262 262 262 262 262 262 262 262 2
Chips basket	3377 3366 .755 .743377 421 4244 .64 421 262 262 262 262 262 262 262 262 262 2
Chips basket. Chips colander aluminium Chips colander stainless steel. Chip scoop. Chips serving stand for 3 bags. Chips shovel. Chocolate fountain	3377 3366 .755 .744 3377 .74424 424 421 262 262 262 262 263 306 415 306 438 439 306 436 436 436 436 436 436 436 437 91 .91
Chips basket	3377 3366 .755 .744 3377 .74424 424 262 262 262 262 263 .89 415 306 436 437 306 438 439 306 436 436 436 436 436 436 436 436 436 43



Collapsible tray stand	. 401
Condiment holder	. 412
Condiment holder - 3 containers	412
Condiment holder - 4 containers	
Condiment holder - 5 containers	
Condiment notder - 5 containers	.412
Condiment holder - 6 containers	
Condiment rack black	. 356
Condiment rack rectangular	. 356
Condiment rack round	356
Condiment set	
Confectionery display tray	. 260
Confectionery funnel Kitchen Line	
Confectionery funnel Profi Line	. 102
Conical strainer	
Conical strainer, wire mesh	80
Conical strainer with wire mesh	07
Conical strainer with wire mesh	89
Conical strainer with wire mesh, reinforced	89
Contact grill - double grill	. 173
Contact grill - double version	. 173
Contact grill "Panini"	173
Contact grill "Panini" XL	. 173
Contact grills	. 172
Contact grill - single version	. 172
Containers perforated	41
Container with non-stick coating	222
Convection oven H90	
Convection oven multifunctional	
Convection ovens & combi-ovens NANO 4x 450x340mm.	
Convection oven with humidification H90S	
Convection steam ovens digital NANO GN-size	. 215
Convection steam ovens manual NANO GN-size	. 214
Convection steam oven with grill 4x GN 2/3	
Convectomat trays®	220
Conversion for 2 bain-marie pans	371
Conveyor toaster double	
Conveyor toaster single	
Cooled display with cover - Gastronorm 1/1	. 387
Cooling adaptor EPP GN 1/1	. 272
Cooling display tray	398
Cooling element	. 271
Cooling element Cordless electric kettle with temperature	. 271
Cordless electric kettle with temperature	
Cordless electric kettle with temperature control79, 186	, 441
Cordless electric kettle with temperature control	, 441 . 175
Cordless electric kettle with temperature control	, 441 . 175 . 409
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 251
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 251
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 251 . 250 . 250
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 251 . 250 . 250 . 194
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 251 . 250 . 250 . 194
Cordless electric kettle with temperature control	, 441 , 175 , 409 , 408 , 194 , 259 , 251 , 250 , 250 , 194 , 351
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 250 . 250 . 194 . 351 . 419
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 251 . 250 . 250 . 194 . 351 . 419 . 105
Cordless electric kettle with temperature control	441 175 409 408 259 251 250 250 194 351 419 105 104
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 251 . 250 . 250 . 194 . 351 . 419 . 105 . 104 . 104
Cordless electric kettle with temperature control	, 441 . 175 . 409 . 408 . 194 . 259 . 251 . 250 . 194 . 351 . 419 . 105 . 104 . 104 . 194
Cordless electric kettle with temperature control	441 175 409 408 259 251 250 250 194 351 419 105 104 104 194 8, 30
Cordless electric kettle with temperature control	441 175 409 408 259 251 250 250 194 351 419 105 104 104 194 8, 30
Cordless electric kettle with temperature control	441 175 409 408 194 259 251 250 250 194 351 419 105 104 104 194 8, 30 27
Cordless electric kettle with temperature control	441 175 409 408 194 259 250 250 250 250 194 351 419 105 104 104 194 8, 30 27 326
Cordless electric kettle with temperature control	441 175 409 408 194 259 250 250 250 250 250 250 194 419 105 104 104 194 8, 30 27 326 118
Cordless electric kettle with temperature control	441 175 409 408 194 259 251 250 250 194 351 419 105 104 194 351 419 105 104 194 332 104 194 3326 118 343
Cordless electric kettle with temperature control	441 175 409 408 194 259 251 250 250 250 194 351 419 105 104 104 194 8, 30 27 326 118 343 356
Cordless electric kettle with temperature control	441 175 409 251 250 250 250 194 351 104 104 194 104 194 8, 30 27 326 118 343 356 403
Cordless electric kettle with temperature control	441 175 409 194 259 250 250 194 351 105 104 104 194 38, 30 27 326 118 343 355 403 356
Cordless electric kettle with temperature control	441 175 409 408 194 259 251 250 250 250 194 194 105 104 104 104 104 194 343 356 403 356 403
Cordless electric kettle with temperature control	441 175 409 408 194 259 251 250 250 250 194 351 419 105 104 194 8, 30 27 326 118 343 356 403 356 403 356 403
Cordless electric kettle with temperature control	441 175 409 408 194 259 251 250 250 250 194 194 195 105 104 194 8, 30 27 326 118 343 356 403 356 403 61
Cordless electric kettle with temperature control	441 175 409 408 194 259 250 250 194 351 104 104 104 104 104 104 194 343 356 403 356 403 356 403 356 403 356
Cordless electric kettle with temperature control	441 175 409 408 194 259 250 250 194 351 104 104 104 104 104 104 194 343 356 403 356 403 356 403 356 403 356
Cordless electric kettle with temperature control	441 175 409 408 194 259 250 250 194 351 105 104 104 104 194 343 356 403 356 403 356 403 356 403 356 403
Cordless electric kettle with temperature control	441 175 409 251 250 250 194 351 104 194 351 104 194 194 194 38,30 27 326 403 356 403 356 403 356 403 61 61 50
Cordless electric kettle with temperature control	441 175 409 251 250 250 194 351 104 194 351 104 194 194 194 38,30 27 326 403 356 403 356 403 356 403 61 61 50
Cordless electric kettle with temperature control	441 175 409 259 250 250 250 250 194 419 105 104 194 8, 30 27 3218 8, 30 27 3248 403 356 403 356 403 356 403 356 403 51
Cordless electric kettle with temperature control	441 175 409 259 250 250 250 250 250 194 419 105 104 194 8, 30 27 326 403 343 356 403 356 403 356 403 51 1-52
Cordless electric kettle with temperature control	441 175 409 250 250 250 250 194 105 104 105 104 105 104 105 104 105 104 104 118 356 403 356 403 356 403 356 403 356 403 356 118 356 403 356 403 356 118 356 118 356 403 356 403 356 403 356 403 356 403 405 1194 1194 1194 1194 1194 1194 1194 119
Cordless electric kettle with temperature control	441 175 409 251 250 250 194 105 104 105 104 105 104 105 104 104 104 118 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 118 343 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 50 403 356 403 356 403 356 50 50 50 50 50 50 50 50 50 50 50 50 50
Cordless electric kettle with temperature control	441 175 409 251 250 250 194 105 104 105 104 105 104 105 104 104 104 118 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 118 343 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 403 356 50 403 356 403 356 403 356 50 50 50 50 50 50 50 50 50 50 50 50 50

D

5	
Decanter	438
Decoration knife	65
Decoration toolset - 6 pcs	

Deep fryer Kitchen Line	
Deep fryer Profi Line, 2 × 8 l	
Deep fryer Profi Line with drain tap, 2 × 8 l	
Deep fryer Profi Line with drain tap, 8 L	
Deep fryer Profi Line with drain tap digital - 8 l	
Deep fryer Profi Line with drain tap digital - 2 x 8 L 10	
Deep fryers Profi Line	67
Deep fryers Profi Line Digital	
Deep Fryer XL Profi Line with drain tap, 10 l, 400 V 10	
Deep frying basket miniatures	36
Deep frying basket miniatures stackable	
Deep frying basket miniatures stackable black	
Deep plate	
Degreaser foam	
Delta	
Descaler concentrate	
Descaler powder	
Digital blender with noise cover	20 26
Digital kitchen timer	
Digital scale up to 200 kg	
Dinner plate	
Dish warmer 2 burners	
Dish warmer 3 burners	75
Dishwasher 50x5029	
Dishwasher 50x50 – electronic control 28	
Dishwasher basket for cutlery 30	
Dishwasher basket for glasses	
Dishwasher basket for glassware	
Dishwasher basket for plates	
Dishwasher basket for trays	
Dishwasher racks & tote box Profi Line	
Dispenser bottles	
Dispenser bottles	
Display refrigerators with lightbox	
Display tray	
Display trays aluminium	
Display trays melamine	
Display trays stainless steel	61
Door sign	
Double adjustable wall shelf, with two steel brackets 27	
Double bucket with handle	
Double deck pizza oven 3000W	
Double induction cooker Kitchen Line	
Double mobile trolley - 12 x GN 1/1	
Double sink table with shelf Budget Line – screwed 28	
Double sink table with shelf - for self-assembly	
Double trolley - 30 x GN 1/1	
Dough cutter	
Dough cutter serrated blade	
Doughnut deep fryer	
Dough punch roller	
Dough scrapers	
Dough scrapers rectangular - set of 6 pcs 1'	
Dough scrapers semi-circular - set of 6 pcs 1'	19
Dough scrapers trapezoidal - set of 3 pcs 1	
Drainage mat 42	
Drawer with rails – 2-piece set	
Dressing- and panwhisk	
Dressing pot	
Driptray for food dehydrator	
Dry aging cabinet	
Dutch pancake griddle 45	JI

Egg cup - 6 pcs	E
Egg slicer - rectangular 70 Egg spoon - 6 pcs. 358 Egg sterilizer, 30 eggs. 302 Ejector disc for Vegetable Cutter 129 Electric dough rollers. 226 Electric kettle - 1,8 L 79, 186, 440 Electric kettle - 2,5 L 79, 441 Electric kettles. 79 Electric meat tenderizer 131 Electric milk frother 439	Egg cup - 6 pcs
Egg spoon - 6 pcs	Egg slicer – oval
Egg sterilizer, 30 eggs 302 Ejector disc for Vegetable Cutter 129 Electric dough rollers 226 Electric kettle - 1,8 L .79, 186, 440 Electric kettle - 2,5 L .79, 441 Electric kettles .79 Status .79 Status .79 Electric kettles .79 Status .79 Electric meat tenderizer .71 Electric milk frother .439	Egg slicer – rectangular
Ejector disc for Vegetable Cutter 129 Electric dough rollers 226 Electric kettle - 1,8 L .79, 186, 440 Electric kettle - 2,5 L .79, 441 Electric kettle - 4,2 L .186, 440 Electric kettle - 4,2 L .186, 440 Electric kettle - 4,2 L .186, 440 Electric kettles .79 Electric mettles .79 Electric mett tenderizer .131 Electric milk frother .439	Egg spoon - 6 pcs
Electric dough rollers 226 Electric kettle - 1,8 L .79, 186, 440 Electric kettle - 2,5 L .79, 441 Electric kettle - 4,2 L .186, 440 Electric kettles .79 Electric meat tenderizer .131 Electric milk frother .439	Egg sterilizer, 30 eggs
Electric kettle - 1,8 L 79, 186, 440 Electric kettle - 2,5 L 79, 441 Electric kettle - 4,2 L 186, 440 Electric kettles 79 Electric meat tenderizer 131 Electric milk frother 439	Ejector disc for Vegetable Cutter
Electric kettle - 2,5 L	Electric dough rollers
Electric kettle - 4,2 L 186,440 Electric kettles 79 Electric meat tenderizer 131 Electric milk frother 439	Electric kettle - 1,8 L
Electric kettle - 4,2 L 186,440 Electric kettles 79 Electric meat tenderizer 131 Electric milk frother 439	Electric kettle - 2,5 L
Electric meat tenderizer	
Electric milk frother	Electric kettles
	Electric meat tenderizer131
Floctric soun kottlos 368	Electric milk frother
Lieci ic soup keilles	Electric soup kettles

Embossed vacuum bags Embossed vacuum bags on roll - 2 pcs	
Enamelled	
Enamelled frying pan	457
Enamelled paella bowls	33, 327
Enamelled paella pan with compartments	33, 327
Enamelled pan	33, 327
Espresso cup	1, 323, 325
Extendable sink colander	91
Extender for dishwasher basket	300

F

Fast food trays	200
Fast response thermometer	399
Fat skimmer	
Fibreglass	
Fiesta	
Fiesta 600	
Fiesta 800	453
Film for Pet/CPP peel 12/40 sealers	
Fish bone tweezer pointed	
Fish bone tweezer, slanted tip	69
Fish bone tweezers, slanted head	69
Fish frying pan - oval	
Fish frying pan - oval Titanium Professional	
Flake ice maker	432
Flame tamer	451
Flat plate	326
Flip open cover	
Flora	
Folding chair cover	
Fondue-burner - 2 pcs	
Food dehydrator Profi Line	
Food pan GN 1/1, with 2 compartments	
Food ring	118
Food ring and pusher square	110
Food ring round	
Free-flow pourer	
Free-flow pourer - 6 pcs	
Free-flow pourer - 3 pieces	
Free-flow pourer set - 4 pcs	304
Free-itow pourer set - 4 pcs	
Freezing element French fries and nachos funnel scoop	
French fries cutter	
French fries cutting disc	
French whisk	
French whisk with 8 stiff wires	
Fruit basket	
Fruit basket angled round black	
Fruit basket black	346
Frying Basket	
Frying pan	
Frying pans	
Frying pans aluminium ,Marble Professional'	
Frying pans aluminum ,Platinum Professional'	
Frying pans die-cast aluminium	
,Titanium Professional'	26-27
Frying pans traditional	
Frving pan Titanium Professional	
Frying pan, with non-stick coating - without lid	
Frying pan - without lid	21 23
Frying spatula	
Fuel dispenser	
Fuel for fondue-burners - 3 pcs	377
Funnel	
Funnel with handle	

G
Galvanized buckets
Garlic press
Gas barbecue Atlanta 452
Gas barbecue 'Europa' 452
Gas canister
Gas cooker - 5 burners, open frame 152
Gas cooker - 5 burners with electric oven
Gas cooker Kitchen Line with convection electric
oven GN 1/1
Gas hose assembly Bake-, Grill- & Roast-master 456
Gas hose assembly Green Fire Barbecues
Gas hose assembly Hokkers
Gas hose assembly Patio heaters
Gas hose assembly Xenon Pro & Fiesta barbecues 457



Gas lighter – set of 2 pcs
Gas regulator with rubber seal Bake-, Grill- &
Roast-master
Gastronorm container enamelled
Gastronorm container enamelled GN 2/3
Gastronorm container enamelled GN 2/3 220
Gastronorm containers
Gastronorm containers Budget Line
Gastronorm containers Budget Line with handles 43
Gastronorm containers Kitchen Line
Gastronorm containers polycarbonate black
Gastronorm containers polycarbonate transparent 46
Gastronorm containers polycarbonate white
Gastronorm containers polypropylene Profi Line
Gastronorm containers Profi Line
Gastronorm grid 222
Gastronorm pan GN 1/1
Gastronorm pan GN 1/2
Gastronorm pan GN 1/3
Gastronorm storage containers HACCP
Gastronorm tray GN 2/3
Gastronorm tray Profi Line
Gastronorm tray Profi Line
Gastronorm tray Profi Line GN 2/1
Glass brush high 420
Glass brush round 420
Glass brush standard
Glass cover for sausage roller grills
Glass dome103, 181
Glass dome with vent103, 181
Glasswasher 40x40
GN 1/1 tray
GN banquet tray
GN containers made of porcelain
Granite form 402
Grapefruit knife
Grater, four-sided
Grating disc
Gravy boat
Grease filter for deep fryer - 50 pcs
Grease filter holder for deep fryer76, 297
Greaseproof paper - 500 pcs
Greaseproof paper lining pre-shaped - 150 pcs
Greaseproof paper placemat - 500 pcs
Grease trap
Green Fire with 2 burners
Green Fire with 3 burners
Green Fire with 4 burners
Grid
Griddle
Griddle 1/3 ribbed 171
Griddle for induction cookers
Griddle half ribbed 171
Griddle ribbed 171
Griddle scraper
Griddles Profi Line 171
Grid for Grill master
Grid for Grill-Master Mini
Grid for ovens H90 and H90S
Grid for Roast Master 50/50
Grill barbecue Green Fire
Grill-Master Maxi
Grill-Master Mini 454
Grill-Master Quattro 455
Grill pan - ridged surface Titanium Professional
Group head cleaning brush
,
н

Н

п	
HACCP Cutting mat set - 6 pieces	
Hamburger press	133
Hamburger turner	83
Hand dryer	302
Heated countertop cabinet	161
Heated countertop display	
Heating element	270
Heavy-duty storage rack	
HENDI Blend stick blender	138
HENDI Jet chefs' torch	126
HENDI Samurai Japanese mandoline	71
High power blender	143, 427
High voltage insect killer	
Hokker Kitchen Line	

Hokker Kitchen Line XL	153
Hokker Profi Line	153
Hokker stand	152
Honey dispenser	354
Hood dishwasheer 50x50	
Hood dishwasher - electronic controller	
Horeca markers	
Hose with rinse head for appliances	217
Hot Chocolate Dispenser	
Hotdog stand	101
Hot drinks boiler	
Hot drinks boiler - Design by Bronwasser	
Hot drinks boiler double-walled	447
Hot drinks boiler matt black - Design by Bronwa	asser 444
Hot tray	158, 271
,	

L

Ice bucket – double walled
Ice bucket white
Ice cream bowl Clown
Ice cream cones stand
Ice cream container lid Polycarbonate
Ice-cream cup
Ice cream dipper 107 Ice cream dipper Stöckel
Ice cream dipper Stocket
Ice cream scoop Stöckel
Ice cream scoop vasher
Ice cream spatula
Ice crusher – electric
Ice crusher – manual
Ice cube ball mould
Ice cube machine
Ice cube machine - 12 kg 431
Ice cube machine - Kitchen Line 15 431
Ice cube mould mini cube
Ice cube moulds assorted gems
Ice cube mould XL cube
Ice cube tongs
Ice cube tray with lid
Ice shot glass mould
lcing tips
Icing tips - serrated116-117 Icing tips - smooth
Induction cooker 2000W Kitchen Line
Induction cooker 3500W Kitchen Line
Induction cooker model 1800
Induction cooker model 2000
Induction cooker model 7000
Induction cooker model 3500 D
Induction cooker model 5000 D
Induction cooker model 3500 D XL
Induction cooker model 3500 M
Induction cookers Kitchen Line154
Induction deep fryer with drain tap 169
Induction deep fryer with drain tap, 8 l
Induction deep fryer with drain tap - 2 x 8 l 169
Induction frying pan
Induction heater 800W
Induction hokker high power
Induction not plate Kitchen Line
Induction stove with 4 hobs
Infrared heat bulb
Infrared thermometer
Infrared thermometer with probe HACCP96
Ingredient boxes
Ingredient trolley
Insect killer 300 m²
Insect killers for indoor use
Insect killers for outdoor use
Insect killers for use in the kitchen & restaurant 310
Insect killer water resistant
Insect killer with adhesive plate 100 m ²
Insect killer with adhesive plate 120 m ²
Insulated beverage dispenser with tap
Insulated catering container GN 1/1, top-loaded
Insulated ice container - 110 L
Insulated portable container
iVide Plus Junior
iVide Plus Sous vide thermal circulator

J

Japanese knives	57
Japanese sharpening stone HENDI by Naniwa.	62
Jigger	415
Jigger black	415
Jigger with ring	415
Juice dispencer 2x12L	395, 422
Juice dispenser	394-395
Juice jug	
Julep strainer	
Julienne disc	129

к

K	
Karizma	
Kebab grill gas Profi Line	
Kebab grill & knife	
Kebab knife electric	
Kitchen bowl	
Kitchen Line bain-marie	
Kitchen Line bain-marie with drain tap	
Kitchen Line cream whipper	105, 419
Kitchen Line Food dehydrator	
Kitchen Line ice cream container	
Kitchen Line ice cream scoop	
Kitchen Line pizza dough box	
Kitchen Line potato peeler, 10 kg	
Kitchen Line potato peeler, 5 kg	
Kitchen Line soup kettle, 8 l	
Kitchen scale 10 kg	
Kitchen scale 15 kg	
Kitchen scale 3 kg	
Kitchen scale 5 kg	
Kitchen scissors	
Kitchen sink – with knee-operated faucet	
Knife for french fries cutter	72
Knife magnet with hooks	53
Knife sharpener	62
Knives carrying case	67
Knives HACCP	58
Knives Kitchen line	55
Knives Profi Line	54
Knock box GN	437
Knock box in wooden frame	437
Knock box rectangular	437

L I adle

– Ladle	
Ladle non-drip	
Ladles and serving spoons buffet supreme	
Ladles and serving spoons, heat resistant	
Ladles & skimmers Kitchen Line	85
Ladles & skimmers Profi Line	85
Laundry bag for laundry trolley	
Laundry Trolley	
Lava rocks - coarse	
Lava rocks - fine	451
Lemon Zester	
Lid clips for HACCP storage containers	
Lid for GN containers	, 41, 43-44, 46
Lid for GN containers black polycarbonate	
Lid for GN containers made of polypropylene,	
Lid for GN containers polypropylene	
Lid for GN containers purple	
Lid for GN containers white polycarbonate	
Lid for GN containers with silicone rim	
Lid for GN containers with soup/sauce ladle	recess 41
Lid for GN containers with sous vide stick	0 // 199 190
recess	
Lid for GN containers with spoon recess Lid for racks	
Lids for stew pans	
Lid spacer for pizza's - 500 pcs	
Lid with dispenser for GN containers	
Lift Salamander 450	
Lift Salamander 600	
Lionhead	
Liquid fuel with wick	
Loading table with sink for dishwasher	
Lobster and crab cracker	
Lobster forks - 6 pcs	
Lounge Heater	
Low temperature oven	



LPG gas cartridge127
м
Madeleines
Medecennessing jug
Measuring jug polypropylene
Measuring jug stackable
Measuring jug stackable
Meat mincer Violanne 12
Meat mincer Kitchen Line 22
Meat mincer knife
Meat tenderizer Profi Line
Meat Tenderizers
Meat tenderizing hammer
Meat tray
Mear (1a)
Melanine
Meton scoop oval
Melon scoop serrated
Mercin scoop servated
Menu and cuttery box
Menu card table stand
Menu clable stand
Mena capitolia
Milk frothing thermometer
Milk jug
Milk jug
Milk jug – matt black
Milkshake mixer BPA Free - Design by Bronwasser113, 429
Milkshake mixer - Design by Bronwasser
Mincing knife
Minicing Kille
Mini-care
Mini gridate pari Little Chef
Mini ovat pan Little Chef
Mini round par Entre oner
Mini sauce dispenser - set of 4 pcs
Mini sadcepan Little Cher
Mobile trolley for dishwasher baskets - 7 x 500x500 mm301
Mounting bracket for scoop washer
Mounting frame for induction heater, 800W
Mounting frame for induction nearer, boow
Muddler
Mudulei
Muesti dispenser
Muesti/satad bowt
Murinis
Mug copper plated
Mug copper plated
Multipurpose jugs
Multipurpose tweezers
Multipurpose tweezers
Multi Toaster 6 tongs
Mussel & gravy pans32 Mussel pan - with lid32
Musser pari - With the

Ν

N	
Nacho warmer	195
Napkin holder	358
Napkin holder black	358
Napkin holder with 3 compartments	412
Non-drip bracket wall mounted	410
Non-drip pourer	410
Non-drip sauces dispenser	101
Non-slip display stands	
Non-slip display stands round	
Non-stick coated blade	135
Non-stick mat for rice cookers	188
Non-stick silicone baking mat	121
Nut and seafood cracker matt black	

0

0	
Offset tweezers	
Oil and vinegar set	
Olive oil dispenser	
Olive wood holder	
Onion goggles	
Oval dish	
Oven dishes cream porcelain	
Oven dishes white porcelain	
Oven dish round	
Oven glove heat resistant - 2 pcs	
5	,

Oven grid chrome plated Oven grid GN 1/1	
Oven mitts	
Oven mitts, cotton - 2 pcs	219, 460
Oven mitts, fiberglass - 2 pcs	219, 460
Oven mitts, flame retardant cotton - 2 pcs	219, 460
Oven thermometer	
Oven tray 450x340 mm	
Oven tray for Convection oven multifunctional	213
Oyster knife long	61
Oyster knife round	61
Oyster knife straight	61
_	

P

P
Paella pan
Palette knife83, 120
Palm tamper adjustable
Pan gripper
Pan series Budget Line
Pan series copper
Pan series Profi Line
Pan support adapter
Paper bread bags
Paring knife
Paring knife with wooden handle
Paring knives
Paring knives and peelers60, 413
Paring knives, set of 6 colours 60
Party pan
Party tub
Pass-through cupboards with sliding doors
Pass-through cupboard with partition and sliding doors 287
Pass-through cupboard with sliding doors
Pasta cooker basket
Pasta maker
Pasta maker electric
Pastry bag anti slip - 100 pcs
Pastry bags
Pastry bags – set of 2 pcs
Pastry cutters, round – set
Pastry tong
Patio Heater
Patio heater Pyramid
Patio Heater - retractable
Patty dividers 133
Pavement blackboard
Peeler
Pepper shaker
Percolator
Percolator 446 Percolator and hot drinks boiler - Design by 800 Bronwasser 445 Percolator and hot drinks boiler matt black - Design by 800 Bronwasser 444 Percolator - Design by Bronwasser 444
Percolator
Percolator 446 Percolator and hot drinks boiler - Design by 800 Bronwasser 445 Percolator and hot drinks boiler matt black - Design by 800 Bronwasser 444 Percolator - Design by Bronwasser 445 Percolator - Design by Bronwasser 447
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 445 Percolator double walled 447 Percolator matt black - Design by Bronwasser 444 Percolator and hot drinks boilers 446 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers 446
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 445 Percolator double walled 447 Percolator matt black - Design by Bronwasser 444 Percolator and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Perfect for preparing freddo cappuccino, frappé 447
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 447 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator and the drinks boilers 444 Percolators and hot drinks boilers double walled 444 Percolators and hot drinks boilers double walled 446 Percolators and hot drinks boilers double walled 446 Percolators and hot drinks boilers double walled 446 Percolators and hot drinks boilers double walled 447 Percolators and hot drinks boilers double walled 446 Percolators and hot drinks boilers double walled 446 Perfect for preparing fredo cappuccino, frappé 112, 428
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 447 Percolator duble walled 447 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Perforated for preparing freddo cappuccino, frappé and milkshakes 112, 428 Perforated drip shelf for GN containers 41
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 446 Percolator double walled 447 447 Percolator double walled 447 447 Percolator and hot drinks boilers 444 Percolator and hot drinks boilers double walled 447 Percolators and hot drinks boilers double walled 447 Percolator by Berlorated drip shelf for GN containers 412 Perforated drip shelf for GN containers 41 Perforated drip shelf for GN containers polycarbonate46 447
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 447 Percolator double walled 447 447 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Perfect for preparing freddo cappuccino, frappé 447 Perforated drip shelf for GN containers. 417 Perforated drip shelf for GN containers. 418 Perforated drip shelf for GN containers. 417 Perforated drip shelf for GN containers. 418 Perforated drip shelf for GN containers. 416 Perforated drip shelf for GN containers. 417 Perforated drip shelf for GN containers. 418 Perforated drip za pan <
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator double walled 447 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers 444 Percolators and hot drinks boilers double walled 447 Perfect for preparing freddo cappuccino, frappé 447 Perforated drip shelf for GN containers. 417 Perforated drip shelf for GN containers polycarbonate46 467 Perforated drip shelf for GN containers polycarbonate46 467 <t< td=""></t<>
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator ouble walled 447 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers 444 Percolators and hot drinks boilers double walled 447 Perfeated for preparing freddo cappuccino, frappé and milkshakes 112, 428 Perforated drip shelf for GN containers 41 Perforated drip shelf for GN containers polycarbonate 46 Perforated pizza pan 235 Perforated piza pan 235 Perforated pize 130 Piano whisk 86-87
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator duble walled 447 Percolator duble walled 447 Percolator and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Percolators and hot drinks boilers double walled 447 Perforated drip shelf for GN containers. 41 Perforated drip shelf for GN containers. 41 Perforated drip shelf for GN containers polycarbonate. 46 Perforated drip shelf for GN containers. 41 Perforated drip shelf for GN containers. 41 Perforated drip shelf for GN containers. 41 Perforated pizza pan 235 Perforated piate 130 Piano whisk 86-87 Piano whisk with 12 piano wires 87
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 447 Percolator double walled 447 447 Percolator and hot drinks boilers 446 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Perfect for preparing freddo cappuccino, frappé 446 Perforated drip shelf for GN containers 417 Perforated drip shelf for GN containers polycarbonate. 46 Perforated drip shelf for GN containers polycarbonate. 46 Perforated plate 130 Piano whisk 86-87 Piano whisk with 12 piano wires 87 Pitcher 393
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator double walled 447 Percolator and hot drinks boilers 646 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Perfect for preparing freddo cappuccino, frappé and milkshakes. 112, 428 Perforated drip shelf for GN containers. 41 112 112 Perforated drip shelf for GN containers polycarbonate. 46 46 130 Piano whisk 86 87 130 130 Piano whisk with 12 piano wires 373 373 373 Pitcher 373 373 374
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 447 Percolator double walled 447 447 Percolator and hot drinks boilers 446 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Perfect for preparing freddo cappuccino, frappé 446 Perforated drip shelf for GN containers 417 Perforated drip shelf for GN containers polycarbonate. 46 Perforated drip shelf for GN containers polycarbonate. 46 Perforated plate 130 Piano whisk 86-87 Piano whisk with 12 piano wires 87 Pitcher 393
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator ouble walled 447 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers double walled 447 Perfect for preparing freddo cappuccino, frappé and mikhshakes 112, 428 Perforated drip shelf for GN containers 41 41 Perforated drip shelf for GN containers polycarbonate 46 Perforated piza pan 235 235 Perforated piza pan 86-87 130 Piano whisk 86-87 87 Piano whisk with 12 piano wires 87 91 Pitcher 393 91 393 Pitab read basket - oval 344 344
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator ouble walled 447 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers 444 Percolators and hot drinks boilers double walled 447 Perforated for preparing freddo cappuccino, frappé and milkshakes 112, 428 Perforated drip shelf for GN containers 41 Perforated drip shelf for GN containers polycarbonate
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator duble walled 447 Percolator duble walled 447 Percolator duble walled 447 Percolator and hot drinks boilers 446 Percolator and hot drinks boilers 446 Percolator and hot drinks boilers 446 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Perforated fip shelf for GN containers 446 Perforated drip shelf for GN containers polycarbonate
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers 444 Percolators and hot drinks boilers double walled 447 Perforated for preparing freddo cappuccino, frappé and milkshakes 112, 428 Perforated drip shelf for GN containers 41 Perforated driza pan 235 Perforated piza pan 235 130 Piano whisk 86-87 Piano whisk 12 piano wires 87 130 130 Pitahren 393 Pitcher 393 144 Pita bread basket - voal 344 144 144 144 144 144 Pita bread basket - voal 344 144 144 144 144 <
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 445 Percolator double walled 447 Percolator and hot drinks boilers 446 Percolator and hot drinks boilers 446 Percolators and hot drinks boilers 446 Percolators and hot drinks boilers double walled 447 Perforated for preparing freddo cappuccino, frappé and milkshakes Perforated drip shelf for GN containers 41 Perforated drip shelf for GN containers polycarbonate. 46 Perforated plate 130 Piano whisk with 12 piano wires 87 Pitcher 393 Pita bread basket - oval 344 Pizza board 235 Pizza counters 244 Pizza outerts 245 Pizza delivery bag 35 cm. 236
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers 444 Percolators and hot drinks boilers double walled 447 Perforated for preparing freddo cappuccino, frappé and milkshakes 112, 428 Perforated drip shelf for GN containers 41 Perforated driza pan 235 Perforated piza pan 235 130 Piano whisk 86-87 Piano whisk 12 piano wires 87 130 130 Pitahren 393 Pitcher 393 144 Pita bread basket - voal 344 144 144 144 144 144 Pita bread basket - voal 344 144 144 144 144 <
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers double walled 447 Perfect for preparing freddo cappuccino, frappé and mikhshakes 112, 428 Perforated drip shelf for GN containers 41 Perforated drip shelf for GN containers polycarbonate. 46 Perforated piza pan 235 Perforated piza pan 393 Pitcher 393 Pither with ice tube 393 Pitta bread basket - oval 344 Piza board 234 Piza dourders 244-245 Piza delivery bag 35 cm 236 Piza delivery bag 35 cm Kitchen Line 236 Piza delivery bag 35 cm Kitchen Line 236 <t< td=""></t<>
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers 444 Percolators and hot drinks boilers double walled 447 Perforated for preparing freddo cappuccino, frappé and milkshakes 112, 428 Perforated drip shelf for GN containers 41 Perforated drip shelf for GN containers polycarbonate
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator duble walled 447 Percolator duble walled 447 Percolator and hot drinks boilers 444 Percolators and hot drinks boilers double walled 447 Percolators and hot drinks boilers double walled 447 Perforated drip shelf for GN containers 41 Perforated drip shelf for GN containers polycarbonate. 46 Perforated drip shelf for GN containers polycarbonate. 46 Perforated drip as helf for GN containers polycarbonate. 46 Perforated plate 130 Piano whisk 86-87 Piano whisk 86-87 Piano whisk 344 Pitcher 393 Pitcher 393 Pita bread basket - round 344 Pizza board with handle 235 Pizza board with handle 236 Pizza delivery bag 35 cm 236
Percolator 446 Percolator and hot drinks boiler - Design by Bronwasser 445 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator and hot drinks boiler matt black - Design by Bronwasser 444 Percolator - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolator matt black - Design by Bronwasser 444 Percolators and hot drinks boilers 444 Percolators and hot drinks boilers double walled 447 Perforated for preparing freddo cappuccino, frappé and milkshakes 112, 428 Perforated drip shelf for GN containers 41 Perforated drip shelf for GN containers polycarbonate

Pizza oven cleaning brush23
Pizza oven compact
Pizza ovens compact
Pizza pan
Pizza plate Speciale
Pizza plate Speciale Barocco
Pizza plate Speciale decorated
Pizza plate Speciale gray
Pizza plate Speciale orange
Pizza plate Speciale yellow
Pizza plates Speciale
Pizza scoop
Pizza scoop round
Pizza scoop, round, perforated23
Pizza scoop squared230-23
Pizza scoop, squared23
Pizza scoop squared with short handle
Pizza scoop with short handle, squared, perforated 23 Pizza scoop, wooden
Pizza scoop, wooden
Pizza screen/pan rack
Pizza slicer
Pizza thermobox Profi Line
Placemat – set
Planetary Mixers Kitchen Line
Plastic driptray for food dehydrators
Plate Bark
Plate trolley
Platform trolley
Platter, rectangular
Pocket thermometer
Pocket thermometer with probe
Polycarbonate ice cream container
Bronwasser113, 42
Polyester tray, for self-service restaurants
Polyester tray, non-slip, oval
Polyester tray, non-slip, rectangular
Polyester tray, non-slip, round
Polyester tray, oval, XL
Polyethylene butcher block with base
Polypropylene cutlery basket 40
Polypropylene Euronorm 40
Polypropylene fast food tray, large
Polypropylene fast food tray, medium
Polypropylene fast food tray, oval 40
Polypropylene fast food tray, small
Polypropylene scoop
Potato masher
Potato peeler
Potato peelers Kitchen Line
Potato ricer
Pot stand
Poultry shears
Pourers
Presentation cover GN 1/1
Presentation displays and covers
Presentation miniatures
Pressure food sprayer
Pressure regulator 37 mBar456, 46
Pressure regulator 50 mBar
Pressure regulator 50 mBar for gas barbecue propane/
butane
Professional grill and oven cleaner
Profi Line Gecorating and Injector tips
Profi Line ice cream container
Profi Line ice cream scoop
Profi Line lid for bucket with reinforced base
Profi Line rice cooker & warmer 5.4 l
Profi Line sausage filling machine
Profi Line slicer
Profi Line strip vacuum packaging machine
Protective cover
Pull-out basin tap
Quartz heated countertop display
Quartz calamandar MAVI GN 1/1
Quartz salamander MAXI GN 1/1



R

R
Rack for 18 vegetable cutter discs 129
Ramekin
Rasping disc
Rasps
Rear shelf for Green Fire grills
Receipt holder - 3 pcs
Reception bell
Refrigerated countertop server
Refrigerated countertop server GN 1/3 Arktic
Refrigerated countertop server GN 1/4 Arktic
Refrigerated display cabinet, 270 L
Refrigerated display cabinet, 58 L
Refrigerated display cabinet, 68 l
Refrigerated display cabinet, 78 L
Refrigerated display cabinet, 98 L
Refrigerated display cabinets 252
Refrigerated display cabinets, Arktic
Refrigerated display cabinets with 2 shelves 255
Refrigerated display cabinets with 3 slanted
shelves Arktic
Refrigerated display cabinets with back access
Refrigerator & freezer counters Profi Line 700 series 239
Refrigerator thermometer
Replacement knife for kebab knifes
Replacement lamp for fly killers
Restaurant calling system
Restaurant pagers – set of 10 pcs
Rice cooker 10 L
Rice cooker 4.2 L
Rice cooker with steamer function
Ring for Hokker
Rise and fall heat lamp conical 170
Rise and fall heat lamp cylindrical 170
Roasting pan25
Roasting thermometer with timer97
Roast-Master Maxi
Roast-Master Maxi 50 50 455
Rollers for beef and pork
Rollers for poultry
Rollers for shoarma
Rolling pin with non-stick coating
Rolltop-Chafing dish - round
Roll Top Cool Display Tray Double Deck
Roll-top cooling display double
Roll-top cooling display single
Roll Top Display, double-purpose, Single Deck
Roll top display – single
Roll top for bread basket round
Rolltop presentation cover
Rolltop presentation cover GN 2/3
Rotating cake stand
Roulade string73
Roulade string red & white73
Round bar table
Round cake display, Arktic
Round container body
Round display roll-top cover
Round knock box
Round open cover
Round tray with cover
Round tralley
Rustica oven dish oval
Rustica oven dish rectangular
Rustica oven dish round
Rustica oven dish square
S

Sofo

•	
Safe can opener	
Salad bowl	319, 323, 325-326
Salad counters	
Salad fork	
Salad spinner	
Salad spoon	
Salad tongs	
Salamander	
Salamander GN 1/1 wall mountable	
Salamander wall mountable	190

elements GN 1/1 Salt and pepper shaker	
Salt and pepper shaker set	35
Salt grinders & pepper mills	35
Salt shaker Salt tablets for water softening	3t 31
Sandwich toaster	
Saturn	
Sauce bain-marie with dispenser	
Sauce boat	
Sauce dispenser with pump Sauce ladle	
Saucepan - without lid	
Saucer for cappuccino cup	
Saucer for coffee cup	
Saucer for espresso cup	
Sauce stand	
Sausage cutter	
Sausage cutter - electric	
Sausage cutter - manual	
Sausage rolling grill – one zone Sausage rolling grills	
Sausage rolling grill – two zones	
Sausage warmer	19
Sauté pan Titanium Professional	
Sauté pan - without lid Saves up to 20% of energy	
Saves up to 20% of energy Scales	
Scraper	
Scraper spoon shaped	.84, 12
Sea food tray stand	
Semi-sphere Serving basket	
Serving basket black	
Serving baskets fast food style	34
Serving board, olive wood, rectangular	
Serving board, olive wood, rectangular, with groove Serving board, olive wood, rectangular, with handle	
Serving board, olive wood, rectangular, with nanut Serving board, olive wood, rectangular, with openi	
Serving dish	
Serving spoon	
Serving stand for plates	
Serving stands Serving tong HACCP 250 mm	
Serving tongs	
Serving tongs – 2 pcs	8
Serving tongs curved	8
Serving tongs HACCP 300 mm Serving tray GN 1/1	
Serving tray GN 1/1, with slanted rim	
Serving tray, oval	39
Serving tray, oval, non-slip, laminated	
Serving tray, rectangular, non-slip, black	
Serving tray, rectangular, non-slip, laminated Serving tray, round	40
Serving tray, round, non-slip	
Serving tray, round, non-slip, high rim, laminated .	
Serving tray, round, non-slip, laminated	
Serving trays, non-slip Serving tray with melamine laminate, non slip,	4l
with wood design	4(
Serving trolley	
Serving trolley heavy duty	
Serving trolley matt black	
Serving trolley with 4 shelves Serving trolley with 5 shelves	
Set: 2 x Stainless steel sauce container with disper	nser 9
Set of 4 feet for refrigerators and freezers	23
Shaker	
Shelf for Blast chillers Shelf for counter refrigerator & freezers 2-doors	
Kitchen Line	
Shock proof thermometer with probe	9
Side table for Green Fire barbecues	
Sieve	
Sieve, double mesh Silicone moulds	
Silicone tong for cooking	
Single basin table – welded	28
Single Pedestal Pre-Rinser	

Single sink table Budget Line – screwed Single sink table with cabinet – welded	282
Single sink table with shelf – for self-assembly	201
Sink	
Sink tables – screwed	279
Sink table - welded, 2 sinks	284
Sink table with cabinet - welded	
Sink tap	
Sink tap with long lever	
Skimmer, round	
Slicer Profi Line 195	134
Slicer Profi Line 220	134
Slicer Profi Line 250	
Slicer Profi Line 300	
Slicer Profi Line 220 Red Edition Slicer Profi Line 250 Red Edition	
Slicing disc	
Slim Rectangle Container 60L	
Slotted spatula	380
Slotted spoon85,	380
Slow pourer with flip top - 6 pieces	409
Slush machine	
Snall frying pan	
Small sauce pan with spout	
Smoke Infuser	
Smoke oven electric	223
Smoking chips	
Smoking dust assortment - set of 9 flavors	183
Smoking gun rechargeable – 3 speeds of smoke infusion	102
Smoking gun rechargeable – 3 speeds of smoke	103
infusion	180
Snack basket	
Snack can	
Snack pan	
Snail fork - 6 pcs	
Snail tongs - 2 pcs Soda chargers - 10 pcs	
Soda siphon	417
Soft serve and whipped cream machine cleaner	307
Solid design - thickness 1 mm	80
Soup and sauce bowls	329
Soup bowl	
Soup chafing dish Soup chafing dish mirror finish	
Soup & gravy pan - with lid	327
Soup kettle	368
Soup ladle	381
Soup pan for electric soup kettle	
Soup plate	
Soup tureen Sous-vide cooking bags for vacuum packing machines	329
Sous-vide cooking bags for vacuum packing machines	149
Sous-vide system GN 1/1	176
Sous-vide system GN 2/3	
Spaghetti tongs	382
Spare parts set	
Spatula	
Speed peeler Spice mat for Food Dehydrator	
Spiraalgarde	
Spiral mixers	
Spiral mixer with fixed head and bowl	227
Spiral mixer with rising head and removable bowl	
Spoon	
Spoon holder Spreader - serrated	
Spring for coffee filter holder	
Square bowl	
Stainless steel cleaner	307
Stainless steel cutlery basket	
Stainless steel mixing cup for milkshakers – Design by	
Bronwasser113,	
Stainlass staal rolling nin	
Stainless steel rolling pin Stainless steel sauce container with dispenser	123
Stainless steel sauce container with dispenser	123 99
	123 99 209
Stainless steel sauce container with dispenser Stand for convection steam oven with grill 4x GN 2/3 Stand for ovens H90 & H90S Standing Ashtray Pole	123 99 209 211 365
Stainless steel sauce container with dispenser Stand for convection steam oven with grill 4x GN 2/3 Stand for ovens H90 & H90S	123 99 209 211 365 365



Steak fork - 6 pcs Steak knife - 6 pcs Steak knife XL - 6 pcs Steak thermometer - set of 4 pcs	. 316 . 316
Steam convection oven Step-on container Stew pan high - with lid	. 305 0, 22
Stew pan high - without lid	0, 22
Stew pan (medium) – with lid Stew pan middle - with lid	22
Stew pan middle - without lid Stew pan with lid	23 24
Stick blender 250W - with adjustable speed Stick blender drive unit - variable speed 350 W	. 139
Stick blender drive unit - variable speed 500 W Stick blender Kitchen Line Stick blender Kitchen Line 160 with adjustable speed .	. 139
Stick blender Profi Line 400 - adjustable speed set with storage rack	
Stick blenders Profi Line Stick blender variable speed with whisk	. 140
and wall-mounted rack Stirrers BPA-free for milkshake mixers – Design by	
Bronwasser	
Stöckel ice cream dipper	. 107
Stöckel oval ice cream scoop Stopper – 6 pcs	. 109 . 411
Stopper with cap – 6 pcs Storage racks with 4 shelves	. 277
Storage rack with 5 shelves Store & pour bottle Strainer	. 411
Sugar bowl	. 357
Sugar dispenser Sugar/whipped cream dish	. 354 . 357
Sushi display 5x GN 1/3	. 251

т	
• Tab grabber	53
Table beer tap	
Table caddy	
Table caddy lack	
Table cauly black	
Table cover Symposium, rectangular	
Table cover Symposium, round	
Table cover Symposium, round ø70-85 cm	
Table sign ,No smoking'	
Table sign Reserved	
Table signs numbered	
Tablestand numbers	
Tabletop blackboard - 2 pcs	
Tabletop litterbin	
Tabletop litterbin or cutlery holder	
Table with 1 sink bowl and a shelf – screwed,	
depth: 600 mm	28/
Table with sink, dishwasher space and shelf	
Taco holder	
Tampa gas grill	
Tamping mat	
Tamping mat double	
Tamping stand	
Tapas dish Cacerole - 6 pcs	
Tapas dish Concha - 6 pcs	
Tapas dish Cuadrado - 6 pcs	
Tapas dish Cuchara - 6 pcs	
Tapas dish Huevo - 6 pcs	
Tapas dish Leon - 6 pcs	
Tapas dish oval	
Tapas dish Plato - 6 pcs	
Tapas dish rectangular	330
Tapas dish Redondo - 6 pcs	332
Tapas dish Triangolo - 6 pcs	332

Tapasmini	
Tap with pull out rinser	299
Tartelette	124
Tea box	357
Tea & herb strainer	357
Tea strainer - with hinged handle	357
Teflon tape for top sealbar	
Tepan-yaki griddle	
Thermobox Profi Line	
Thermo catering box	271
Thermo catering container 2x GN 1/1 200	269
Thermo front loaders	
Thermometer with foldable probe	
Thermostat cable for party pan	
Thermo system	
Thermosystem 1	
Thermosystem 2	
Three door pizza counter with cooling display 380+40L	245
Tiered stand	
Tin Tin cocktail shaker	
Toaster tong	
Tomato knife	
Tomato knife offset	
Tomato slicer	
Tong for Sandwich toaster	
Top grid for charcoal barbecues	200
Top grid for Roast-master	400
Top grid for Xantos barbecue	
Tornado infrared radiant heater	
Tortilla press	
Tote box	
Trash bag holder	
Trash bin 43 L	
Tray	
Tray for french bread	
Tray for ovens H90 and H90S	
Tray GN 1/1 - with 4 rims	221
Tray perforated	
Tray perforated GN 1/1 - with 4 rims	221
Tray perforated GN 2/3 - with 4 rims	
Tray sealer Compact	
Tray sealer HENDI matrix	145
Tripod for Infrared patio heater	464
Trolley for dishwasher racks	301
Trolley for dishwasher racks with handle	301
Trolley for tables	404
Trolley for thermo container	
Truffle slicer	
Tumbler	326
Turner flexible	
Turner flexible, perforated	
Tweezer, curved, with profiled handle	
Tweezer, cylindrical head	69
Tweezer, round head	68
Tweezers curved	
Tweezer, square head	
Tweezers, round head, coated	
· · ·	

U

UNIQ Chafing dish	
UNIQ Soup kettle	
Universal tongs	
Universal tongs with teflon coating	
Unloading table for dishwashers	
UV sterilizer	

۷

Vacuum chamber packaging machine Kitchen Line 14	46
Vacuum chamber packaging machine Profi Line 146-14	47
Vacuum jug	49
Vacuum jug with glass inner bottle	48
Vacuum packaging machine Kitchen Line 14	48
Vacuum packing bags 14	49
Vacuum packing bags, for chamber vacuum packing	
machines14	49
Vegetable corer	64
Vegetable cutter	71
Vegetable cutter heavy duty 12	29

Vegetable cutter Profi Line	128
Vegetable cutter V-type	71
Vegetable cutter V-type double bladed	71
Vegetable dish	329
Vegetable spoon	85
Vegetable strainer	89
Velocity slanted bowls	
Very hard poly- ethylene	50-51

w

W
Waffle maker ,Brussels' 193
Waffle maker corn dog 192
Waffle maker ,Heart
Waffle maker ,Liège' 193
Waffle maker lollypop 192
Waffle maker round
Waffle makers
Waiter's corkscrew
Wall blackboard
Wall Mounted Ashtray
Wall mounted bottle opener
Wall mounted cabinet with sliding doors - welded 283
Wall-mounted extractor hood
Wall mounted storage rack140
Wall rack for pastry bags 115
Wall shelf, with two steel brackets 277
Wall work table cabinets – welded 281
Wall work table cabinet with sliding doors - welded 281
Wall work table with shelf Budget Line – screwed 280
Wall work table with upstand and shelf
Washbasin knee operated
Waterproof thermometer
Water softener
Water softener, automatic
Water softener, semi-automatic
Water softeners Manual
Wet floor sign
Whisk attachment for stick blender 222140 139
Whisk attachment for stick blender motor 221884
& 221891
Whisk attachment for stick blender Profi Line 300,
400 & 500
Wine cooler
Wine cooler EPP
Wine coolers, dual zone
Wine cooler stand
Wine cooler table bracket
Wire basket basic round
Wire basket deco oblong
Wire basket deco oval
Wire basket deco rectangular
Wire basket deco round
Wire baskets 345 Wire brush 461
Wire brush set narrow - 3 pcs
Wire brush Y-shaped
Wok
Wok 3-ply - without lid
Wok Titanium Professional
Wooden pepper mill
Wooden rolling pin 123
Wooden salt grinder
Wooden spatula - set of 4
Wooden spoon - set of 3, various sizes
Wooden spreader for crêpe makers
Works also with a GN tray up to GN 1/2155, 375
Work table heavy duty
1101 IC Capito Jour Capiting
Worm shaft
Worm shaft
Worm shaft



PAN SERIES PROFI LINE

- Thick sandwich bottom (stainless steel/aluminium/stainless steel) combines the heat spreading properties of aluminium with the durability and magnetic properties of stainless steel, making it suitable for use on induction stoves.
- The bottom is formed by high impact bonding, causing the whole surface of the layers to weld seamlessly.
- Solid handles, thanks to the clever way of mounting the heat from the pans isn't transferred into the handles.
- The pans are acid resistant and easy to clean.





STEW PAN HIGH - WITH LID

code	liters	wall (mm)	mm
832004	3	0.7	ø160x(H)150
832202	6	0.7	ø200x(H)190
832400	10	0.7	ø240x(H)220
832509	16	0.7	ø280x(H)260
832608	24	0.8	ø320x(H)300
832707	37	1	ø360x(H)360
832806	50	1	ø400x(H)400
832929	70	1	ø450x(H)450
833025	95	1	ø500x(H)500

STEW PAN MIDDLE - WITH LID

code	liters	wall (mm)	mm
831007	2	0.7	ø160x(H)110
831205	4	0.7	ø200x(H)130
831403	7	0.7	ø240x(H)150
831502	10	0.7	ø280x(H)170
831601	15	0.8	ø320x(H)190
831700	23.5	1	ø360x(H)230

STEW PAN LOW - WITH LID

stainless steel 430, min. 0,5 mm

code	liters	wall (mm)	mm
830000	1.5	0.7	ø160x(H)75
830208	2.8	0.7	ø200x(H)90
830406	4.8	0.7	ø240x(H)105
830505	7.5	0.7	ø280x(H)120
830604	12	0.8	ø320x(H)150

stainless steel 304

aluminium 5 mm







With extra hook to support while draining

PASTA COOKER BASKET

- Suitable for stew pan Ø 360 mm 831700.
- With extra hook to support while draining.

code	liters	mm
833506	1.5	160x160x(H)230

SAUCEPAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	liters	wall (mm)	mm
830055	1.5	0.7	ø160x(H)75
830048	1	0.7	ø140x(H)70
830154	2	0.7	ø180x(H)80
830253	3	0.7	ø200x(H)90







- Long, stay-cool handle made from stainless steel.
- Ideal for pouring thanks to the sharply formed edge.

code	liters	wall (mm)	mm
830352	0.9	0.7	ø160x(H)60
830376	1.5	0.7	ø200x(H)60

FRYING PAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	wall (mm)	mm
835432	0.7	ø240x(H)45
835531	0.7	ø280x(H)50
835630	0.7	ø320x(H)55

FRYING PAN, WITH NON-STICK COATING - WITHOUT LID

– Teflon® Platinum Plus non-stick coating.

- Long, stay-cool handle made from stainless steel.

- Handle attached with rivets.

code	wall (mm)	mm
835500	0.7	ø280x(H)50
835401	0.7	ø240x(H)45
835609	0.7	ø320x(H)55

HENDI







21

PAN SERIES KITCHEN LINE

- Encapsulated sandwich type bottom.
- Combines the heat distribution of aluminium with the durability and magnetic properties of steel to allow induction cooking.
- Satin finish of all outer surfaces.
- Steel handles affixed with multi-point welding stay cool enough to touch.







836408

837108

836309



837603

STEW PAN (MEDIUM) - WITH LID

21

0.8

ø320x(H)270

code	liters	wall (mm)	mm
836101	1.9	0.6	ø160x(H)95
836200	3.5	0.6	ø200x(H)115
836309	6	0.6	ø240x(H)135
836408	9.5	0.7	ø280x(H)155
836507	15	0.8	ø320x(H)190

836200

836101





836040

12

0.8

ø320x(H)150

LIDS FOR STEW PANS

code	mm
837818	ø160
837825	ø200
837832	ø240
837849	ø280
837856	ø320

STEW PAN HIGH - WITHOUT LID

code	liters	mm
837757	2.8	ø160x(H)140
837764	5	ø200x(H)160
837771	9	ø240x(H)200
837788	13.5	ø280x(H)220
837795	21	ø320x(H)270

STEW PAN MIDDLE - WITHOUT LID

code	liters	mm
837696	1.9	ø160x(H)95
837719	3.5	ø200x(H)115
837726	6	ø240x(H)135
837733	9.5	ø280x(H)155
837740	15	ø320x(H)190

STEW PAN LOW - WITHOUT LID

code	liters	mm
837641	1.5	ø160x(H)75
837658	2.9	ø200x(H)95
837665	4.9	ø240x(H)110
837672	7.3	ø280x(H)120
837689	12	ø320x(H)150

SAUCEPAN - WITHOUT LID

– Long, stay-cool handle made from stainless steel.

code	liters	wall (mm)	mm
838105	1.5	0.6	ø160x(H)75
838204	2.9	0.6	ø200x(H)95
838303	4.9	0.6	ø240x(H)110

SAUTÉ PAN - WITHOUT LID

– Long, stay-cool handle made from stainless steel.

code	liters	wall (mm)	mm
839300	1	0.6	ø160x(H)60
839409	1.7	0.6	ø200x(H)65

FRYING PAN - WITHOUT LID

– Long, stay-cool handle made from stainless steel.

code	wall (mm)	mm
838501	0.6	ø240x(H)50
838600	0.6	ø280x(H)50
838617	0.7	ø320x(H)50



839409 839409 838501 838600 838617

HENDI

 $|\bigcirc|$

Ē



834404

834206

STEW PAN WITH LID

Riveted handle

code	liters	wall (mm)	mm
834206	25	0.8	ø345x(H)350
834404	36	1	ø360x(H)360
834701	50	1	ø400x(H)400
834909	71	1	ø450x(H)450
835104	98	1	ø500x(H)500

Sandwich type bottom







Handles don't get hot

HENDI





BAIN-MARIE PAN

- Double walled, with resevoir for water.
- Fill the resevoir with water to melt chocolate au bain-marie.
- With stainless steel handle.

code	liters	mm
833032	1	330x165x(H)95





HENDI



- For placing small pans on large pan supports.

code 839997

255x255x(H)25

mm







 $|\bigcirc|$

F

25

FRYING PANS DIE-CAST ALUMINIUM ,TITANIUM PROFESSIONAL'


- Made of cast aluminium, suitable for all heat sources and even suitable for use in ovens (up to 250°C).
- Cast aluminium excels at conducting heat, the pan is quickly ready for use.
- The handle is made from 18/10 stainless steel and remains cool during use.
- The 'Teflon™ Platinum Plus' non-stick coating has a high temperature resistance (up to 250°C).
- The coating is applied in three layers which increases the wear resistance and makes the pan ideal for intensive use.
- Very easy to clean after use.

INDUCTION FRYING PAN

629154 629253


629345

code	bottom (mm)	mm
629154	ø190	ø250x(H)50
629253	ø220	ø290x(H)55
629345	ø260	ø330x(H)60



Titanium coating: for anti-scretch & anti-abrasion Mid coating: Whitford® Xylan non-stick

Top coating: Reinforcement of non stick layer and brighten surface



With strong stainless steel handle



Induction bottom



GRIDDLE FOR INDUCTION COOKERS

- Suitable for use on induction stoves.
- Made of die cast aluminum with Teflon® non-stick coating.
- Suitable for heat-sources up to 250°C.

code 629130

390x260x(H)35





FRYING PANS DIE-CAST ALUMINIUM ,TITANIUM PROFESSIONAL'

- Made of cast aluminium, suitable for all heat sources except induction and even suitable for use in ovens (up to 250°C).
- Cast aluminium excels at conducting heat, the pan is quickly ready for use.
- The handle is made from 18/10 stainless steel and remains cool during use.
- The Whitford $^{\otimes}$ Xylan non-stick coating has a high temperature resistance (up to 250 °C).
- Adhesion of the non-stick coating is improved by a layer of titanium between the aluminium and the coating.
- This double-layer procedure improves the service life of the coating and provides additional scratch-resistance.
- Very easy to clean after use.






Primer coating: for anti-corrosion, anti-shock & better durability of coatings Titanium coating: for anti-scretch & anti-abrasion

Mid coating: Whitford® Xylan non-stick

Reinforcement of non stick and bright surface



Aluminium pan base

FRYING PAN TITANIUM PROFESSIONAL

629109 629307

629390

code	bottom (mm)	mm
629109	ø180	ø240x(H)55
629307	ø260	ø320x(H)55
629208	ø220	ø280x(H)55
629352	ø300	ø360x(H)55
629390	ø340	ø400x(H)55



WOK TITANIUM PROFESSIONAL

839010 ø15	57 ø320x(H)	100

629505

SAUTÉ PAN TITANIUM PROFESSIONAL

code	bottom (mm)	mm
629505	ø225	ø280x(H)85



GRILL PAN - RIDGED SURFACE TITANIUM PROFESSIONAL

	FISH FRY PROFESS		OVAL TITANIUM	1 CRÊPES PAN TITANIUM PROFESSIONAL		
	code	bottom (mm)	mm	code	bottom (mm)	mm
5	629604	ø175	400x275x(H)35	629413	ø260	ø320x(H)20

code	bottom (mm)	mm	
629802	ø220	550x290x(H)55	6

HENDI

629413

 $|\bigcirc|$


 $\mathbb{R}^{\mathbb{R}}$

FRYING PANS ALUMINIUM , MARBLE PROFESSIONAL'

- Made of durable aluminium, suitable for all heat sources, even suitable for use in ovens.
- Aluminum offers even heat conduction, the pan is quickly ready for use.
- The handle is made of epoxy coated steel.
- The 'Marble' non-stick coating has a high temperature resistance (up to 260°C).
- The coating is applied in three layers and is wear-resistant.
- Very easy to clean after use.



Midcoat improves the adhesive



Induction bottom



FRYING PAN

code	bottom (mm)	mm
627600	ø140	ø200x(H)40
627617	ø180	ø240x(H)42
627662	ø200	ø260x(H)45
627624	ø220	ø280x(H)50
627631	ø260	ø320x(H)50
627648	ø280	ø360x(H)50
627655	ø300	ø390x(H)50



ŕ.

WOK			CRÉPES PAN			FISH FRYING PAN - OVAL		
code	bottom (mm)	mm	code	bottom (mm)	mm	code	bottom (mm)	mm
627730	ø210	ø280x(H)75	627679	ø240	ø280x(H)25	627716	ø185	280x400x(H)55
627747	ø210	ø320x(H)95	627686	ø280	ø320x(H)20			

HENDI


FRYING PANS ALUMINUM , PLATINUM PROFESSIONAL'

- Made of durable aluminium, suitable for all heat sources.

- Aluminium excels at conducting heat, the pan is quickly ready for use.
- Stainless steel handle with insulating silicon handle for a good grip.
- The 'Teflon™ Platinum Plus' non-stick coating has a high temperature resistance (up to 260°C).
- The coating is applied in three layers which increases the wear resistance and makes the pan ideal for intensive use.
- Very easy to clean after use.



Ä







HENDI

621103 ø140 ø200x(H)44	
621110 ø180 ø240x(H)50	
621127 ø200 ø260x(H)52	
621134 ø200 ø280x(H)52	
621158 ø215 ø320x(H)60	



PAELLA PAN

- Top-quality frying pans made of sheet steel.

- With 2 handles.

code	Suitable for Fiesta gas grill	mm
622100		ø340x(H)40
622308		ø460x(H)40
622407	146002	ø600x(H)40
622605	146804	ø800x(H)50



 $|\bigcirc|$

FRYING PANS TRADITIONAL

- Traditional frying pans made of rolled steel.
- Favourite pans of cooking masters.
- Simplicity, quality, firmness and versatility, features appreciated by many generations.
- Rusts easily, oil well to keep it ready for use.

628621 628614 628638

- The handle is welded which ensures that it doesn't break.



FRYING PAN

code	bottom (mm)	mm
628638	ø180	ø240x(H)45
628614	ø220	ø280x(H)50
628706	ø240	ø300x(H)50
020700		
628621	ø260	ø320x(H)50



Watch the video



BEFORE FIRST USE



Step 1 Put cooking oil in the pan and heat it. Add potato peelings and a lot of salt, then let it fry a bit.



Step 2 Take a kitchen towel and carefully rub the mixture around the inside of the pan.



Step 3 After rubbing the pan thoroughly, empty the pan. Now there will be residue of the potato peelings left in the pan.



CRÊPES PAN

628805

Step 4 To remove the residue put a lot of salt in the pan and rub the salt around the pan with a kitchen towel to remove the residue. Don't do this on the stove.



bottom (mm)

ø200

Step 5 Remove the dirty salt, wipe the pan clean and pour a thin layer of oil in the pan.



mm

ø230x(H)25

Step 6 Spread the oil in the pan with a clean kitchen towel. The pan is now ready for first use or storage.





0

HENDI



CAST IRON CASSEROLE ENAMELLED

- Made from cast iron, with red enamel coating on the outside.
- Lid with bumps on the inside that force water droplets (steam)
- to fall back, keeping the dish moist and aromatic. - Suitable for all heat sources including induction.
- Not dishwasher safe.
- Available in different sizes; the smallest can be used as a serving dish (code: 626856).

code	liters	mm
626856	0.27	130x100x(H)48
626832	3.7	317x240x(H)105
626849	4.4	365x290x(H)115
626825	6.88	405x255x(H)134



Ħ

PAN SERIES COPPER

- 2,5 mm thick 3-ply construction consists of stainless steel (0,4 mm), aluminium (1,5 mm) and copper (0,4 mm).
- Handles are attached by rivets.






F	RYING PA	N		SAUCEPAN - WITHOUT LID		
	code	thickness (mm)	mm	code	liters	mm
	607060	2.5	ø240x(H)50	607053	1.5	ø160x(H)80







- 3-Ply construction that sandwiches a layer of aluminium (1.5 mm) betweeen an exterior layer of 18/0 stainless steel (0.5 mm) and an interior layer of 18/8 stainless steel (0,4 mm) from base to rim.
- Fast heating and excellent heat distribution.
- Very durable through high wear resistance.
- Long hollow handle made of stainless steel.
- Flat bottom of Ø 145 mm.

code	mm
839003	ø360x(H)90





839003

- Pan is divided into compartments to allow simultaneous preparation of different dishes.

code	mm	
622759	ø430x(H)47	
622766	ø430x(H)47	

622759

18/8 stainless steel (0.4 mm)

aluminium (1,5 mm) 18/0 stainless steel (0.5 mm)



ENAMELLED PAELLA BOWLS



622704

622766

622728

622742



ENAMELLED PAN - With two convenient handles.

- Made of enamelled steel.

code	mm
622704	ø100x(H)20
622711	ø120x(H)25
622728	ø150x(H)27
622735	ø200x(H)36
622742	ø240x(<mark>H)40</mark>



- Enamelled sheet steel.

– Deep model.

code	mm	
622810	ø145x(H)40	
622827	ø170x(H)40	
622834	ø185x(H)43	
622841	ø205x(H)57	
622858	ø245x(H)70	

GASTRONORM CONTAINERS



	GASTRONORM CONTAINER PROFI LINE	GASTRONORM CONTAINER KITCHEN LINE	GASTRONORM CONTAINER BUDGET LINE	
SUITABLE FOR:				
Convection ovens	V	v	V	
Bain-marie system	V	v	V	
Chafing dishes	V	v	V	
Refrigerators	V	v	V	
Food storage	V	v	V	
Dishwasher cleaning	V	v	V	
PROPERTIES:				
For use at temperatures	-40°C / 300°C	-40°C / 300°C	-40°C / 300°C	
Stackable	V	v	V	
CONSTRUCTION:				
Made of	stainless steel 18/10	stainless steel	stainless steel	
Thickness (mm)	0,6-0,8	0,6-0,7	0,6-0,7	
Available heights (mm)	20 up to 200	20 up to 200	20 up to 200	
ACCESSORIES:				
Perforated containers	V	v		
Lids	V	v	V	
Lids with silicone rim	V	v	V	
Lids with spoon recess	V	✓		
Driping tray		v		
Adaptor bar	V	✓	\checkmark	
ADDITIONAL INFO:				
Easy to clean	V	✓	V	
Gastronorm size engraved		v		
With capacity scale				
Doesn't absorb odours or flavours	v	v	v	
	Compliant with the most strict food contact regulations (for hospitals) • Excellent corrosion resistance (salt & sour resistant) • Reduced radius to ensure maximum content • Very strong and durable	Reinforced corners to add strenght • If treated correctly corrosion resistant	If treated correctly corrosion resistant	
PAGE	37	40	42	
FAUE	ی/	40	42	



GASTRONORM CONTAINER POLYCARBONATE BLACK & WHITE	GASTRONORM CONTAINER POLYPROPYLENE	HACCP STORAGE CONTAINER	PORCELAIN Container
			V
v	V	V	V
V	V	v	
\checkmark	\checkmark	V	V
-40°C / 110°C	-40°C / 80°C	-40°C / 80°C	under 600°C
 ✓ 	v	V	V
polycarbonate	polypropylene	polypropylene	porcelain
2-3	2-2,9	2-2,9	
65 up to 150	100 up to 200	65 up to 200	20 up to 65
V	V	<i>v</i>	
	V		
V			<i>v</i>
V	V	V	
v	v	v	
V	V	v	v
Perfect for presentation • High impact resistance,	Transparant material	With integrated HACCP label for monitoring of food storage process	Special porcelain type, toughest type available
very durable		• Transparant material •	Thermal shock resistant, can withstand extreme temperature changes
		Coloured lid clips according to HACCP sold separately	• High-impact and wear resistance and still relatively light-weight
			Extremely pure and brilliant white
44-45	46	47	396

🎧 H E N D I

GN GASTRONORM SYSTEM

- Designation of standard size containers used in food industry, determined in PN-EN 631-1:1996 standard.
- Standardisation of container dimensions makes it easier to use them in various kitchen appliances which are designed
- based on these dimensions, e.g. in ovens, insulated containers, refrigerated cabinets, bain-maries, transport trolleys





GN 1/6

176x162 mm

GN 1/9

176x108 mm





code	liters	thickness (mm)	height (mm)
801109	58	0.8	200
801116	43	0.8	150
801123	30	0.8	100
801130	19	0.8	65
801147	11	0.8	40
801154	5.5	0.8	20



code	liters	thickness (mm)	height (mm)
801208	28	0.8	200
801215	21	0.8	150
801222	14	0.8	100
801239	9	0.8	65
801246	5	0.8	40
801253	2.5	0.8	20




code	liters	thickness (mm)	height (mm)
801307	18	0.8	200
801314	13	0.8	150
801321	9	0.7	100
801338	5.5	0.7	65
801345	3	0.7	40
801352	1.5	0.7	20



code	liters	thickness (mm)	height (mm)
801840	8.6	0.7	150
801666	5.8	0.7	100
801857	4	0.7	65
801864	2.5	0.7	40
801871	1.2	0.7	20







	liters	thickness (mm)	height (mm)	
05	7.8	0.8	200	
12	5.7	0.7	150	
29	4	0.7	100	
36	2.5	0.7	65	
43	1.5	0.7	40	
50	0.8	0.7	20	



 $|\bigcirc|$

1/4			801628	1/6			801727	1/9			801826
code	liters	thickness (mm)	height (mm)	code	liters	thickness (mm)	height (mm)	code	liters	thickness (mm)	height (mm)
801635	1.8	0.7	65	801703	3.4	1	200	801826	1	0.7	100
801604	5.5	0.8	200	801710	2.4	0.8	150	801833	0.6	0.7	65
801611	4	0.7	150	801727	1.6	0.7	100				
801628	2.8	0.7	100	801734	1	0.7	65				
801642	1.7	0.7	40								
001042	1.7	0.7	40								

GASTRONORM CONTAINERS PROFI LINE



- Perforated bottom.

- Perforated sides with a height of 100mm or higher.

code	liters	thickness (mm)	height (mm)
802205	28	0.8	200
802212	21	0.8	150
802229	14	0.8	100



- Perforated bottom.

- Perforated sides with a height of 100mm or higher.

code	liters	thickness (mm)	height (mm)
802328	9	0.7	100



- Perforated bottom.

 Perforated sides with a height of 100mm or higher.

	5			
	code	liters	thickness (mm)	height (mm)
80	2427	6.5	0.7	100



- Perforated bottom.

	code	liters	thickness (mm)	height (mm)	
	802236	9	0.8	65	
	802243	5	0.8	40	
	802168	2.5	0.8	20	



 code
 liters
 thickness (mm)
 height (mm)

 802335
 5.5
 0.7
 65

 802342
 3
 0.7
 40



- Perforated bottom.

code	liters	thickness (mm)	height (mm)
802434	4	0.7	65
802441	2	0.7	40





- Perforated sides with a height of 100mm or higher.

code	liters	thickness (mm)	height (mm)
802502	7.8	0.7	200
802519	5.7	0.7	150
802526	4	0.7	100



- Perforated bottom

i onioratoa pottonin					
	code	liters	thickness (mm)	height (mm)	
	802533	2.5	0.7	65	
	802540	1.2	0.7	40	




ADAPTOR BAR FOR GN CONTAINERS

 For fitting small GN-containers in bainmaries, chafing dishes etc.

marico, c	naming another a	
code	GN	mm
808108	GN 1/2	325x22x(H)10
808153	GN 1/1	530x22x(H)10







- Fits on HENDI Profi Line and Polycarbonate GN containers.

code	thickness (mm)	GN	mm
304100	0.8	GN 1/1	530x325
804117	0.7	GN 2/3	354x325
304179	0.8	GN 2/4	530x162
304124	0.7	GN 1/2	265x325
304131	0.7	GN 1/3	325x176
304148	0.7	GN 1/4	265x162
804155	0.7	GN 1/6	176x162
304162	0.7	GN 1/9	176x108



LID FOR GN CONTAINERS WITH **SPOON RECESS**

- Fits on HENDI Profi Line and Polycarbonate GN containers.

code	thickness (mm)	GN	mm
305138	0.7	GN 1/3	325x176
305107	0.7	GN 1/1	530x325
305114	0.7	GN 2/3	354x325
305121	0.7	GN 1/2	265x325
305145	0.7	GN 1/4	265x162
305152	0.7	GN 1/6	176x162



LID FOR GN CONTAINERS WITH SILICONE RIM

- With silicone rim for airtight sealing. - Only suitable for 'Profi-Line' and
- polycarbonate gastronorm containers. - The airtight cover structure helps keep food fresh and avoid leaking during ation.

transporta

code	GN	mm
802601	GN 1/1	530x325
802618	GN 2/3	354x325
802625	GN 1/2	265x325
802632	GN 1/3	325x176
802649	GN 1/4	265x162
802656	GN 1/6	176x162



LID FOR GN CONTAINERS WITH SOUS VIDE STICK RECESS

- With recess for sous vide stick 222645.
- Also suitable for stainless steel Profi Line Gastronorm containers.

code	GN	mm
864210	GN 1/2	265x325
864203	GN 1/1	530x325

805558


805541

805534

GN

GN

GN



890240 890233

GASTRONORM **CONTAINER ENAMELLED**

<300°C

0

code	GN	mm
890257	GN 1/1	530x325x(H)20
890240	GN 1/1	530x325x(H)40
890233	GN 1/1	530x325x(H)60



<300°C @ | GASTRONORM temp **CONTAINER ENAMELLED GN 2/3**

code	GN	mm
890356	GN 2/3	345x325x(H)20
890349	GN 2/3	345x325x(H)40



N	mm	809239	GIN I/I	
1/1	530x325x(H)20	809242	GN 1/1	
1/1	530x325x(H)40			
1/1	530x325x(H)65			



mm	UN 2/1			
530x325x(H)20	code	GN	mm	
530x325x(H)40	809150	GN 2/1	650x530x(H)20	

39

GASTRONORM CONTAINERS KITCHEN LINE

- Extra strong due to reinforced corners.

201 stailess steel

- Gastronorm size is engraved.Smooth edges, easy to clean.
- Can be used in convection ovens, refrigerators, bain-marie systems and chafing dishes.

 Extra strong due to reinforced corners.

 For use at temperatures -40°C / 300°C.

 Corrosion-resistant (when used property).

 Thickness 0,6-0,7 mm.

650x530 mm 530x325 mm 354x325 mm 325x265 mm 325x176 mm 265x162 mm 176x162 mm 176x108 mm



code	liters	thickness (mm)	height (mm)
806159	28	0.7	200
806142	21	0.7	150
806135	14	0.6	100
806128	9	0.6	65
806111	5	0.6	40
806104	2.5	0.6	20



code	liters	thickness (mm)	height (mm)
806357	12.5	0.7	200
806340	9.5	0.7	150
806333	6.5	0.6	100
806326	4	0.6	65
806319	2	0.6	40
806302	1	0.6	20



code	liters	thickness (mm)	height (mm)
806258	15.5	0.7	200
806241	13	0.7	150
806234	9	0.6	100
806227	5.5	0.6	65
806210	3	0.6	40
806203	1.5	0.6	20



code	liters	thickness (mm)	height (mm)
806449	5.7	0.7	150
806456	7.8	0.7	200
806432	4	0.6	100
806425	2.5	0.6	65
806418	1.5	0.6	40
806401	0.6	0.6	20





0.6

0.6

100

65

1.6

1

CONTAINERS PERFORATED

2.8

1.8

806531

806524



0.6

0.6

100

65

806630

806623



code	liters	thickness (mm)	height (mm)
807224	5.5	0.6	65



PERFORATED DRIP SHELF FOR GN CONTAINERS

code	GN
806296	GN 2/3
806197	GN 1/1
806395	GN 1/2
806494	GN 1/3
806593	GN 1/4
806692	GN 1/6





code	liters	thickness (mm)	height (mm)
807330	6.5	0.6	100
807323	4	0.6	65



ADAPTOR BAR FOR GN CONTAINERS

 For fitting small GN-containers in bain-maries, chafing dishes etc.

bailt filaties, cliating dishes etc.				
code	GN	mm		
808108	GN 1/2	325x22x(H)10		
808153	GN 1/1	530x22x(H)10		



LID FOR GN CONTAINERS

code	thickness (mm)	GN	mm
806814	0.7	GN 1/1	530x325
806821	0.7	GN 2/3	354x325
806838	0.7	GN 1/2	265x325
806845	0.7	GN 1/3	325x176
806852	0.7	GN 1/4	265x162
806869	0.7	GN 1/6	176x162
806876	0.7	GN 1/9	176x108



LID FOR GN CONTAINERS WITH SOUP/SAUCE LADLE RECESS

code	thickness (mm)	GN	mm
806913	0.7	GN 1/1	530x325
806920	0.7	GN 2/3	354x325
806937	0.7	GN 1/2	265x325
806944	0.7	GN 1/3	325x176
806951	0.7	GN 1/4	265x162
806968	0.7	GN 1/6	176x162
806975	0.7	GN 1/9	176x108





H

GASTRONORM CONTAINERS BUDGET LINE

- Very solid design.
- Smooth edges, easy to clean.
- Intended for use in convection ovens, refrigerators, bain-marie systems and chafing dishes.







code	liters	height (mm)
800157	28	200
800140	21	150
800133	14	100
800126	9	65
800119	5	40
800102	2.5	20



code	liters	height (mm)
800225	5.5	65
800249	13	150
800232	9	100
800218	3	40







height (mm)

200

150

100

65

40

20

liters

7.8

5.7

4

2.5

1.5

0.8

code

800454

800447

800430

800423

800416

800409



code	liters	height (mm)
800553	5.5	200
800546	4	150
800539	2.8	100
800522	1.8	65







Ē



code	liters	height (mm)
800652	3.4	200
800645	2.4	150
800638	1.6	100
800621	1	65

1/9 800737

code	liters	height (mm)
800737	1	100
800720	0.6	65

LID FOR GN CONTAINERS WITH SILICONE RIM

- With silicone rim for airtight sealing.
- The airtight cover structure helps keep food fresh and avoid leaking during transportation.
- Fits on Gastronorm container Kitchen & Budget Line

code	GN	mm
807637	GN 1/3	325x176
807606	GN 1/1	530x325
807613	GN 2/3	354x325
807620	GN 1/2	265x325
807651	GN 1/6	176x162
807644	GN 1/4	265x162



GASTRONORM CONTAINERS BUDGET LINE WITH HANDLES



2/3	
	817247

code	liters	height (mm)
817254	17	200
817247	13	150









code	liters	height (mm)	code	liters	height (mm)
817353	12.5	200	817452	7.8	200
817346	9.5	150	817445	5.7	150



LID FOR GN CONTAINERS

code	GN	mm
817834	GN 1/2	325x265
817841	GN 1/3	325x176
817810	GN 1/1	530x325
817827	GN 2/3	354x325





 GN 1/1
 GN 1/2
 GN 1/3
 GN 1/4
 GN 1/6
 GN 1/9

 530x325 mm
 325x265 mm
 325x176 mm
 265x162 mm
 176x102 mm
 176x108 mm





4

2.8

1.8

862612

862629

862636

1/6	0	-
		862711

code	liters	height (mm)
862704	3.4	200
862711	2.4	150
862728	1.6	100
862735	1	65



code	liters	height (mm)
862827	1	100



150

100 65



LID FOR GN CONTAINERS BLACK POLYCARBONATE

code	GN	mm
862902	GN 1/1	530x325
862926	GN 1/2	325x265
862933	GN 1/3	325x176
862940	GN 1/4	265x162
862957	GN 1/6	176x162

LID FOR GN CONTAINERS


- Fits on HENDI Profi Line and Polycarbonate GN containers.

code	thickness (mm)	GN	mm
804100	0.8	GN 1/1	530x325
804117	0.7	GN 2/3	354x325
804179	0.8	GN 2/4	530x162
804124	0.7	GN 1/2	265x325
804131	0.7	GN 1/3	325x176
804148	0.7	GN 1/4	265x162
804155	0.7	GN 1/6	176x162
804162	0.7	GN 1/9	176x108



GASTRONORM CONTAINERS POLYCARBONATE WHITE

- High quality professional Gastronorm containers made of white polycarbonate.





805145

805152

0.7

GN 1/6



For use at temperatures -40°C / 110°C Gradated GN 1/1 GN 1/2 GN 1/3 GN 1/4 GN 1/6 GN 1/9 530x325 mm 325x265 mm 325x176 mm 265x162 mm 176x162 mm 176x108 mm 1/1 1/2 1/3862285 862476 862575 code liters height (mm) code liters height (mm) code liters height (mm) 9 862483 4 5.7 150 862285 65 65 862568 6.5 100 862575 4 100 862476 862582 2.5 65 1/4 1/6 862674 862773 code liters height (mm) code liters height (mm) 862674 2.8 100 862766 2.4 150 862681 1.8 65 862773 1.6 100 1 65 862780 With spoon recess 805114 862964 LID FOR GN CONTAINERS WITH SPOON RECESS LID FOR GN CONTAINERS WHITE POLYCARBONATE - Fits on HENDI Profi Line and Polycarbonate GN containers. GN code mm GN 1/1 530x325 code thickness (mm) GN mm 862919 805138 0.7 GN 1/3 325x176 862964 GN 1/2 265x325 0.7 GN 1/1 530x325 GN 1/3 805107 862971 325x176 GN 2/3 354x325 GN 1/4 805114 0.7 862988 265x162 805121 0.7 GN 1/2 265x325 862995 GN 1/6 176x162 0.7 GN 1/4 265x162



176x162

 $(\bigcirc$


 \mathbb{H}

GASTRONORM CONTAINERS POLYCARBONATE TRANSPARENT

- High quality professional Gastronorm containers made of transparent polycarbonate.



Doesn't absorb odours or flavours.Temperature resistant from -40°C to 110°C.





864159 864166

GN 1/9

176x108

GASTRONORM CONTAINERS POLYPROPYLENE PROFI LINE


– Doesn't absorb odours or flavours.

– Temperature resistant from -40°C to 80°C.





GN 1/1	GN 1/2	GN 1/3	GN 1/4	GN 1/6	GN 1/9
0x325 mm	325x265 mm	325x176 mm	265x162 mm	176x162 mm	176x108 mr













code	liters	height (mm)	code	liters	height (mm)	code	liters	height (mm)
880302	5.5	200	880401	3.4	200	880524	1	100
880319	4	150	880418	2.4	150			
880326	2.8	100	880425	1.6	100			



LID FOR GN CONTAINERS POLYPROPYLENE

 Suitable for all HENDI polypropylene Gastronorm containers, including HACCP storage containers.

code	GN	mm
880609	GN 1/1	530x325
880616	GN 1/2	325x265
880623	GN 1/3	325x176
880630	GN 1/4	265x162
880647	GN 1/6	176x162
880654	GN 1/9	176x108



LID FOR GN CONTAINERS MADE OF POLYPROPYLENE, WITH SEAL

- Lid with hermetic santoprene seal; the seal is tight enough to prevent leaking when the container is tilted.
- With lip to break the airtight seal for easy opening.
- Fits on HENDI GN containers Polypropylene



code	GN	mm
881828	GN 1/3	325x176
881804	GN 1/1	530x325
881811	GN 1/2	325x265
881835	GN 1/4	265x162
881842	GN 1/6	176x162
881859	GN 1/9	176x108



 $|\bigcirc|$

GASTRONORM STORAGE CONTAINERS HACCP

- Gastronorm containers only lids not included.
- Airtight sealing.
- Doesn't absorb odours or flavours Lids and lid clips (green, yellow, blue, red or purple as per HACCP guidelines) available separately.
- Wear-proof label for monitoring of food storage process.
- Special erasable markers to write on the labels are not included.
- Temperature resistant from -40°C to 80°C.



- 3.51	HENDI EQUIPMENT EQUIPMENT
	PRODUCT <u>meat for pork chops</u> HTTP 12,05, <u>9:30</u> VAN OPM
	12,05,
	and 05 i GN HACCP CONTAGE BPA free
	USE 29,05 I GN HACCP COTTOSTC DFA TOCO

GN 1/1	GN 1/2	GN 1/3	GN 1/4	GN 1/6	GN 1/9
530x325 mm	325x265 mm	325x176 mm	265x162 mm	176x162 mm	176x108 mm



code	liters	height (mm)
880050	28	200
880067	21	150
880074	12	100
880036	9	65



code	liters	height (mm)
880159	12.5	200
880166	9.5	150
880173	6.5	100





code	liters	height (mm)
880258	7.8	200
880265	5.7	150
880272	4	100
880289	2.5	65



code	liters	height (mm)
880456	3.4	200
880463	2.4	150
880470	1.6	100
880487	1	65

880456



LID FOR GN CONTAINERS POLYPROPYLENE

- Suitable for all HENDI polypropylene Gastronorm containers,

including HACCP storage containers.

code	GN	mm
880609	GN 1/1	530x325
880616	GN 1/2	325x265
880623	GN 1/3	325x176
880630	GN 1/4	265x162
880647	GN 1/6	176x162
880654	GN 1/9	176x108

LID CLIPS FOR HACCP STORAGE CONTAINERS

– 12 pcs. in blister pack

code	colour	packed per
880661	Red	12
880678	Green	12
880685	Yellow	12
880692	Blue	12
880869	Purple	12

packed per

2

HORECA MARKERS

– 2 pieces on blistercard.

- For writing on food containers.

– Erasable.

code 871546 1/4

code	liters	height (mm)
880357	5.5	200
880364	4	150
880371	2.8	100
880388	1.8	65



code	liters	height (mm)
880555	0.9	100
880562	0.6	65



LID FOR GN CONTAINERS PURPLE

 Suitable for all Hendi polypropylene Gastronorm containers, including HACCP storage containers.

including in tool storage containers.		
code	GN	mm
881705	GN 1/1	530x325
881712	GN 1/2	325x265
881729	GN 1/3	325x176
881736	GN 1/4	265x162
881743	GN 1/6	176x162
881750	GN 1/9	176x108







 $|\bigcirc|$



CUTTING BOARD HACCP 600X400

code	colour	mm	thickness (mm)
825600	White	600x400	18
825617	Red	600x400	18
825624	Blue	600x400	18
825631	Green	600x400	18
825648	Brown	600x400	18
825655	Yellow	600x400	18
825662	Purple	600x400	18

CUTTING BOARD HACCP 450X300

code	colour	mm	thickness (mm)
825518	White	450x300	13
825525	Red	450x300	13
825532	Blue	450x300	13
825549	Green	450x300	13
825556	Brown	450x300	13
825563	Yellow	450x300	13
825570	Purple	450x300	13



B


CUTTING BOARD RACK

- For 6 cutting boards up to 20 mm thick.

826201

826201 303x211x(H)205





CUTTING BOARD HACCP GASTRONORM 1/1

- One side smooth and other side with groove.

code	colour	mm	thickness (mm)
826003	White	530x325	15
826010	Red	530x325	15
826027	Blue	530x325	15
826034	Green	530x325	15
826041	Brown	530x325	15
826058	Yellow	530x325	15
826065	Purple	530x325	15

CUTTING BOARD HACCP GASTRONORM 1/2

- One side smooth and other side with groove.

		J	
code	colour	mm	thickness (mm)
826102	White	325x265	12
826119	Red	325x265	12
826126	Blue	325x265	12
826133	Green	325x265	12
826140	Brown	325x265	12
826157	Yellow	325x265	12
826164	Purple	325x265	12
826171	Black	325x265	12

Groove to prevent leaking







CUTTING BOARD HACCP GASTRONORM 1/2

code	colour	mm	thickness (mm)
826706	White	265x325	9
826713	Red	265x325	9
826720	Blue	265x325	9
826737	Green	265x325	9
826744	Brown	265x325	9
826751	Yellow	265x325	9



HACCP CUTTING MAT SET - 6 PIECES

- Colour coded set of 6 mats to facilitate kitchen hygiene.
- White, red, blue, green, brown, yellow.
- Flexible, allowing easy pouring of cut products.

 Lightweight and easy to store and transport

code	thickness (mm)	mm
826300	1	380x305x(H)6



CUTTING BOARD

- Rubberwood.
- With handles.

code	-	mm
506905		530x325x(H)45
506912		265x325x(H)45

ANTI-SLIP MAT

- Multifunctional anti-slip mat.
- Made of PVC foam.
- Easy to cut to size.
- Wash by hand at 40°C.
- Not suitable for direct food contact.

code	mm
598047	1500x300



CARVING BOARD

 Solid bee Grooved. 		
code	thickness (mm)	mm
505205	16	390x230

CUTTING BOARD WITH GRIP

 Solid beech wood. 		
code	thickness (mm)	mm
505106	13	390x160

CUTTING BOARD WITH HANDLE

- Made of polyethylene HDPE.

– Both sid	es suitable f	ible for cutting.	
code	colour	mm	thickness (mm)
826348	White	250x150	10
826478	Black	250x150	10
826355	White	300x200	10
826485	Black	300x200	10

HENDI



- Not dishwasher safe.

code	thickness (mm)	mm
505502	20	475x322



BUTCHER BLOCK HDPE

- Made of HDPE500 polyethylene.

code	mm
505663	500x400x(H)80
505656	500x400x(H)50

BASE FOR BUTCHER BLOCK

– Base for HENDI butcher block HDPE.

 With in height adjustable feet for level instalme 	ent.
-----------------------------------------------------------------------	------

code	mm
505670	500x400x(H)750

POLYETHYLENE BUTCHER BLOCK WITH BASE

- Made of HDPE500 polyethylene.
- Stainless steel stand.

code	mm	
505687	500x400x(H)800	



to prevent teary eyes.

mm

150x160x(H)45

code

570906



KNIFE MAGNET WITH HOOKS

- With 2 magnetic strips.

• •			
code	-	mm	
820407	6 hooks	(L)620	
820209	3 hooks	(L)340	
820308	5 hooks	(L)470	





TAB GRABBER

- Made of glossy aluminium.

code	mm
513736	(L)455
513705	(L)610
513712	(L)915
513743	(L)1015
513750	(L)1220



 $|\bigcirc|$



KNIVES PROFI LINE

- All knives are precision hot drop forged from a single blank of high carbon German stainless steel.
- The specialized Chromium-Molybdenium-Vanadium surgical alloy steel X50CrMoV15 guarantees the following characteristics: - razor sharp - long-lasting cutting edge - easily restorable edge - high stain resistance. Some 50 major manufacturing steps are required to produce each knife.



- Traditional skills and precision machinery continue the grinding and polishing operations until the final cutting edge is applied at the most appropriate blade angle.
- The handle combines balance, safety, heft and control with an exclusive look.
- Each knife is individually packed in a PET presentation blister.



code			thickness (mm)	blade length (mm)	length (mm)
844205	1	Cook's knife	3,3	250	390
844212	2	Chef's knife	3,3	200	335
844311	3	Carving knife	2,7	250	380
844304	4	Carving knife	2,6	200	332
844229	5	Carving fork	9	150	285
844267	6	Boning knife, Flexible.	2	150	270
844250	7	Utility knife	2	150	265



code			thickness (mm)	blade length (mm)	length (mm)
844236	8	Paring knife	1,9	90	195
844328	9	Ham/salmon knife, half flexible, granton	2,6	300	430
844298	10	Bread knife	2,4	215	340
844281	11	Bread knife	2,4	215	340
844335	12	Cleaver, granton	3	165	300
844274	13	Santoku knife, granton	3	180	310
844403	14	Knife sharpener diamond		310	450





HENDI

KNIVES KITCHEN LINE

- Made of one piece of hard, forged chrome molybdenum steel.
 Due to the highest quality of the workmanship, Hendi knives are durable and resistant to corrosion with long-lasting sharpness of the blade.
- A unique design of the handle prevents depositing of food residues in the handle/blade transition area.
- Each knife is individually packed in a PET presentation blister.
- With safe, profiled black POM plastic handle.




code			blade length (mm)	length (mm)
781319	1	Chef's knife	200	340
781357	2	Chef's knife	150	285
781340	3	Carving knife	200	330
781364	4	Carving fork	175	290
781371	5	Boning knife	150	285
781333	6	Bread knife	210	335



code			blade length [mm]	length (mm)
781388	7	Kitchen knife	125	240
781395	8	Paring knife	90	200
781401	9	Poultry shears	140	260
781302	10	Cleaver	180	300
781326	11	Ham/salmon knife	215	350
781418	12	Knife sharpener	230	350

55



Knife sharpener

Universal knife

Universal knife

1,2

1,2





JAPANESE KNIVES

- Top end series of drop forged knives.
- Made of the high carbon steel alloy X50CrMoV15.
- Produced in 50 major manufacturing steps.
- Traditional wooden handle.
- Each knife is individually packed in a PET presentation blister.
- Limited edition, specially made for Hendi.

code			thickness (mm)	blade length (mm)	length (mm)
845035	1	Knife ,Santoku'	4	165	295
845028	2	Vegetable knife ,Usuba'	4	180	325
845059	3	Knife ,Sashimi'	3	210	340
845042	4	Knife ,Sashimi'	4	240	370





9-PIECE KNIVES SET

- Made of one piece of hard, stainless steel 3Cr13.
- Handle made of stainless steel 430 with anti-slip rubber coating.
- Due to the highest quality of the workmanship, knives are durable and resistant to corrosion with long-lasting sharpness of the blade.
- With safe, profiled handle.
- Included:
- 1 Paring knife 193 mm
- 2 Boning knife 285 mm
- 3 Bread knife 333 mm
- 4 Carving knife 331 mm
- 5 Chef's knife 330 mm
- 6 Chef's knife 370 mm
- 7 Santoku knife 336 mm
- 8 Knife sharpener 340 mm
- 9 Carving fork curved 320 mm
- 10 Convenient carrying case

975770



TRUFFLE SLICER

- The perfect tool for slicing thin slices of truffle.
- Blade made of stainless steel (AISI 420) 55HRC hardness.

mm 445x260x(H)65

- Blade housing made of stainless steel (AISI 430).
- Blade adjustment by screw.
- Slice thickness: from 0.2 to 3 mm.

code 229835

mm 220x85



Convenient carrying case

Gerres





2

3

 \bigcirc

KNIVES HACCP

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.











BROWN - COOKED MEAT

code			blade/knife length (mm)	thickness [mm]
842669	1	Cook's knife	180/320	2,5
842799	2	Cook's knife	240/385	2,5
842966	3	Ham/salmon knife with granton edge	350/490	1,7

RED - RAW MEAT

code			blade/knife length (mm)	thickness (mm)
842423	4	Carving knife	150/290	2,5
842522	5	Filleting knife	150/300	0,9
842621	6	Cook's knife	180/320	2,5
842720	7	Cook's knife	240/385	2,5
842928	8	Ham/salmon knife with granton edge	350/490	1,7

YELLOW - POULTRY

code			blade/knife length (mm)	thickness (mm)
842539	9	Filleting knife	150/300	0,9
842638	10	Cook's knife	180/320	2,5
842737	11	Cook's knife	240/385	2,5

BLUE - FISH

code			blade/knife length (mm)	thickness (mm)
842546	12	Filleting knife	150/300	0,9
842645	13	Cook's knife	180/320	2,5
842744	14	Cook's knife	240/385	2,5









WHITE - CHEESE & BREAD

code			blade/knife length (mm)	model	thickness (mm)
842256	15	Universal knife with granton edge	90/190	short model	1,2
842355	16	Universal knife with granton edge	130/230	long model	1,2
842553	17	Filleting knife	150/300		0,9
842652	18	Cook's knife	180/320		2,5
842751	19	Cook's knife	240/385		2,5
843055	20	Bread knife	250/385		1,5
843154	21	Bread knife	300/430		1,5

GREEN - FRUITS & VEGETABLES

code			blade/knife length (mm)	model	thickness (mm)
842218	22	Universal knife with granton edge	90/190	short model	1,2
842119	23	Universal knife	100/205	serrated	1,2
842317	24	Universal knife with granton edge	130/230	long model	1,2
842614	25	Cook's knife	180/320		2,5
842713	26	Cook's knife	240/385		2,5

PURPLE - ALLERGENS

code			blade/knife length (mm)	thickness (mm)
842270	27	Universal knife with granton edge	90/190	1,2
842171	28	Universal knife with granton edge	100/205	1,2
842478	29	Carving knife	130/280	2,5
842676	30	Cook's knife	180/320	2,5
842775	31	Cook's knife	240/385	2,5



PARING KNIVES, SET OF 6 COLOURS

- Polypropylene handle in accordance with HACCP guidelines.



PARING KNIVES

Set with 6 different colours: white, red, blue, green, black and yellow.
Made of rolled steel.

code	blade length (mm)	length (mm)
842003	75	175







PARING KNIVES

Set with 6 different colours: white, red, blue, green, black and yellow.
Made of rolled steel.

code	blade length (mm)	length (mm)
842010	90	185

PARING KNIVES AND PEELERS

– High quality

PARING KNIFE		polypropylene	S.J. stainless steel
code	-	blade length (mm)	mm
841105	straight model	75	(L)180
841112	pointed model	87	(L)190
841129	curved model	60	(L)165

PP

S.

TOMATO KNIFE

Polypropylene handle.

– Made in Germany.

code	blade length (mm)	length (mm)
841136	110	215

PARING KN – Made in Ger	NIFE WITH WOODEN many.	HANDLE S.S.
code	blade length (mm)	length (mm)
841020	60	165

SPEED PEELER – Transverse model.			
code	blade length (mm)	length (mm)	
841228	50	110	

PEELER – Pendulum m	odel.	S.S. stainless steel
code	blade length (mm)	length (mm)
841235	50	150





	1	CHERNEL Ref Branner 2: Mill Share, The Newtrates Werk New Size 8 Item 556641 67% HPPE
556641	(20% PET 10% PA 3% DOCK EN 3882016 3442C
		5



CUT RESISTANT GLOVES, CERTIFIED - SET OF 2 PCS.

- Offer protection during handling and replacing sharp blades in cutting equipment used in professional kitchen.
- The combination of HPPE, polyester and nylon fibres makes the gloves durable and comfortable.
- Level 4 cut resistance.
- Level 3 abrasion resistance.

code	packed per
556641	2





CUT RESISTANT GLOVES, CERTIFIED

- Consists of 2 gloves, a HPPE inner glove and the chain mail outer glove.
- Outer glove made of stainless steel, durable, cut resistant and food contact approved.
- Soft and comfortable HPPE inner glove.
- Suitable for right and left hand use.

code	-	mm
556672	Large	(L)330
556665	Medium	(L)305

781913	781920	5	844458	
POM bastici steel	PP polypropylene S.S. stainless steel		POM plastic	
OYSTER KNIFE ROUND	OYSTER KNIFE	STRAIGHT	OYSTER KNIFE	LONG
code mm	code	mm	code	mm
781913 (L)170	781920	(L)160	844458	(L)215







224403



KNIFE SHARPENER

- Suitable for quick and easy sharpening of knives.
- Sand paper easy to change.

code	v w	mm
224403	230 50	295x110x(H)110
224410	Sand paper for knife sharpener – Grit 320	50x200
229828	Sand paper for knife sharpener – Grit 1000	50x200



KNIFE SHARPENER

- With finger protection.
- Reversible double sharpening blades made of carbide.

code	mm
820605	140x15x(H)65

JAPANESE SHARPENING STONE HENDI BY NANIWA

- The double-sided stone consists of 2 plates with 2 different grit sizes:
 - 220/1000 (820667).
 - 1000/3000 (820674).
- Stone grit with its purpose:
- 220: blade edge grinding and regeneration.
- 1000: basic blade sharpening.
- 3000: blade edge polishing and finishing.
- Before use wet the stone with water.
- The set includes a plastic box for safe storage.

code	mm
820667	185x65x(H)30
820674	185x65x(H)30





CERAMIC: crossed electroplated rods for ceramic knives | COARSE: carbide sharpener for a precision edge every time


FINE: crossed ceramic rods for professional grade edge honing



KNIFE SHARPENER

- Ergonomic handle and non-slip base provide safety and comfort.
- 3 functions for sharpening all kinds of knives, even ceramic knives.
- Do not use to sharpen serrated blades or scissors.

code	mm	
820612	200x46x[H]75	







the side of the can just below the lid.

code		mm	
8561	61	(L)190	

856161



LEMON ZESTER

code

856031

GRAPEFRUIT KNIFE

VEGETABLE CORER

code	blade length (mm)	length (mm)	code	blade length (mm)	length (mm)
856185	100	210	856086	110	220



mm

(L)175

mm (L)155



MELON SCOOP OVAL



CITRUS PEELER

code

856055

code

mm

(L)165

856017 ø26

length (mm) ø (L)160

length (mm) code ø 856024 ø22 (L)150



MELON SCOOP DOUBLE code

856000



CHANNEL KNIFE code 856048



APPLE CORER length (mm) mm code ø (L)155 856079 ø20 (L)215



ø 22-25 mm

DOUGH CUTTER SERRATED BLADE BUTTER CURLER



Corrotod



SPREADER - SERRATED

			- Serrateu.				
code	ø	length (mm)	code	mm	code	blade length (mm)	length (mm)
856154	ø60	(L)188	856192	(L)190	855768	85	210





length (mm)

175



DECORATION KNIFE

code

856062

blade length (mm)

90



TOMATO KNIFE OFFSET

length (mm)	code	blade length (mm)	length (mm)
200	856253	110	224





CHEESE SLICER FOR SOFT CHEESE CHEESE GRATER



CHEESE SLICER

POTATO PEELER

code

856178

blade length (mm)

65

code	mm	code	mm	code	mm	
856208	(L)200	856215	(L)160	856222	(L)170	



CHEESE KNIFE FOR HARD CHEESE CHEESE KNIFE FOR SOFT CHEESE PIZZA SLICER

code	blade length (mm)	length (mm)	code	blade length (mm)	length (mm)	code	ø	length (mm)
856239	130	250	856246	160	270	617007	ø100	(L)230





MINCING KNIFE

code	-	mm
844359	single blade	(L)215
844366	double blade	(L)215

PIZZA SLICER

– Stainless steel knife blade, polypropylene handle.

 With HACCP color coding system, coloured clips are not removable after placing.

code	ø	length (mm)
617014	ø100	(L)230



Ħ





S.S. PP 🖓

CHEF PLATING SET, 6 PCS, SATINED

- Perfect for plating dishes, cakes and other desserts, as well as sushi.
- Made of satin stainless steel.
- Tweezers are perfect for gripping very delicate ingredients and optimised for effortless use.
- The drawing spoon with a spout for precise pouring of sauces.
- With compact roll-up case for protecting against damage.
- Straight tweezers: 23 cm
- Curved tweezers: 20 cm
- Offset tweezers (sushi): 21 cm
- Drawing spoon: 22,5 cm
- Small spoon: 15 cm
- Spatula: 19 cm
- Dishwasher safe.

⁴⁰⁰⁰⁸¹



CHEF PLATING SET, 6 PCS, BLACK

- Perfect for plating dishes, cakes and other desserts, as well as sushi.
- Made of stainless steel with black PVD coating.
- Tweezers are perfect for gripping very delicate ingredients and optimised for effortless use.
- The drawing spoon with a spout for precise pouring of sauces.
- With compact roll-up case for protecting against damage.
- Straight tweezers: 23 cm
- Curved tweezers: 20 cm
- Offset tweezers (sushi): 21 cm
- Drawing spoon: 22,5 cm
- Small spoon: 15 cm
- Spatula: 19 cm
- Not dishwasher safe.
- Not dishwasher s

400074





- The set includes:
- Fruit baller double-ended
- Fruit coring knife ø20 mm
- Decoration knife
- Fruit baller serrated
- Citrus zester
- Channel knife
- code mm 856291 280x100x(H)50



400074

NEW





KNIVES CARRYING CASE

- Briefcase model for 6 knives (max. length 400 mm).
- Knives are held in place by elastic bands.
- Case reinforced with plastic for a solid construction.
- Dimensions open (LxW): 450x400 mm.

-	Knives	not	included.

code	mm		
856383	450x70x(H)110		



KNIVES CARRYING CASE

- Compact case with plenty of room for knives and accessories.
- Space for 10 knives (max length 450 mm), knives are held in place by elastic.
- The knives are protected by additional covers which are held in place by either a zipper or velcro, this ensures that knives don't make direct contact when the case is folded to a close.
- With 1 big pocket for note pads, 4 small pockets for business cards and space for 3 pens or other small accessories.
- The shoulder strap length can be adjusted between 770 mm and 1270 mm.
- Dimensions unfolded: 515x675 mm.
- Knives not included.

code	mm
856277	510x50x(H)170



17 knives (max. length 450 mm)

856390

mm 500x120x(H)225

KNIVES CARRYING CASE

- Compact case with a total of 17 slots.
- Fits 4 knives with a maximum length of 450 mm and 13 smaller tools.
- Divider reinforced with plastic.
- Knives and tools are held in place by elastic bands.
- Dimensions unfolded: 500x510 mm.
- With shoulder strap.
- Knives not included.

code	
856390	





PMMA plexial

 \bigcirc

┢═╟

UV STERILIZER

- Perfect for sterilizing knives, capacity for 14 knives.
- Made of stainless steel with plexiglass door.
- Fitted with stainless steel knife holder.
- Sterilizes by means of bactericidal ultraviolet light.
- Equipped with a microswitch to prevent operation while the door is open.
- Integrated timer adjustable up to 60 minutes.
- Accommodates the maximum size knives:
- handle length max 150 mm,
- blade length max 350 mm,
- grip thickness min 15 mm.

code	V	W	mm
281246	230	25	510x160x(H)610





HENDI





856352 856369 856376

RASPS

- Laser cut blades, high precision and extremely sharp.

code	-	blade length (mm)	mm
856352	Fine	220	35x405
856369	Coarse	220	35x405
856376	Ribbon	220	35x410





443002



mm

GRATER, FOUR-SIDED

code 443002

90x65x(H)200

Extremely sharp, laser cut rasps





856321

856338

856345

RASPS

- Laser cut blades, high precision and extremely sharp.

code	-	blade length (mm)	mm
856321	Coarse	134	65x330
856338	Ribbon	135	65x330
856345	Shaver	134	65x330





HENDI SAMURAI JAPANESE MANDOLINE

- Sturdy construction: elements made of stainless steel, ABS and polypropylene.
- Flat steel surface is divided into 2 parts which can be opened for easy access to blades, in order to adjust, remove or clean them. The surface has non-stick PTFE coating which facilitates very smooth cutting (vegetables/fruits slide smoothly).
- Ultra-sharp blades in a few variants offering various but always perfectly precise and consistent -cutting effects:
- 2 flat blades located on a reversed piece: smooth or serrated blade, - removable and rotatable roller with serrated blades; cutting thickness and type are easily adjustable with a knob: from 0 mm to 9 mm, slices or julienne.


code 237922

mm 395x165x(H)115

VEGETABLE CUTTER V-TYPE

- Made of hard black PP and ABS.
- Including 5 high quality stainless steel blades.
- Foldable stand with rubber feet.
- V-shaped main cutting blade.
- Blades for julienne or french fries, 6 or 9 mm wide.
- Adjustable slice thickness from 1-9 mm.
- Product holder with metal pins.
- Height 140 mm (with raised support).





- Made of stainless steel and black ABS.
- V-shaped main slicing blade, crinkled secondary slicing blade.
- Easy to adjust the slicing thickness of both blades.
- Foldable stand with rubber feet.
- Comes with two extra blades for julienne or french fries, 6 or 9 mm wide.
- Storage box included to safely store the blades.
- Polypropylene product holder with metal pins.

code	mm
222676	530x165x(H)203

VEGETABLE CUTTER

- 2 blades for slicing (1 crinkle blade) and 3 blades for jullienne (5, 7, 10 mm).
- Sliding product holder and storage box for blades.
- With non-slip stand.

code	mm
222652	395x125x(H)200

Comes complete with product holder. 5 blades and blade storage box



222614

ABS

237922

18/0

18/8



222676



222652









 $|\bigcirc|$





With suction cup feet

TOMATO SLICER

- Only for cutting tomato or soft vegetables/fruits.
- Slice thickness ± 5 mm.
- Easy to clean.
- With suction cup feet.
- Screw tightening tools such as Hex socket wrench not included.

code	mm
570159	432x202x(H)210





13x13

932926







11x11

630419











9x9

932919

6x6 932902

8 wedges 932933



Fitted with hand protection

FRENCH FRIES CUTTER

- Knives made of stainless steel. - Comes with 4 blades: 6, 9 and 13 mm,
- as well as a knife for 8 parts.
- Mountable to working table or wall.
- Handle covered by plastic for easier pressing.
- Stainless steel mounting plate allows easy removal and cleaning.
- With rubber feet to hold firmly when using on table.

code	mm	
630402	430x168x(H)290	



KNIFE FOR FRENCH FRIES CUTTER

- Fits HENDI French fries cutter 630402.
- Comes with pressing plate.

1 01	
code	
932926	13x13
630419	11x11
932919	9x9
932902	6x6
932933	8 wedges



HENDI





HENDI

	\mathbf{D}				640203
mesh size: 7,5x7,5 mm	640913	mesh size:	640609	mesh siz	70.
polyamide S.S. stainless steel	steel with PA handle.	5x5 mm CHIP SCOOP – With reinforced wir		5x5 mm CHIP SCOOP - With wire handle.	S.S. stainless steel
code		code 640401	mm ø160x470	code 640104	
640913	ø240x640	640500	ø180x470 ø180x470	640203	ø100x310 ø125x360
640920	ø260x650	640609	ø200x510	040200	p1238300
0-0720	PLUUNUUU	640708	ø220x540		
		640807	ø240x540		
				11	
S.S. Lainless steel CHIPS SHOVEL - With 150 mm long code 642504		642504	S.S. sainless steal With 225 mm lo - With 225 mm lo - Double mesh. code 642603		
CHIPS SHOVEL - With 150 mm long code 642504	g wire handle.		EthiPS SHOVI - With 225 mm lo - Double mesh. code 642603 646601	ong wire handle.	n
CHIPS SHOVEL - With 150 mm long code 642504 642504 646205 S.S. sumes stee FAT SKIMMER - Made of stainless - With wire handle. - Fine mesh.	g wire handle. mm 470x186 646304 steel.		 With 225 mm loc Double mesh. Code 642603 646601 18/10 Contested BIRD'S NEST With wire hand 	sing wire handle.	n 175
CHIPS SHOVEL - With 150 mm long code 642504 642504 646205 S.S. states FAT SKIMMER - Made of stainless - With wire handle.	g wire handle. mm 470x180 646304 646304 steel.		CHIPS SHOVE - With 225 mm lo - Double mesh. code 642603 646601 18/10 cartes stel BIRD'S NEST	sing wire handle.	n 175 175 R n



B



FRENCH FRIES AND NACHOS FUNNEL SCOOP

- Fill opening 70 mm.

- Left and right handed.

code	mm
642566	233x205



ß

FRENCH FRIES AND NACHOS FUNNEL SCOOP

With detachable handles Fill opening 75 mm.Left and right handed.

Left and right handed.		
code	mm	
642559	230x220	



SALT AND PEPPER SHAKER

– With screw cap.

code	-	mm
630235	Pepper shaker	ø63x(H)100
630136	Salt shaker	ø80x(H)175



code mm 630204 ø65x(H)105 Pepper shaker 630105 Salt shaker ø80x(H)195

630006		6	30808	
			Stainless steel	
	IDER ALUMINIUM		DER STAINLESS STEEL	630808
	d removable strainer.	– Completely mad – With stainless s	le of stainless steel.	Contraction
code	mm			
630006	ø400x(H)170	 With removable 	bottom tray.	
		code	mm	
		630808	ø410x(H)170	-



Ē



PROFI LINE LID FOR BUCKET WITH REINFORCED BASE

516683

516706

516720

Graduated

mm

ø280x(H)15

ø290x(H)15

ø305x(H)15



516768

NE\

BUCKET BUDGET LINE

- Made of stainless steel.

– The edge shape ensures easy control
over the liquid during pouring.

code	liters	mm
516768	10	ø278x(H)235



BUCKET WITH REINFORCED BASE - Graduated.

S.S.

516683

S.S.

code

516690

516713

516737

code	liters	mm
516676	7	ø230x(H)245
516683	10	ø280x(H)265
516706	12	ø300x(H)310
516720	15	ø305x(H)330

516720

BUCKET - Made of stainless steel

_	Shape	of the	edae	ensures	easv	control	of the	liquid	while	pouring	

code liters mm						9
E4/E// 40 040 (U)000		1	iters			
516744 12 Ø3TUX(H)300	516744		12	ø310x(H)300	



GREASE FILTER FOR DEEP FRYER - 50 PCS GREASE FILTER HOLDER FOR DEEP FRYER

Wide, reinforced base for stability and hygiene

 Made of rayor 	n (synthetic silk).

code	packed per	mm	code	mm
632802	50	254x254	632901	ø250x(H)240



- Suitable for storing frying oil and sauces

- Made of white polypropylene
- High heat resistance can be filled with liquids at temperatures between 85-95°C
- Polypropylene lid (included)
- Side surface suitable for offset printing or labeling
- Useable volume: 11.3 l ± 120 ml
- Printable / labeling area: 810 x 155 mm
- Stackable (max load capacity of lower bucket: up to 45 kg)

code	liters	mm
196007	11.5	ø300x(H)230







MEASURING JUG POLYPROPYLENE

- With gradation.

code	liters	mm
567104	0.5	ø90x(H)140
567203	1	ø110x(H)170
567302	2	ø140x(H)215
567401	3	ø160x(H)240
567500	5	ø190x(H)270







MEASURING JUG STACKABLE

- Scale embossed in the side of the jug.

- Shape of the handle allows multiple jugs to be stacked.

code	liters	mm
567814	0.5	ø95x(H)136
567821	1	ø124x(H)170
567838	2	ø160x(H)205
567845	3	ø181x(H)233
567852	5	ø210x(H)270





18/10 stainless steel

MEASURING JUG

– Top quality.

- Scale inside the jug.

code	liters	mm
516102	0.5	ø90x(H)105
516201	1	ø120x(H)130
516300	2	ø140x(H)170





ALUMINIUM SCOOP

code	liters	mm
521205	0.125	(L)180
521304	0.2	(L)205
521403	0.3	(L)245
521502	0.5	(L)265
521601	0.65	(L)310
521809	2	(L)390



562017



POLYPROPYLENE SCOOP

code	liters	mm
562000	0.125	(L)187
562017	0.25	(L)250
562079	0.65	(L)330

562000

HENDI



OLIVE OIL DISPENSER

- Made of polished stainless steel.
- Conical shape ensuring stability.
- Removable stopper with a spout.

code	liters	mm
462904	0.25	ø84x(H)158



FUNNEL WITH HANDLE

code	mm	
518700	ø120x(H)115	



coue	11111
567616	ø100x(H)115
567630	ø127x(H)130
567654	ø150x(H)140

SALAD SPINNER

- Ideal for drying large amounts of vegetables and fruits after washing.
- With an easy to use water draining system.
- Removable inner basket.
- Not available in France.

code	liters	mm
222553	12	ø335x(H)430
222560	25	ø430x(H)530



PRESSURE FOOD SPRAYER

- Ideal for: greasing baking molds, applying food additives and flavourings, wetting bread dough.
- Spraying a perfectly even layer of a product.
- Pressure sprayer function in the kitchen without the need to use heavy appliances.
- Made of very durable polymer HDPE.
- Wide bottom of the bottle, ensuring stability.
- Silicone seals which do not require greasing.
- An adjustable nozzle able to change its position in 360°.
- The suction pipe has a filter to prevent clogging.
- A measuring scale for easy control of liquid level.
- A breather protecting against the lid sucking-in.
- Pressure: 2,2 bar.
- Weight: 0,59 kg.
- code

270875

222560



HENDI

ELECTRIC KETTLES

- Housing and heating element made of stainless steel.
- Handle, lid and base made of polypropylene.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.







External water level indicator



ELECTRIC KETTLE - 1,8 L

code	liters	٧	W	mm
209981	1.8	230	2150	221x163x(H)249

209936 (HEND

ELECTRIC KETTLE - 2,5 L

PP

18/8

code	liters	V	W	mm
209936	2.5	230	2150	225x168x(H)288

CORDLESS ELECTRIC KETTLE WITH TEMPERATURE CONTROL

- For preparing beverages with indicated brewing conditions, such as green tea, white tea, or yerba mate.
- AISI304 stainless steel housing and heater.
- Polypropylene handle, lid, and base.
- Temperature regulation and maintenance water can be heated to one of these temperatures: 40°C, 60°C, 80°C, 100°C.
- Heater placed under the bottom, protected against scale.
- Control panel with digital display.
- Thermostat indicator light.
- Internal maximum water level indicator.
- Automatic shut-off function after the water boiled.
- Double protection against switching on an empty kettle.
- Kettle can be rotated 360° base.
- CAUTION: intended for boiling water only, boiling other liquids may damage the kettle.

code	liters	٧	W	mm
209943	1.8	230	1800	225x168x(H)288



WATER KETTLE WITH LID

code	liters	mm
624302	6	ø245x(H)290



CHENDI









 $|\bigcirc|$


╟╤╟



B







stainless steel			stainless steel wash				S.S.
SERVING 1	ONGS - 2 P	CS	SERVING TONG	S CURVED	SERVING TO	NGS – 2 PCS	stainless steel
code	packed per	mm	code	mm	code	mm	
171127	2	(L)300	171417	(L)235	171400	(L)240	
171028	2	(L)240	171516	(L)295	171509	(L)300	







SERVING TONGS

- With heat resistant silicone tongs.
- Soft-grip with lock.

code	mm	
171301	(L)267	
171318	(L)345	
171325	(L)445	





SERVING TONG HACCP 250 MM

- For professional food service - HACCP compliant handpiece colors

- Colored PVC Coated Handle

code	colour	mm
171837	Red	(L)250
171929	Brown	(L)250
171844	Blue	(L)250
171875	Green	(L)250
171882	Purple	(L)250
171899	Yellow	(L)250

SERVING TONGS HACCP 300 MM

For professional food service - HACCP compliant handpiece colors
 Colored PVC Coated Handle

colour	mm
Red	(L)300
Brown	(L)300
Blue	(L)300
Green	(L)300
Purple	(L)300
Yellow	(L)300
	Red Brown Blue Green Purple



SERVING TONGS

- Handle covered with PVC.

code	colour	mm
171752	Black	(L)250
171851	Black	(L)300









UNIVERSAL TONGS

code	colour	mm
657669	Black	(L)250
657676	Black	(L)300




UNIVERSAL TONGS

code	colour	mm
657621	Transparent	(L)230
657607	Black	(L)230



PC



- Made of reinforced polyamide.

mm

(L)300

code

659502

ANGLED FRYING SPATULA

code


659601

mm

(L)325

S571 B511 B550 SCAPER SCAPER Control (1000) C								855	5607
853713 85319 85519 85508 Part of Sector Secto				N.			-	Batter	
	855713			855119	-		- C		
Big (1) <							\square	20005	
odd babe length fml m odd babe length fml m odd babe length fml m 355713 124 102x265 85519 118 100x251 955508 120 75x270 355713 124 102x265 85519 118 100x251 955508 120 75x270 855607 150 111bx085 955608 120 75x270 855707 855676 95569 95508 95508 95508 95508 95508 95577 AMBURGET TURNER Handle made of black plastic. - Flexible. - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <	olypropylene stainless steel	wash		SCRAPEF				GER TURN	ER
85567 150 110×305 85567 855737 855720 85567 855737 855720 85567 85574 95569 85576 95569 95569 NABURGER TURNER 110×305 Handle made of black plastic. 955737 10 12 201×64 855562 174 108×313 855569 12 320×64 85570 12 320×64 85570 12 320×64 85570 12 320×64 85570 12 320×64 85570 10 17×220 85570 10 17×220 85570 10 17×220 85570 10 17×220			mm			mm			mm
	355713 1	24	102x265	855119	118	100x251			
	855676	and a			\langle			Antes	855720
Improving					855669				
Handle made of black plastic. - Handle made of black plastic. - Perforated. - 516xible. - Flexible. - Perforated. - 555672 143 77x283 855737 1 375x73 - 855675 1.2 320x96 - Flexible. - Code blackess[mm] mm - 555652 174 108x313 855737 1 375x73 - S55720 1 375x75 - 500 85576 1.2 320x96 - S55720 1 375x75 - 500 85576 85576 - S5576 - S5576 - S5576 - S5576 - 500 855776 855776 - S5576 - S5576 - S5576 - S5576 - 500 855766 - S5576 - S5576 - S5576 - S5576 - S5576 - 500 855766 - S5576 - S55690 - S5576 - S55690 - S5576 - 500 - For confectionery substances. - Smooth flexible blade. - Smooth flexible blade. - Soco - Nade length mm - S55764 - 50720 100 17x220 32x343 - S55769 203 34x345 <td></td> <td>wash</td> <td></td> <td>polypropylene Stainle</td> <td>ISS steel</td> <td></td> <td></td> <td>Ss steel wash</td> <td></td>		wash		polypropylene Stainle	ISS steel			Ss steel wash	
bits code thickness (mm) mm - Flexible. 0000 108x313 855737 1 375x73 code thickness (mm) mm 855669 1.2 320x96 855720 1 375x75 Image: specific colspan="4">Image: specific colspan="4" Specific colspan="4"	Handle made of	f black plastic.	mm	– Handle ma			– Handle ma	ide of black pla	
855669 1.2 320x96 855720 1 375x75 655762 855764 S55775 855782 855683 S55775 855782 855683 S55775 855782 855683 S55775 855782 855683 S55775 110 19x220 855775 110 19x220 855706 110 17x220 855706 110 17x220 855690 203 34x345	355676 1								
$\frac{1}{855775} \frac{110}{110} \frac{1}{12}\times 220}{855782} \frac{1}{200} \frac{1}{2}\times 343$		74	108x313						
Spectform 855775 110 19x220 Spectform 85576 110 19x220 855690 85576 85576 85576 85576 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574 85574									
code blade length (mm) mm code blade length (mm) mm 855775 110 19x220 855706 110 17x220 855782 200 32x343 855690 203 34x345	355652 1		DEE	5782	955492	PP S.S.	6		
855782 200 32x343 855690 203 34x345	PPP prop/ters ALETTE KNI	85E	5775	5782	855683	PP variantees steel SPATULA - For confectioned	wash ry substances.	855690	855744
	PPP S.S. Statics steet ALETTE KNI With flexible off	855 IFE iset blade.	5775		855683	SPATULA - For confectioner - Smooth flexible	ry substances. blade.	855690	
855683 254 37x390 855744 255 37x400	PPP provident S.S. Statistics steel ALETTE KNI With flexible off code 855775	BFE Set blade. blade length (mm) 110	5775	mm 19x220	855683	SPATULA - For confectioner - Smooth flexible code 8555706	ry substances. blade. blade length (mm) 110	855690	 17x220

<u></u>



mm

52x257

70x358

70x410

blade length (mm)

90

116

116

659106 SCRAPER - ABS handle. - Silicone blade.

659007

659458

659458

659472

<110°

ABS

code	blade length (mm)	mm
659014	90	55x266
659007	105	70x354
659106	105	70x420



SCRAPER

- Silicone blade.

code

659205

659304

659403

- Handle made of glass-fiber reinforced nylon.
- Blade made of natural rubber.

– Only suitabl	e for cold food preparation	l.
code	blade length (mm)	mm
658604	90	55x260
658703	90	75x320
658802	90	75x425
658901	150	100x515



code	mm
563106	450x80
563007	375x70
563205	575x105





– ABS handle.

- Blade made of synthetic rubber.

code	blade length (mm)	mm
659472	117	75x408
659458	88	57x254
659465	117	75x357



SPOON – Made of reinforced po	olyamide.	temp
code	mm	
659700	(L)305	
659809	(L)385	

WOODEN SPOON - SET OF 3, VARIOUS SIZES

- For professional use in gastronomy
- Versatile use
- Elegant, classic shape
- Made of beech wood
- Set of 3
- ATTENTION: Not dishwasher safe

code 525005 ^{mm} (L)300, 350, 400



LADLES & SKIMMERS PROFI LINE

- Professional, seamless one piece, in accordance with HACCP standards.

- Heavy-duty stainless steel. - Thickness 2,7 mm





K



LADLE NON-DRIP	
- With non-drin nouring	ı rim

code	liters	mm
540107	0.05	ø60x360
540305	0.125	ø80x400
540404	0.25	ø100x430
540503	0.5	ø120x555
540602	0.75	ø145x575
540701	1	ø165x630

SLO	TTED	SPO	JON

code

541104

541203

541302

541500

542606

BASTING SPOON code

SERVING SPOON

mm	code	mm	
ø80x390	542507	485x75	
ø100x400	CARVING FOR	(
ø120x460	GARTING FOR	`	
ø160x530	code	mm	
	542705	(L)350	
	SPATULA		
mm	code	mm	
410x100	542200	510x100	


LADLES & SKIMMERS KITCHEN LINE





H

WHISKS



S.S.		2.2 MM
stainless steel	wash	THICKNESS

FRENCH WHISK

- 8 heavy stiff wires, with eyelet.

- Wire thickness: 2,2 mm.

code	mm	
510001	(L)290	
510100	(L)335	
510209	(L)380	
510308	(L)435	
510407	(L)490	
511503	(L)540	
511701	(L)640	



2 MM

THICKNESS

FRENCH WHISK WITH 8 STIFF WIRES - 8 stiff wires.

- Polypropylene handle with eyelet.

- Wire thickness: 2 mm.

code	mm
509012	(L)245
509005	(L)270
509104	(L)320
509203	(L)365
509302	(L)415
509401	(L)465

PIANO WHISK

- 5 flexible piano wires, with thin handle.
- Wire thickness: 1 mm.





* THICKNESS

PIANO WHISK

- 7 flexible piano wires, with eyelet.
- Wire thickness, 1 / mm

- wire thickness: I	,4 111111.	
code	mm	
532003	(L)230	
532102	(L)275	
532201	(L)330	
532300	(L)375	



code

511718

511725 511732

511749

511756

1.4 MM THICKNESS

mm

(L)285 (L)335

(L)385 (L)435

(L)485



1.4 MM * THICKNESS

PIANO WHISK WITH 12 PIANO WIRES

- 12 flexible piano wires.
- Polypropylene handle with eyelet.
- Piano wire thickness: 1.4 mm

code	mm	
509418	(L)250	
509425	(L)270	
509432	(L)320	
509449	(L)360	
509456	(L)410	
509463	(L)460	





 $|\bigcirc|$

H

MIXING BOWL

code	liters	mm
517109	0.7	ø158x(H)55
517208	1.4	ø197x(H)68
517307	2.3	ø240x(H)88
517406	3.3	ø259x(H)92
517604	4.9	ø300x(H)118

PIANO WHISK - 12 flexible piano wires.

- Stainless steel handle with eyelet.



HENDI



code	mm	code	mm	code	mm
647516	ø160x360	647554	ø205x460	547304	ø180x380
647509	ø180x415	647561	ø245x500	547502	ø235x435



Fi 2 s or

Fitted with 2 scraping wires on the bottom



VEGETABLE STRAINER

- Perfect for preparation of cream soups and tomato sauces.
- Including 2 straining discs (Ø 140 mm), coarse and fine.

code	mm
515501	400x215x(H)175

HENDI



mm

ø120x290 ø160x340

ø180x355

ø200x365

ø230x395

ø250x420

Sr

mm ø260x580

ø310x800

ø360x850

mm ø100x255

ø145x340 ø210x450

ø230x455

mm

ø160x325

ø185x350

ø200x365

ø220x385

ø240x405

ø260x425

S.S.

ςς
5.5.
stainless steel

COLANDER PROFILINE

- With base and 2 riveted handles.

code	mm
535523	ø415x(H)210
535516	ø365x(H)185
535509	ø325x(H)175



A





COLANDER KITCHEN LINE

- With base and 2 handles.

code	mm
535301	ø340x(H)160
535103	ø240x(H)110
535202	ø280x(H)135

COLANI	DER
– 2 handle	s and a base.

S.S. stainless steel

HENDI

-	Ζ	ligii	utes	anu	d	Dase.	

code	mm
535400	ø225x(H)90
535417	ø285x(H)100
535424	ø315x(H)120





EXTENDABLE SINK COLANDER

- Entirely made of stainless steel AISI 201.
- Extendable handles, non-slip covered with rubber.
- Support-legs to place it directly in the sink.
- Fine mesh.
- Adjustable to max. sink width: 545 mm.
- Dishwasher safe.

code

535219

^{mm} 360x240x(H)115



S.S. stainless steel

NEW

F





KITCHEN SCALE 3 KG

- Housing made of ABS and stainless steel.
- Built-in LED display.
- Measuring up to 3000 g.
- Readout in grams (g), kilograms (kg), millilitres (ml), ounces (oz) or pounds (lb).
- Available functions on the touchscreen panel: on/off, tare, changing the unit.
- Auto power off and reset (auto tara).
- Overload and low battery notifications.
- Power: 3 x 1.5V AAA batteries included in the set.

code	mm
580011	165x180x(H)31





KITCHEN SCALE 5 KG

- Housing made of stainless steel.
- Built-in digital LCD display.
- Measuring up to 5000 g.
- Readout in grams (g), kilograms (kg), ounces (oz) or pounds (lb).
- Auto power off and reset (auto tara).
- Overload and low battery notifications.
- Power: 1 x 3V lithium battery included in the set.

code	max. kg	mm
580226	5	169x218x(H)13



ABS	SS
plastic	stainless steel

KITCHEN SCALE 10 KG

- Waterproof housing made of ABS and stainless steel.
- Built-in LED display.
- Measuring up to 10 000 g.
- Readout in grams (g), kilograms (kg), millilitres (ml), ounces (oz) or pounds (lb).
- Available functions on the touchscreen panel: on/off, tare, changing the unit.
- Auto power off and reset (auto tara).
- Overload and low battery notifications.
- Power: built-in rechargeable lithium battery.
- USB cable for recharging included in the set.
- Waterproof and dustproof rate: IP67.

code	mm
580028	160x210x(H)19





KITCHEN SCALE 15 KG

- Weighs up to 15.000g with gradation of 1g with a minimum of 2g.
- Seamless stainless steel surface, housing made of HIPS plastic with integrated display.
- High precision strain gauge sensor for accurate measurements.
- Readout in grams.
- Touch control with on-off and tare buttons.
- With auto tare, overload and low power indication.
- Auto power off.
- Powered by 3 AAA batteries (not included).

code	max. kg	mm
580233	15	266x269x(H)34



NEW

ſ	~	~	
L	5	5	
L	$\underline{}$	<u> </u>	
L	stain	ess ste	e

DIGITAL SCALE UP TO 200 KG

- Stainless steel scale.

- Precise measurement thanks to advanced. technology - from 200 g to 200 kg (440 lb).
- Accuracy: 10-50g / 0,02-0,1lb.

max 200 kg

- Reading in kg or lb.
- Tare function.
- Operation via separate digital display with 4 buttons.
- Energy-saving LCD display with battery charge indicator.
- Fingerprint-resistant coating.
- Power supply: 2 AAA batteries (included).
- USB-C port kit includes cable.
- NOTE: Power adapter not included.

code	max. kg	mm	
580462	200	298x248x(H)37	

580462

93

 $|\bigcirc|$

Ē

Thermometers

В



	Infrared thermometer		Shock proof thermometer with probe	Fast response thermometer	
Code	271148	271254	271407	271230	
Unit	°C / °F	°C/°F	°C / °F	°C/°F	
Reaction time	quick	quick	medium	quick	
Temperature min.	-32°C	-60°C	-50°C	-50°C	
Temperature max.	400°C	350°C	300°C	350°C	
Accuracy	±1,5°C	±1,5°C	±1°C	±0,8°C	
Gradation	0,1°C	0,2°C	0,1°C	0,1°C	
Hold function	v	v	v	V	
Probe length		96 mm	213 mm	130 mm	
Probe material		stainless steel	stainless steel	stainless steel	
Suitable for use in the oven					
Waterproof			splash proof	V	
Auto off	v	 ✓ 	v	V	
Battery included	✓	 ✓ 	v	v	

Additional information

Distance and spot size ratio 12:1 Laser pointer for accurate measurement target. Distance and spot size ratio 8:1 Min / Max With ta

Min / Max temperature function. With table stand, including protection case. IP65 waterproof. With probe cover.



	A	0
		P

Thermometer with foldable probe	Pocket thermometer with probe	Waterproof thermometer	Roasting thermometer/timer
271308	271209	271162	271346
°C/°F	°C / °F	°C / °F	°C / °F
medium	medium	medium	slowly
-50°C	-40°C	-50°C	-50°C
300°C	200°C	300°C	250°C
±1°C	±1°C	±1°C	±1°C
0,1°C	0,1°C	0,1°C	1°C
 ✓ 	v	 ✓ 	v
110 mm	65 mm	120 mm	150 mm
stainless steel	stainless steel	stainless steel	stainless steel
			only probe
		V	v

V

V

With probe cover.

Min / Max

temperature function.

V

V

Measures temperature in one second. With cover and ergonomic handle.

V

~

With timer function. With temperature alert setting.

V

V



	Pocket thermometer	Steak thermometer	Oven thermometer	Refrigerator thermometer	Refrigerator thermometer	Refrigerator thermometer	Refrigerator thermometer	Milk frothing thermometer
Code	271216	271339	271179	271186	271117	271124	271261	271247
Unit	°C	°C/°F	°C	°C	°C	°C	°C	°C
Reaction time	medium	slowly	slowly	slowly	slowly	slowly	slowly	slowly
Temperature min.	0°C		50°C	-50°C	-40°C	-50°C	-40°C	-10°C
Temperature max.	100°C		300°C	25°C	40°C	50°C	20°C	110°C
Gradation	1°C		10°C	10°C	1°C	1°C	1°C	1°C
Probe length	127 mm	50 mm						140 mm
Probe material	stainless steel	stainless steel						stainless steel
Suitable for use in the furnace		~	V					
Additional information	Probe cover with clip	With indication rare-medium- well done.	With special hook and support. Easy to read.	With special hook and support. Easy to read.	Fitted with hook to hang from	Fitted with hook to hang from	Horizontal model, with hooks	With clip to fasten the thermometer to the milk jug



 \bigcirc



INFRARED THERMOMETER

- Laser pointer for accurate targeting.
- Measuring range: -32 to +400°C.
- Gradation: 0.1°C, accuracy: up to ± 1.5°C/ ± 1.5%.
- The ratio of the measuring distance to the area to be measured: 12:1.
- "Lock mode" function for continuous temperature monitoring.
- Automatic switch off.

- Gradation 0,1°C, accuracy ±0,8%/0,8°C. - Hold function - saves momentary

- 130 mm stainless steel probe.

- Turns off automatically.



INFRARED THERMOMETER WITH PROBE HACCP

- Temperature scan by infrared or foldable probe.
- HACCP check lights provide instant recognition of safe/unsafe temperatures.
- With foldable 90 mm long stainless steel probe.
- Measuring range -60°C to 350°C. - Gradation 0,2°C.
- Power supply: 9 V battery, included in the set. Infrared accuracy: -60/65°C ±1°C, 65/350°C ±1.5%.
 - Probe accuracy: -60/-5°C ±1°C, -5/65°C ±0.5°C, 65/350°C ±1%.
 - Distance spot ratio (D:S) 8:1.
 - Auto power off after 15 seconds.
 - Battery: 2xAAA (excluded)



SHOCK PROOF THERMOMETER WITH PROBE

- Splash proof.
- Temperature range -50°C to 300°C.
- Unit of measurement °C or °F.
- Gradation 0,1°, accuracy 1°C between -30°C and 150°C.
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- 213 mm removable stainless steel probe.
- Turns off automatically.
- With table stand, including protection case.
- Battery included.

			Duttery. 2		.,.			
code	range	mm	code	range	mm	code	range	mm
271148	-32/400°C	37x70x(H)150	271254	-60/350°C	39x53x(H)158	271407	-50/300°C	195x85x(H)45



- and 100°C. - Lock mode - for continuous monitoring of temperatures.
 - Min/max temperature function.
 - With foldable 110 mm long stainless steel probe.
 - Turns off automatically after 60 minutes.
 - Battery included.

code	range	mm	code	range	mm
271230	-50/350°C	204x42x(H)20	271308	-50/300°C	160x40x(H)25





temperature.

- With probe cover.

- Battery included.



POCKET THERMOMETER WITH PROBE

- Temperature range -40°C to 200°C.
- Unit of measurement °C or °F.
- Gradation 1°C.
- Accuracy ± 2°C.
- Hold function saves momentary temperature.
- 65 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

code	range	mm
271209	-40/200°C	150x20x(H)15



WATERPROOF THERMOMETER

- Waterproof.
- Temperature range -50°C to 300°C.
- Gradation 0,1°C between -19,9°C and 199,9°C, for other temperature ranges 1°C.
- Accuracy 1°C between -20°C and 100°C, for other temperature ranges ± 2°C.
- Lock mode for continuous monitoring of temperatures.
- 120 mm stainless steel probe.
- Measures temperature in one second.
- With cover and ergonomic handle.
- Turns off automatically after 10 minutes.
- Battery included.

<u>S.S</u>.

	code	range	mm	
15	271162	-50/300°C	290x48x(H)40	



ROASTING THERMOMETER WITH TIMER

- Timer function with countdown.
- Measuring range: from -50 to +250°C.
- Interchangeable between: °C and °F.
- 1°C gradation, accuracy ± 1°C from 0°C to +100°C, ± 2°C in other ranges.
- Possibility of continuous temperature monitoring.
- Max./min. temperature function.
- With acoustic signal informing about reaching the set temperature.
- Stainless steel probe 150 mm (heat resistant), can be left in the oven during baking.
- 1 AAA 1.5 V alkaline battery included (disposable).

	code	range	mm
40	271346	-50/250°C	65x70x(H)17



271216

POCKET THERMOMETER

- Temperature range: from 0°C to 100°C.
- Gradation 1°C.
- 127 mm stainless steel probe.
- Probe cover with clip.
- Easy to read.

271216 0/100°C ø44.5	x(H)140



OVEN THERMOMETER

- Measuring range: from +50 to +300°C.
- 10 °C gradation, accuracy: ±5%.
- Stainless steel housing.
- Equipped with special hook and support.
- Easy to read.

code 271179



STEAK THERMOMETER -SET OF 4 PCS.

- The range is: rare medium well done.
- Accuracy: ±2%.
- Stainless steel 50 mm probe.
- Can be used in ovens.

range	mm	code	packed per	mm
50/300°C	60x40x(H)70	271339	4	ø25x(H)70



97

H



REFRIGERATOR THERMOMETER

- Temperature range from -50°C to +25°C.
- Gradation 2,5°C.
- Stainless steel housing with special hook and support. - Easy to read.



REFRIGERATOR THERMOMETER

- With hook.
- Temperature range -40 to 40 °C.
- Graduation 1°C.



REFRIGERATOR THERMOMETER

- With hook.
- Temperature range -50 °C to 50 °C.
- Gradation 1°C.
- Easy to read.

code	range	mm	code	range	mm	code	range	mm
271186	-50/25°C	60x40x(H)70	271117	-40/40°C	150x23x(H)9	271124	-50/50°C	ø72x(H)21



REFRIGERATOR THERMOMETER

- Horizontal model, with hooks.
- Temperature range -40 to 20 °C.

582022

DIGITAL KITCHEN

- With stand and magnet. - 99 min. 59 s. count down.

- Graduation 1°C.

code	range	mm
271261	-40/20°C	123x30x(H)19



MILK FROTHING THERMOMETER

- With a clip to fasten the thermometer to the milk jug.
- Green marking indicates the perfect milk temperature for cappuccino etc.
- Temperature adjustable from -10°C to 110°C.
- 1°C gradation, accuracy: ±2%.
- Stainless steel probe, cover with clip.

code	range	mm
271247	-10/110°C	ø44x(H)140



271155







Magnetic

DIGITAL KITCHEN TIMER

- With magnetic clip.
- 99 min 59s count down.

	ABS
ļ	plastic

5	 Red marking indicates remaining time. Well visible from a distance. 		aline Battery chargeable).
code	mm	code	mm
582015	ø80x(H)30	271155	67x20x(H)67

TIMER

code

582022



- Easy to read.

code	range	mm
271247	-10/110°C	ø44x(H)140

1	(HENDI	

mm

65x70x(H)17

	55 J J J J J J J J J J J J J J J J J J
1	582015

ANALOG KITCHEN TIMER

- Max. 60 minutes.
- Accurate to 1 minute.
- Magnetic rear.



558102

mm

(H)420

STAINLESS STEEL SAUCE **CONTAINER WITH DISPENSER**

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Lid fitted with 2 snap latch locks.
- Dispensed sauce portion: 35 ml

liters

4.5

- Not dishwasher safe.

code

558102



558119

SET: 2 X STAINLESS STEEL SAUCE **CONTAINER WITH DISPENSER**

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Each lid fitted with 2 snap latch locks.
- Dispensed sauce portion: 35 ml

400x200x(H)440

- Not dishwasher safe.

code

558119

- Stand with adapter included in set. liters

9







LID WITH DISPENSER FOR GN CONTAINERS

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Dispensed sauce portion: 35 ml.
- Not dishwasher safe.
- Suitable for GN containers with a height of 200 mm (not included).

code	GN	mm
558133	GN 1/6	180x165
558140	GN 1/4	270x165
558157	GN 1/3	330x180



SAUCE BAIN-MARIE WITH DISPENSER

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Lid fitted with 2 snap latch locks.
- With overheating protection sensor it turns on the sound alarm and automatically cuts the heating off.
- Adjustable heating temperature: up to 90°C.
- Dispensed sauce portion: 35 ml.
- Not dishwasher safe.

code	V	W	mm
558126	230	900	ø180x(H)500



CHENDI

 $|\bigcirc|$

1 I I I I I

DISPENSER BOTTLES

- Made of polyethylene.

PP

558003

558010

558027

– The cap ensures that the sauce stays fresh and hygiene is maintained.












MINI SAUCE DISPENSER - SET OF 4 PCS.

- Made of half-transparent polyethylene.
- Screw cap with a stopper.
- Reusable product.
- Dishwasher safe.
- 2 capacities available: 30 ml (code: 557981), 50 ml (code: 557990).

code	liters	mm
557990	0.05	ø35x(H)100
557891	0.03	ø30x(H)85



557808

557815

557822



SAUCE DISPENSER WITH PUMP

- Pump dispenser for various types of sauces. - For use in snack bars, buffets, restaurants,
- and during catering events. - ABS housing, removable sauce container
- completely BPA-free does not affect the taste and smell of its contents.
- Sauce container has a measuring scale, lid and removable pump, all made from polypropylene.
- Pump fitted with lock to prevent accidental dispensing during transport.
- Capacity: 2.5 l.
- Dosage: 20 ml.
- Temperature resistance from -40°C up to +70°C.
- Easy to disassemble and stackable.
- Available in red. vellow and white.

code	colour	liters	mm
203521	Red	2.5	230x210x(H)250
203545	White	2.5	230x210x(H)250
203538	Yellow	2.5	230x210x(H)250





design by Robert Bronwasser



558096

Non-drip tip

NON-DRIP SAUCES DISPENSER

- Designed by Robert Bronwasser.
- Clear bottle with specially designed dosing cap.
- Thanks to the construction of this piece of equipment, the bottle can be placed upside down without the risk of sauce spillage.

code	liters	mm
558096	0.23	ø50x(H)160

630648 18/0

HOTDOG STAND

- Quality finish.
- 2 dispenser bottle slots and 2 hotdog slots.
- Suitable for HENDI Dispenser bottles 70 cl.

code	mm
630648	260x110x(H)118



SAUCE STAND

- Quality finish.

- Suitable for HENDI dispenser bottles.

- Available with 3 and 5 slots.

code	-	mm
557969	3 holes ø 50 mm	209x80x(H)78
557976	3 holes ø57 mm	229x90x(H)78
557983	3 holes ø70 mm	274x102x(H)98

	 (Brit	
A29440 S.S. TACO HOLDER code - mm		
code - mm		S.S.
	 •	
	2 slots	

ACOHOLDER				
code	-	mm		
429440	2 slots	135x115x(H)50		
429457	4 slots	225x115x(H)50		



HENDI

Ħ





















199992

SMOKE INFUSER

- The aluminium body functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with removable filter.
- Large woodchip holder.

codo

- Flexible rubber hose (30 cm long) for easy injection of smoke into resealable bags and containers.
- Compact and lightweight enough to use with one hand.
- Gentle enough for use on delicate fruits and vegetables without changing their texture of temperature.
- Powered by 2 AA batteries, not included.
- Wood or herbs for smoking not included.

couc	
199992	90x54x(H)122



GLASS DOME WITH VENT

- Made from borosilicate glass, fitted with silicone vent to hold the tube of a smoking gun.
- Ideal to use in combination with a smoking gun.

code	-	mm
199664	Plate dome	ø260x(H)174
199657	Cocktail dome	ø130x(H)282



SMOKING GUN RECHARGEABLE -3 SPEEDS OF SMOKE INFUSION

- Smoking is a very flavourful addition to your meat, fish and vegetable dishes, but can also create a wow-factor when serving.
- The cold smoke is gentle for delicate fruits and vegetables, smoke without changing the texture or temperature.
- One button operation, the smoking gun has 3 speeds
- The aluminium fan chamber functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with integrated mesh filter.
- Flexible silicone hose (50 cm long) for easy injection of smoke into resealable bags and containers.
- Lightweight with a comfortable handle making it easy to use with one hand.
- Powered by a rechargeable Lithium battery of 1000mAh.
- Very complete, comes with 3 spare filter meshes, a tweezer and USB charging cable.
- Wood or herbs for smoking not included.

code	mm
199640	215x70x(H)160



GLASS DOME

- Ideal to use in combination with the smoking gun.

code	mm
199978	ø275x(H)140

		 	 	 è

GAS LIGHTER - SET OF 2 PCS.

Refillable.
Supplied empty.

Supplied empty.			
code	packed per	mm	
198124	2	(L)230	



CREAM WHIPPERS

S.S.







CREAM WHIPPER PROFILINE

588024

- Makes delicious whipped cream, mousses, desserts, cold foams and sauces easily.

HENDI

- Perfect for garnishing cappuccinos, coffees, shakes and ice cream.
- Suitable for dispensing warm creams and sauces up to 70°C.
- Keeps contents fresh for up to 14 days in the refrigerator.
- Includes 3 stainless steel nozzles and a cleaning brush.
- Requires cream charger (N_2O) to operate, not included.

code	liters	mm
588017	0.5	ø85x(H)235
588024	1	ø98x(H)330

SPARE PARTS SET

code	-	mm
589205	Profi Line	120x30x(H)240

PROFI LINE DECORATING AND INJECTOR TIPS

- Ideal for decorating, filling, injecting, marinating, etc.
- Set of 4 stainless steel tips:
 - 1 long injector tip ø3x(H)106 mm.
 - 1 long injector tip ø5x(H)106 mm.
 - 1 short injector tip ø3x(H)40 mm.
 - 1 short injector tip ø5x(H)40 mm.
- Suitable for use only with HENDI Profi Line cream whippers.

code 589106



HENDI

PHEND.





CREAM WHIPPER KITCHEN LINE

- Aluminium head and white coated aluminium bottle.
- With 3 different nozzles, charger holder as well as a cleaning brush.
- Not suitable for hot sauces.
- Requires cream charger (N_2O) to operate, not included.

code	liters	mm
588031	0.25	ø80x(H)200
588369	0.5	ø80x(H)260
588376	0.95	ø95x(H)320

SPARE PARTS SET

code	-	mm
589007	Kitchen Line	120x30x(H)240



KITCHEN LINE CREAM WHIPPER

- Matte black coated aluminium bottle and head.
- Not suitable for preparing hot sauces.
- Supplied with: 3 different polypropylene nozzles and a cleaning brush.
- To be used with cream whipper chargers (N $_2$ O) (chargers not included).

code	liters	mm
588420	0.5	ø80x(H)260



589007

Ē





CREAM WHIPPER CHARGERS

- Suitable for commercially available cream dispensers.
- N₂O
- Best before 5 years after production date.

code	packed per	
588208	10	
588215	24	
586907	50	



	18/10
l	stainless steel

ICE CREAM SPATULA

colour	mm
Blue	(L)260
Red	(L)260
Yellow	(L)260
Purple	(L)260
	Blue Red Yellow

 $|\bigcirc|$

H



STÖCKEL ICE CREAM DIPPER

code	-	mm	– With ceramic	coating and e	xtra long handle.	– With extra lor	ng handle.	
755556	1/20	ø56x120	code	-	mm	code	-	mm
755563	1/24	ø51x120	755686	1/20	ø56x170	755655	1/20	ø56x170
755570	1/30	ø49x120	755693	1/30	ø49x170			



P	н	E	Ν	D	L



ſ	PA	S.S.
l	polyamide	stainless steel

Ś

PROFI LINE ICE CREAM SCOOP

-	mm
1/24	ø51
1/30	ø49
1/36	ø46
1/40	ø44
	1/24 1/30 1/36



759264

572016

759233

759240

KITCHEN LINE ICE CREAM SCOOP

code	-	mm
572016	1/10	ø70
572313	1/20	ø56
572115	1/12	ø66
572214	1/16	ø59
572412	1/24	ø53
572511	1/30	ø50
572610	1/36	ø48
572719	1/40	ø44

ICE CREAM SCOOP STÖCKEL

- Perfect choice not only for ice cream, but also for serving mashed potatoes.

– Easy to keep portions identical in size.

755006

R.C.

755075

572719





755037

755143



-10



CHENDI

MOUNTING BRACKET FOR SCOOP WASHER

- Secure your HENDI scoop washer 802007 securely with this mounting bracket.
- Mounting holes: ø4.5 mm.
- Number of mounting holes: 2 x 2.
- Steel thickness: 0.8 mm.

code 802014 mm 302x115x(H)122



Ĝ

 $|\bigcirc|$

H



 Fits 8x GN 1/6 GN containers or 4x GN 1/3 containers (max. height 100 mm), not included.

code	range	٧	W	mm
233689	-24/-20°C	230	220	805x666x(H)305





HENDI

CONFECTIONERY, BAKERY, CAFÉ

Á

PERFECT FOR PREPARING FREDDO CAPPUCCINO, FRAPPÉ AND MILKSHAKES

HENDI





design by Robert Bronwasser

Powerful motor with two speeds: 15,000 and 19,000 rpm.



MILKSHAKE MIXER - DESIGN BY BRONWASSER

2 sets of replaceable polycarbonate stirrers (2 pieces each)

- Designed by Dutch Designer Robert Bronwasser and available in 6 attractive colours.
- Make Freddo cappuccinos, Frappés and of course milkshakes without effort.
- The housing is made from ABS plastic.
- The base is weighted for extra stability and is fitted with rubber feet.
- The motor can spin the agitator disc at two speeds, 15.000 and 19.000 RPM.
- Control the milkshake mixer with the two-speed switch on the top which is easily accessible.
- The milkshake mixer is fitted with a micro switch so it can only operate when the cup is properly placed.
- Choose between two different stirrers to control the level of aeration.
- Very complete, comes with a stainless steel mixing cup (0.95 liter) and polycarbonate mixing cup (0.9 liter) and 2 sets of 2 stirrers.
- Cups and stirrers are dishwasher safe.

code	colour	V	W	mm
221617	White	230	400	170x196x(H)490
221600	Black	230	400	170x196x(H)490
221624	Caramel	230	400	170x196x(H)490
221631	Yellow	230	400	170x196x(H)490
221648	Red	230	400	170x196x(H)490
221655	Blue	230	400	170x196x(H)490

2 cups: made of stainless steel (capacity: 0.95 l) and of polycarbonate (capacity: 0.9 l)



NEW

ABS	S.S.	BPA
plastic	stainless steel	free

MILKSHAKE MIXER BPA FREE - DESIGN BY BRONWASSER

- Designed by Dutch Designer Robert Bronwasser.
- Make Freddo cappuccinos, Frappés and of course milkshakes without effort.
- The housing is made from ABS plastic.
- The base is weighted for extra stability and is fitted with rubber feet.
- The motor can spin the agitator disc at two speeds, 15.000 and 19.000 RPM.
- Control the milkshake mixer with the two-speed switch on the top which is easily accessible.
- The milkshake mixer is fitted with a micro switch so it can only operate when the cup is properly placed.
- Choose between two different agitators to control the level of aeration.
- Included in the set: stainless steel mixing cup (0.95 liter), tritan mixing cup (0.9 liter) and a set of 2 tritan stirrers.
- Cup and agitators are dishwasher safe.

code	colour	V	W	mm
221495	Black	230	400	170x196x(H)490





POLYCARBONATE MIXING CUP FOR MILKSHAKERS - DESIGN BY BRONWASSER

- Made of durable polycarbonate.
- To be used with milkshakers:
- 221600, 221617, 221624, 221631, 221648, 221655.

ø116x(H)161

- Dishwasher safe.

code 961124

961124







STIRRERS BPA-FREE FOR MILKSHAKE MIXERS - DESIGN BY BRONWASSER

- Made of tritan BPA-free material.
- The set includes 2 pieces: single and double stirrer.
- Specially created for the HENDI Milkshake mixer - Design by Bronwasser, code: 221495. Dishwasher safe.



961131



- Made of stainless steel.
- To be used with milkshakers:
- 221600, 221617, 221624, 221631, 221648, 221655.
- Dishwasher safe.

code	mm
961117	ø113x(H)160



STIRRERS FOR MILKSHAKE MIXERS - DESIGN BY BRONWASSER

- Made of polycarbonate.
- The set includes 2 pieces: single and double stirrer.
- Specially created for the HENDI Milkshake mixers - Design by Bronwasser: codes 221600, 221617, 221624, 221631, 221648, 221655, 221495.
- Dishwasher safe.

Bisimusiici suit	
code	mm
961131	32x27x(H)50

957066





 $(\bigcirc$

╟╤╟











- Disposable.Suitable for hot and cold mass.
- Meets HACCP standards.
- Film thickness: 80 microns.

-	Package -	roll of	100	pcs.	
---	-----------	---------	-----	------	--

code	mm	
557112	445x220	
557105	530x285	

LDPE



PASTRY BAG ANTI SLIP - 100 PCS

- Disposable bags.
- Suitable for hot and cold preparation.
- Meets hygienic HACCP standards.
- Material thickness 80 micron.

- Roll of 100 in box.

code	packed per	mm	
557303	100	515x280	





PASTRY BAGS - SET OF 2 PCS.

- Reusable (suitable for cleaning in boiling water).
- Made of cotton, inside coated with polyurethane.
- With an eyelet.

code	packed per	mm
550120	2	(L)300
550229	2	(L)350
550328	2	(L)400
550427	2	(L)450
550526	2	(L)500

PASTRY BAGS

- Made of seamless super nylon.
- Heavy duty, with a hang tag.
- Suitable for cleaning in boiling water.

code	packed per	mm
550106	1	(L)300
550205	1	(L)350
550304	1	(L)400
550403	1	(L)450
550502	1	(L)500



Ĝ

Ē

CONFECTIONERY, BAKERY, CAFÉ

Ĝ



18/10

ø2-4-6-8-10

code 551691



CUPCAKE MOULD

with smooth rim

with rolled rim

code 689806

689608

Aluminium wash	
mm	
ø70x(H)68	

ø70x(H)68



689608









512203 512210 Ö 0 512142 512159



FOOD RING AND PUSHER SQUARE

- Perfect for plating food in refined shapes.

code	-	mm
512166	food ring	65x65x(H)45
512173	food ring	80x80x(H)45
512227	pusher	63x63x(H)55
512234	pusher	80x80x(H)55

FOOD RING

- Made of AISI 430 stainless steel

– Dishwasher safe.			
code	-	mm	
512142	food ring	ø80x(H)45	
512159	food ring	ø100x(H)45	
512203	pusher	ø80x(H)55	
512210	pusher	ø100x(H)55	

FOOD RING ROUND

- Made of AISI 430 stainless steel.
- Dishwasher safe

code	mm
512135	ø60x(H)45
512104	ø70x(H)45
512302	ø90x(H)45









SET OF 3 PCS. code

216x128

3

554432

DOUGH CUTTER

code

855751

DOUGH SCRAPERS TRAPEZOIDAL - DOUGH SCRAPERS RECTANGULAR - SET OF 6 PCS. packed per mm code packed per mm

554364

CAKE KNIFE

code

553404

DOUGH SCRAPERS SEMI-CIRCULAR - SET OF 6 PCS. Elovible

code	packed per	mm
554166	6	120x88



- Stainless steel with polypropylene handle.

mm

150x110



mm

150x110


6

120x96













18/8

HENDI

PASTRY CUTTERS, ROUND – SET – Round. – 14-piece set, different sizes.		S.S. stainless steel
code	-	mm
673416	with plain edge, ø19-112	(H)35
674413	with serrated edge, ø18-108	(H)35









SPATULA

- For confectionery substances.

- Smooth flexible blade.

code	blade length (mm)	mm
855706	110	17x220
855690	203	34x345
855744	255	37x400



DOUGH PUNCH ROLLER

- 60 mm wide roller with 32 long, robust plastic spikes for punching dough.
- Ideal for deaerating shortcrust pastry and pizza dough.
- Prevents air bubbles and ensures better baking results.
- Made of polypropylene.

code	mm
515037	210x73



18/0 Image: Constraint of the state of t

BAIN-MARIE PAN

- Double walled, with resevoir for water.
- Fill the resevoir with water to melt chocolate au bain-marie.
- With stainless steel handle.

code	liters	mm
833032	1	330x165x(H)95







NON-STICK SILICONE BAKING MAT

code	thickness (mm)	mm
677827	0.7	600x400
677810	0.7	530x325
677834	0.7	300x400



677810

BUTTER AND FAT BRUSH WITH STAINLESS STEEL BRISTLES

- High temperature resistant.

- Wooden handle.

code	mm	
515389	200x25	
515396	220x50	





BUTTER AND FAT BRUSH WITH NATURAL BRISTLES - SET OF 2 PCS.

– Pig bristle.

- Handle made of beech wood.

code	packed per	mm
515228	2	190x20
515327	2	210x40





– Polypropylene handle.	polypropylene temp wash
code	mm
515358	220x32
515365	230x45








Ē



É



SCRAPER

 ABS handle, blade made of synthetic rubber

Tubbel.		
code	blade length (mm)	mm
659205	90	52x257
659304	116	70x358
659403	116	70x410

ABS

<u>[00]</u>

<u>100</u>

563007

563106

110%



SCRAPER

- Handle made of glass-fiber reinforced nylon.
- Blade made of natural rubber.
- Only suitable for cold food preparation.

code	blade length (mm)	mm
658604	90	55x260
658703	90	75x320
658802	90	75x425
658901	150	100x515



code	blade length (mm)	mm
659014	90	55x266
659007	105	70x354
659106	105	70x420



SCRAPER SPOON SHAPED

- ABS handle.
- Blade made of synthetic rubber.

0000	blade length (mm)	
659472	117	75x408
659458	88	57x254
659465	117	75x357

ABS

<110°

mm



SPOON – Made of reir	oforced polyamide.	temp
code	mm	
659700	(L)305	
659809	(L)385	



- For professional use in gastronomy
- Versatile use
- Elegant, classic shape
- Made of beech wood
- ATTENTION: Not dishwasher safe
- code
 - code mm 525005 (L)475





-40°C 220°C

mm

450x80 375x70

575x105



SPOON

563106





STAINLESS STEEL ROLLING PIN

-	With	slide	bearings.

code	mm
515006	ø62x470

ROLLING	PIN WITH	NON-STICK
COATING		

 With slide bearings. Including chrome-plated storage stand. 		
code	mm	
515013	ø62x470	


WOODEN ROLLING PIN

•	R	ol	ler	W	idt	h:	380	mm.

· With ball bearings.		
code	mm	
515020	ø75x590	







for bread-crumbs mesh size



637791

BAKERS' SIEVE

- With hanging loop.

code	-	mm
637791	for powdered sugar	ø250x(H)75
637821	for powdered sugar	ø410x(H)80
637807	for flour and meal	ø250x(H)75
637838	for flour and meal	ø410x(H)80
637814	for bread-crumbs	ø250x(H)75
637845	for bread-crumbs	ø410x(H)80



 \bigcirc

SILICONE MOULDS

CONFECTIONERY, BAKERY, CAFÉ

Ś

- Made of 100% non-stick silicone.
- Perfect for: baking, freezing, creating monoportions.





SEMI	-SPHERE	

code		baking (mm)	moulds
676202	GN 1/3	ø70x(H)32	6

MINI-CAKE

code		baking (mm)	moulds
677001	GN 1/3	80x30x(H)33	9





677001

TARTELETTE

code		baking (mm)	moulds
676509	GN 1/3	ø50x(H)17	15





MUFFINS

code		baking (mm)	moulds
677209	GN 1/3	ø69x(H)40	6
676905	GN 1/3	ø53x(H)30	11



CANNELE BORDELAIS

code		baking (mm)	moulds
677506	GN 1/3	ø54x(H)48	8



MADELEINES

code		baking (mm)	moulds
676707	GN 1/3	70x47x(H)17	9



- Gas, refillable automatic ignition.
- Torch is supplied empty.
- Complete with base.

code 198209

- **CHEFS TORCH**
- Gas, refillable automatic ignition.
- Torch is supplied empty.
- Complete with base

	oomptete with t				
mm	code	mm	code	packed per	liters
145x70x(H)190	198223	115x50x(H)155	199046	4	0.2





783177

– With various filling nozzles.

porcelain temp oven micro

Ś

	porcelain	temp	oven	micro	wash
RAMEKIN					
- Ribbed, made of porcelain					

code	order unit	mm
783153	12	ø70x(H)35
783160	6	ø90x(H)48
783627	6	ø100x(H)25
783177	6	ø120x(H)55



CONFECTIONERY, BAKERY, CAFÉ

TEMPERATURE STABILISER

From the first second of operation, the burner reaches the optimum flame temperature of 1300 °C. BLUE HEAT REPEATABLE

GILL-TYPE AIR INTAKE

The air inlets on the burner increase the air intake capacity. HIGH FLAME POWER, SOOT FREE COMBUSTION design by Robert Bronwasser

PRECISE FLAME CONTROL

Ideal for browning sugars, proteins, cheeses, fruit, vegetables and meat. FLAME LENGTH ADJUSTABLE UP TO 150 MM

LONG 100 MM NOZZLE

- safe flambéing
- precise placement of the fire zone
- maximum separation of the hand from the high temperature
- COMFORT and FREEDOM

QUICK INSTALLATION

Quickly install the cannister thanks to the clear markings on the SAFETY COVER. One click and the cannister is SAFELY replaced. YOU CAN BE SURE THAT THE CANNISTER HAS BEEN INSTALLED CORRECTLY

HENDI JET CHEFS' TORCH

- Designed with chefs in mind by Robert Bronwasser.
- This torch is a pleasure to use thanks to the stylish matt black design with green accents and the ergonomic grip.
- The torch is easily and securely attached to the gas cartridge (it's possible to replace it after gas runs out) and covers the whole top of the cartridge.
- The piezo ignition makes it easy to ignite, the large gas dial allows for easy adjusting the flame size and intensity.
- This chefs torch can operate at every angle, even upside down, thanks to the improved design of the burner that prevents flaring.
- Precise flame control, flame length up to 150 mm.
- Cartridges can be purchased separately, code: 199039.


code	-	mm
198247	HENDI Jet chefs' torch	185x65x(H)100
198254	HENDI Jet chefs' torch – set with gas cartridge	175x68x(H)260





VERTICAL WORK - Gen 2.0

- flame burns without flickering under every angle, even upside down / 360 degrees.
- the flame does not retract towards the burner and the hand VERSATILE AND SAFE



Contrasting colours allow you to immediately locate the device among your kitchen utensils.

GAS COVER

Made of a cover plate and a single pass-through valve, it prevents interference from flashback flames. SAFETY

RELIABLE

Pressing the ignition button generates an electrical voltage that ignites the gas. PULL THE TRIGGER AND IT WORKS – NO REPLACEMENT OF FLINTS NECESSARY

DESIGNED TO MEET CULINARY NEEDS

Thanks to the construction and materials, the burner is very strong and yet lightweight. GO FOR QUALITY – USE A TOOL THAT WILL LAST FOR YEARS




LPG GAS CARTRIDGE

- Suitable for use in combination with HENDI Chefs torches 198247 & 198216.
- Not suitable for refilling gas lighters etc.
- Packed per 4 canisters.
- Order unit: box with 7 sets of 4 cans.

code	packed per	weight (kg)
199039	4	0,227

F

ß





VEGETABLE CUTTER PROFI LINE

- Suitable for cutting large quantities of vegetables.
- 6 discs included: slices 2 mm thick (3 blades), slices 4 mm thick (2 blades), 3 mm grater, 4,5 mm grater ,7 mm grater, ejector disc.
- Big inlet with lever for inserting big pieces.
- Small inlet with pusher for inserting smaller pieces.
- Cast aluminium housing.
- 2 security systems: first screw locks the cover, second
 electromagnetic sensor (opening the cover turns off the machine).
- Speed: 295 RPM.
- Productivity: 100 300 kg/h
- Weight: 27.6 kg

5	5		
code	V	W	mm
231807	230	550	540x240x(H)450

280317

231852.

code

GRATING DISC

- For vegetable cutter 231807 &

thickness (mm)

7

2

3 4.5



280096

SLICING DISC - For vegetable cutter 231807 &

231852.	
code	thickness (mm)

280126	4	280317
280096	1	280294
280102	2	280300
280201	6	280416
280218	8	
280225	10	



DICING DISC

- For vegetable cutter 231807 & 231852.
- Must be used in combination with a slicing disc (234730 + 280218, 234747 + 280225).

code	thickness (mm)	
234747	10	
234730	8	



FRENCH FRIES CUTTING DISC

- For vegetable cutter 231807 & 231852.
- Must be used in combination with a slicing disc (234754 + 280218, 234761 + 280225).

code	thickness (mm)	
234761	10	
234754	8	



ABS Al S.S.



5 discs included, 2 for slicing 3 for grating

VEGETABLE CUTTER HEAVY DUTY

- Designed for cutting large amounts of vegetables.
- Large inlet for large vegetables, up to Ø 165 mm.
- Small inlet for long vegetables, i.e. carrots, cucumbers up to Ø 55 mm.
- Cutting chamber housing made of cast aluminium, bottom part of the housing made of stainless steel.
- Convenient pressing handle.
- 750W = 1hp air-cooled high-performance motor.
- Low-voltage control buttons: STOP, START (24 V).
- 2 security systems: cutter switches off upon lifting of the pressing handle and upon lifting of the upper cover of the chamber.
- Upon lowering of the pressing handle the cutter starts automatically.
- Easy and fast replacement of cutting disks.
- 5 cutting discs included: 2 mm slices (disc with 3 blades) 4 mm slices (disc with 3 blades) 3 mm grater 4,5 mm grater 7 mm grater Evacuation disc.
- 4 rubber anti-slip feet.
- Speed: 300 RPM.
- Productivity: 100 350 kg/h
- Weight: 25 kg.

code	٧	W	mm
231852	230	750	500x250x(H)470



JULIENNE DISC - For vegetable cutter 231807 & 231852. code thickness (mm)

code	(IIICKIIESS (IIIIII)		
280423	3		



Watch the video

PHENDI

Big inlet for inserting big pieces of vegetables

RASPING DISC – For vegetable cutter 231807 & 231852.

code	
280621	



EJECTOR DISC FOR VEGETABLE CUTTER

- Replace your broken or lost ejector disc and extend the service life of your vegetable cutter.
- Works with HENDI vegetables cutters 231807 & 231852.

code mm 918500 ø220

HENDI





RACK FOR 18 VEGETABLE CUTTER DISCS

- Capacity: 18 discs.

-	DISCS	not	included	IN	tne	price.

couc	
280690	400x250x(H)90

ĺ

 $|\bigcirc$

H



Œ



MEAT MINCER KITCHEN LINE 12

- Stainless steel feeder tray, hopper made of a special aluminium alloy.
- Knife and worm screw made of stainless steel and funnel of cast iron.
- Stuffing tube and two Ø 70 mm mincing discs with Ø 6 and 8 mm holes included.
- Easy disassembly for easy cleaning.
- Motor with an overheat protection mechanism.
- Anti-slip feet.
- Output ±1,7 kg/min.
- Not for continuous use.

code	V	W	mm
210802	230	550	432x261x(H)484

MEAT MINCER KITCHEN LINE 22

- Stainless steel feeder tray, hopper made of a special aluminium alloy.
- Knife and worm screw made of stainless steel and funnel of cast iron.
- Stuffing tube and two Ø 82 mm mincing discs with Ø 6 and 8 mm holes included.
- Easy disassembly for easy cleaning.
- Motor with an overheat protection mechanism.
- Anti-slip feet.
- Output ±3,7 kg/min.
- Not for continuous use.

code	V	W	mm
210819	230	750	427x261x(H)486





MEAT MINCER 198

- Ideal for small amounts and sausage making, not for commercial use.
- Aluminium housing.
- Die cast metal hopper with meat dish/dust cover.
- Pusher made of plastic.
- Aluminium worm screw and stainless steel knife.
- 2 mincing discs, diameter 65,8 mm included: 4 mm and 7 mm diameter holes.
- 3 sausage stuffing tubes: Ø 12, 15 and 20 mm.
- Steak tartare attachment.
- On/off/reverse switch.
- Not for continuous use.
- Weight 5,2 kg.

code	٧	W	mm
210864	230	400	275x190x(H)347





- Three sausage stuffing tubes included
- Worm screw made of aluminium, blade made of stainless steel



ELECTRIC MEAT TENDERIZER

- Max. meat portion size: 160 mm wide x 30 mm thick.
- Stainless steel housing.
- Supplied with a beef and pork tenderizer attachment.

w

- Speed of the softening knife units: 75 rpm

٧

- Capacity: up to 800 pieces/h
- Motor cooled by a built-in fan.
- 4 rubber feet. code



ROLLERS FOR SHOARMA

- Stainless steel case and knives.



Meat dish with

dust cover

Watch the video







ROLLERS FOR BEEF AND PORK

- For use with HENDI Electric meat tenderizer 975305.
- Stainless steel case and knives.
- Maximum dimensions of the meat are

ne pressing rollers. 180 mm.		ts of knives cutting stripes 4 mm wide. er length 165 mm.		 Maximum dimensions of the meat are 160 mm wide and 30 mm thick. 	
mm	code	mm	code	mm	
235x130x(H)120	975312	235x130x(H)120	976180	235x130x(H)120	

975312

Housing

made of

aluminium

F



S.S

 (\bigcirc)



- For use with HENDI Electric meat tenderizer



mm

465x220x(H)430

S

975305.


975305 230 350 975329

ROLLERS FOR POULTRY

- For use with HENDI Electric meat tenderizer 975305.
- Stainless steel case.
- 2 polypropylene pressing rollers.
- Roller length 1

975329

code



Made of stainless steel.

PROFI LINE SAUSAGE FILLING MACHINE

- Made of stainless steel.
- Equipped with a two-speed filling system:
- quick gear for lifting the piston
- slow gear (low load) for filling the skins with stuffing.
- Parts that have contact with food are removable for easy filling and cleaning.
- Supplied with a set of 4 stainless steel funnels, diameter: ø16, ø22, ø32 and ø38 mm, 180 mm long.
- Equipped with bearings and gear train made of
- hardened steel, resistant to pressure.

code	liters	mm
282571	3	304x304x(H)525
282588	5	304x304x(H)640
282090	7	300x340x(H)830
282151	10	415x315x(H)690



With a set of 4 stainless steel funnels 16/22/32/38 mm



282113

HAMBURGER PRESS

- For use in professional gastronomy
- Lower housing made of anodized aluminium
- Press ram and tray made of stainless steel
- The press makes hamburgers up to ø130 mm
- A practical lever to release formed meat from the tray
- With integrated patty divider container
- Patty dividers are included in set

code	mm
282113	320x250x(H)300

PATTY DIVIDERS

- Made of transparant cellulose.
- High temperature resistant and biodegradable.
- ø130 mm.

-	Packed	per	±1400	pieces.
---	--------	-----	-------	---------

code	packed per	mm
282120	1255	ø130



AL

F

Ē

HAMBURGER PRESS

Al

- Makes Ø 115 mm hamburgers.
- Made of aluminium alloy with non-stick coating.
- Handle made of polypropylene.

code	mm
513026	ø120x(H)80



TORTILLA PRESS

513033

– Makes max. Ø 200 mm tortillas.

- Made of aluminium alloy with red powder coating on the exterior.

code 513033

685x250x(H)200

mm





PROFI LINE SLICER

- Housing made of coated aluminum, with non-slip feet.
- Hardened stainless steel blade, angled.
- Air-cooled motor with overheating protection.
- Powerful motor for slicing tough meats.
- Equipped with blade guard and built-in sharpener.
- Trolley with safety guard, clamping element and vertical locking device.
- Quick and easy disassembly for effortless cleaning.
- Meets all safety requirements for equipment for professional use, i.e.:

- setting the knob to "0" slicing thickness keeps the blade behind the guard.
- protection against unwanted start-up if the sharpener or the blade guard is removed.
- possibility to lock and remove the trolley only with the blade set in "0" slicing thickness position.
- Not suitable for slicing cheese.
- Cheese slicing possible with a separately available non-stick knife.



210048



SLICER PROFI LINE 195

- Blade diameter: 195 mm.
- Steplessly adjustable slicing thickness up to 12 mm.

- Maximum slicing	diameter: 12	20 mm.	

code	V	W	mm
210031	230	200	400x400x(H)330

SLICER PROFI LINE 220

- Blade diameter: 220 mm.
- Steplessly adjustable cutting thickness up to 15 mm

HENDI

– Maximum slicing diameter: 150 mm.				
code	V	W	mm	
210048	230	280	440x420x(H)350	



W

320



- Maximum slicing diameter: 200 mm.

code	٧	W	mm
210017	230	420	600x480x(H)450

code

210000

٧

230



mm

485x420x(H)395





970294

mm

440x420x(H)350



210086

Œ

SLICER PROFI LINE 250 RED EDITION

- Blade diameter: 250 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
- Maximum slicing diameter: 180 mm.

code	V	W	mm
210086	230	320	485x420x(H)395



w

280

SLICER PROFI LINE 220 RED EDITION

- Steplessly adjustable cutting thickness up to 15 mm.

- Blade diameter: 220 mm.

code

970294

- Maximum slicing diameter: 150 mm.

v

230

- Finished with a special red coating.

NON-STICK COATED BLADE

-	For	slic	ing	cheese.	

suitable for	mm
210031	ø195
210048	ø220
210000	ø250
210017	ø300
	210031 210048 210000





REPLACEMENT KNIFE FOR ELECTRIC MEAT SLICERS

- Replace your knife to extend the service life of your electric slicer.

- For use with HENDI Slicers Profi Line 210215, 210017, 210086.

code	mm
901915	ø250
901922	ø300



POTATO PEELERS KITCHEN LINE

- Intended for professional use, ideal for industrial kitchens, institutional kitchens or any kitchen that must peel fast amounts of potatoes and other root vegetables a day.
- Peels the potatoes by means of an abrasive disc and abrasive pads on the inside of the drum.
- Drum, disc and abrasive pads made of high-quality stainless steel, resulting in a very durable, efficient and easy to clean machine.
- Abrasive disc is fitted with aluminum alloy agitators.
- The lid is made of durable polycarbonate; lets you keep an eye on the peeling process.
- Thanks to the powerful engine peeling a single load only takes 2 to 3 minutes.

- S.S. stainless steel
- Control panel fitted with an 8-minute timer and control lights.
- Very safe to operate, a micro switch stops the peeler when the cover is opened.
- Fitted with a freshwater and drain connection, for rinsing potatoes during peeling.
- With an effective peel collection trap, consists of 2 containers of which one is perforated, prevents the clogging of the sewage system.
- Legs are fitted with plastic feet for stability, two legs have mounting plates for secure mounting to the floor.
- Water resistance class: IP23.



229217

KITCHEN LINE POTATO PEELER, 10 KG

- Capacity: 22 l.
- Maximum load: 10 kg.
- Output: 140-200 kg/h.
- Net weight: 39.6 kg.

code	V	W	mm
229217	230	750	622x540x(H)857



229200

KITCHEN LINE POTATO PEELER, 5 KG

- Capacity: 5 kg of potatoes per load.
- Output: 70 to 100 kg per hour.
- Volume: 12L.
- Weight: 39,2 kg.

code	V	W	mm
229200	230	550	622x540x(H)802





PLANETARY MIXERS KITCHEN LINE

- Aluminium housing (code: 222829) or cast iron housing on four supports (code: 222836, 222843).
- Robust bowl made of AISI201 stainless steel.
- Supplied with 3 accessories made of AISI430 stainless steel: a whisk, a mixer and a dough hook
- 3 speeds.
- Durable worm drive made of chrome-coated steel and bronze gears.
- A lever for lowering and raising the bowl.
- Easy-to-use digital control panel (code: 222829) or analog control (code: 222836, 222843).
- Protection against activation of the mixer with the guard up or the bowl in the wrong position.
- Resettable overheating protection.
- Timer that can be set up to 60 minutes (code: 222829).

















ode	222836	222829	222843
iters	10 L	7 L	20 L
lour/dough load	2,5 kg/4 kg	0,8 kg/2 kg	5 kg/8 kg
limensions	380x470x(H)730 mm	240x420x(H)425 mm	490x580x(H)780 mm
ontrol	manual	digital	manual
peed	148/244/480 rpm	128/252/545 rpm	197/317/462 rpm
ower/voltage	600 W/230 V	650 W/230 V	1100 W/230 V
peed	148/244/480 rpm	128/252/545 rpm	197/317/462 rp



Ē



design by Robert Bronwasser

6 SPEEDS

Speed up. Increase your efficiency. YOU'LL ALWAYS ACHIEVE REPEATABLE RESULTS



ERGONOMIC & LIGHTWEIGHT BODY

Profiled handle for a FIRM and STRONG grip. The correct operating angle. COMFORTABLE OPERATION THANKS TO THE NATURAL POSITION

QUIET

Silent drive operation for OPEN KITCHENS. Popular with CHEFS



HENDI BLEND STICK BLENDER

- Designed with chefs in mind by Robert Bronwasser.
- ABS plastic housing and a stainless steel shaft.
- Stainless steel cross shaped blade with titanium coating.
- Powerful 250W motor, 6 speeds with LCD display.
- Maximum speed 13500 RPM.
- Suitable for processing 1 to 8 liters.

code	٧	W	mm
222157	230	250	ø71x(H)444

FOR CONTAINERS AND PANS WITH A CAPACITY OF 1 TO 4 LITRES

222157

TITANIUM-COATED BLADES 3 times more durable and resistant to blunting. TITANIC DURABILITY

HD DESIGN Increased breakage and scratch resistance thanks to ABS TERPOLYMER

> IMPRESSIVE SPEED RANGE from 6,600 to 13,500 rpm. REDUCTION IN PREP TIME

MORE POSSIBILITIES 20 cm long blender shaft allows you to work with high pans and containers



R

STICK BLENDER KITCHEN LINE

- For professional use like preparation of vegetable soups, sauces, stuffing, mayonnaise, tomato purée, ice-cream mixtures, etc.
- Mixing speed variable: 4,000-16,000 RPM.
- Ventilated durable motor in a polyamide matt black housing.
- With 2,5 m long cord with an earthed plug.

STICK BLENDER DRIVE UNIT - VARIABLE SPEED 350W

code	٧	W	mm
221884	230	350	ø100x416

STICK BLENDER DRIVE UNIT - VARIABLE SPEED 500W

code	V	W	mm
221891	230	500	ø100x416

BLENDER SHAFT FOR STICK BLENDER

- Stainless steel shaft and blade.
- Fits stick blenders Kitchen Line 221884, 221891.

- Blade removal kit included.

code	mm
222232	(L)300
222225	(L)250
222249	(L)400
222256	(L)500

WHISK ATTACHMENT FOR STICK BLENDER MOTOR 221884 & 221891

- Consists of two stainless steel whisks.

- Safe and easy attachment to the driving unit.

code	mm
222263	(L)250

STICK BLENDER KITCHEN LINE 160 WITH ADJUSTABLE SPEED

- For professional use in ice-cream shops, restaurants, hotel kitchens for preparing ice cream mixes, vegetable soups, purees, sauces, stuffing, mayonnaise, tomato paste, pesto, etc.
- Ventilated motor.
- Housing with ergonomic handle made of durable plastic material.
- Stainless steel shaft and blade: length 160 mm, Ø 25 mm.
- Speed: Approx. 4,000 20,000 RPM.
- Net weight, including shaft: approx. 1,61 kg.

code	٧	W	mm
222140	230	220	ø75x(H)464

WHISK ATTACHMENT FOR STICK BLENDER 222140

- Consists of two stainless steel whisks.
- Safe and easy attachment to the driving unit.

code	mm	
222164	(L)185	









222164

mm

85

F

 $|\bigcirc|$

1 I I I I I

STICK BLENDERS PROFI LINE	
– Professional version. – Housing made of fiber reinforced nylon.	polyamide steel
– Stainless steel shaft and blade. – Easy to clean.	









code	224328	224335	224397	224359	224052
	Stick blender 250 - with fixed speed	Stick blender Profi Line 300 - with adjustable speed	Stick blender Profi Line 400 - with adjustable speed	Stick blender Profi Line 500 - with adjustable speed	Stick blender Profi Line 500 set
control panel		Electronic control panel (9 speeds)	Electronic control panel (9 speeds)	Electronic control panel (9 speeds)	Electronic control panel (9 speeds)
suitable for dishes up to (l)	20	50	80	100	120
dimensions (mm)	ø75x(H)285	ø100x(H)350	ø100x(H)350	ø100x(H)350	ø100x(H)350
shaft length (mm)	250	300	400	500	500
speed (rpm)	fixed 15 000	variables 2 000 – 9 000	variables 2 000 – 9 000	variables 2 000 – 9 000	variables 2 000 – 9 000
maximum speed (rpm)		13 000	15 000	15 000	15 000
power/voltage (W/V)	250/230	300/230	400/230	400/230	500/230
weight (kg)	1,45	3,45	4,1	4,1	4,25



mm

ø120x(H)330

WHISK ATTACHMENT FOR STICK BLENDER PROFI LINE 300, 400 & 500

- Consists of two whisks.

- Easy and safe to attach.

S.S.
stainless steel



WALL MOUNTED STORAGE RACK

code	mm
934029	365x130x(H)70

code





STICK BLENDER PROFI LINE 400 - ADJUSTABLE SPEED SET WITH STORAGE RACK

- Professional version.
- Housing made of fiber reinforced nylon.
- Stainless steel shaft and blade.
- Easy to clean.
- With whisk attachment and wall mounted storage rack.
- Electronic control panel.
- 9 Speed settings between 2000 and 9000 RPM.
- Capacity up to 80 liter.
- Shaft length: 400 mm.
- Weight: 4,75 kg.

J	2		
code	V	W	mm
224380	230	400	ø100x(H)350



STICK BLENDER VARIABLE SPEED WITH WHISK AND WALL-MOUNTED RACK

- For professional use in ice cream parlours, restaurants, hotel kitchens to prepare ice cream mixtures, vegetable soups, purées, sauces, stuffing, mayonnaise, tomato purée, pesto, etc.
- Includes variable speed mixer drive, mixing arm, whipping arm, and a wall-mounted hanger.
- Housing made of durable polyamide, matte black.
- Whipping arm, 250 mm long, consists of two stainless steel whisks.
- 400 mm-long mixing arm and blade made of stainless steel.
- For dishes of up to 60 l for mixing and 50 l for whisking.
- Speed: 4,000-16,000 RPM.
- Weight (drive only): 2.35 kg.

code	V	W	mm
222393	230	350	ø100x416



STICK BLENDER 250VV - WITH ADJUSTABLE SPEED

- Professional version
- Housing made of fiber reinforced nylon
- Stainless steel shaft and blade
- Whisk attachment included (290 mm)
- Easy accessory changing clutch
- Easy to clean
- Ergonomic handle
- Shaft length: 250 mm
- Suitable for dishes up to 20 liters
- Speed control knob
- Speed: 2500 15000 RPM
- Weight 1,9 kg

code	V	W	mm
224373	230	250	ø75x(H)555



F





BLENDER WITH NOISE COVER

- This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Replaceable stainless steel blades with titanium coating.
- Noise cover made of polycarbonate, for safety the blender only works when the cover is completely closed.
- Comes with 2,5L break-resistant BPA free Tritan jug, firm lid made of polypropylene and a small BPA free Tritan lid cover.
- Detachable jug can withstand temperatures of -40°C up to 90°C.
- Hi-speed motor with variable speed and pulse function drives the blades from 8350 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.



230688 230602

BLENDER WITH NOISE COVER

- Manual control panel power setting knob and a pulse switch.

code		V	W	mm
230688		230	1680	252x258x(H)547
230602	BPA free	230	1680	252x258x(H)547

Break-resistant polycarbonate jug









Noise cover reduces sound significantly

Anti-slip base

DIGITAL BLENDER WITH NOISE COVER

- Digital control panel has touch control for three power settings, three time settings and a pulse function.

code		V	W	mm
230695		230	1680	252x258x(H)547
230664	BPA free	230	1680	252x258x(H)547

Solid construction of the gear



Durable metal gear socket



Æ

HENDI



PC ABS



HIGH POWER BLENDER

- This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Replaceable stainless steel knife with titanium coating.
- Manual control panel, power setting knob and a pulse switch.
- Comes with 2,5L break-resistant polycarbonate jug, firm lid made of ABS and a small polycarbonate lid cover.
- Detachable jug can withstand temperatures of -40°C up to 90°C.
- Hi-speed motor with variable speed and pulse function drives the blades from 16000 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.

code		V	W	mm
230718		230	1680	270x250x(H)550
230213	BPA free	230	1680	270x250x(H)550

Very powerfull, can even crush ice

> Comes complete with 2,5L break-resistant jug, pusher and firm lid



BLENDER JAR BPA FREE

- Replacement jar for blender 230718/230695/ 230688/230213/230602/230664.
- 2,5L break-resistant BPA free Tritan jug, firm lid made of polypropylene and a small BPA free Tritan lid cover.
- Fitted with blades made of stainless steel with titanium coating.

code	mm
933688	200x170x(H)360



M HENDI



BLENDER JAR WITH TITANIUM COATED BLADE

- Replacement jar for blender 230718/230695/ 230688/230213/230602/230664.
- 2,5L break-resistant polycarbonate jug, firm lid made of polypropylene and a small polycarbonate lid cover.
- The jar is fitted with blades made of stainless steel with titanium coating.

code	mm	
943489	200x170x(H)360	

943489





230718

F

 $|\bigcirc|$

Be Safe Protection

- Overheating protection
- Retractable cutter
- Non-conductive hold-down arm
- Non-slip table stabilisers
- Swing guides with stops
- Overload fuse
- Illuminated switch

Powerful Heater

- Visible HOT marking

Auto Lift

A system of stays for easier lifting of the heating plate. Increases efficiency.

Robust Design

The frame is made of acid-resistant steel with a thickness of over 2 mm. Solid and robust design.

Non-Stick Titanium Sealing Surface

Prevents all types of film from sticking to the surface. Quick sealing, takes 1-3 seconds (depending on film thickness).

Pressure Absorber

Easy adjustment of the force of pressure of the edge of the packaging to the heating plate. Prevents packaging from breaking. Eliminates micro-gaps and leaks.

heat loss.

Cutting off the Film

with an automatically retractable cutter with 133 sharp teeth. Great choice for thick films. Film is cut just behind the sealed container in a special strip based on AIR-CUT technology

Powerful heaters reduce heating time. It only takes 8-10 minutes (depending

temperature across the entire sealing

surface. Thermal insulation reduces

on the set temperature). Uniform

KENDI

Includes a FREE 805572 die for single-compartment trays 227x178 mm!

Maintenance/Safe Zone

Frame base insulated from high temperature and electrical voltage. High quality materials and seamless design for quick cleaning of the bottom part of the body, without having to turn off the device.



Hot Point Temperature Controller

Temperature controller with a range of 50-210°C.

For precise adjustment of bond strength for a wide range of packaging and sealing films.



Roller Truck Film Feeder with Tensioner

Versatile device for different roller widths – max. 187 mm. JUMBO rolls up to 170 mm in diameter. The tensioner ensures even positioning of the film, prevents unwinding and excessive feeding.



HENDI

VACUUM PACKING



TRAY SEALER COMPACT

- Construction made of stainless steel.
- Equipped with a lid with spring mechanism for easy and safe opening.
- Insulated handle made of damage-resistant plastic.
- Automatic guillotine with safety knife in specially designed cover; cutting takes place just behind the sealed container in a special strip (air-cut technology).
- Anti-slip feet protecting the tabletop from scratching.
- Sealing surface has titanium coating that prevents film sticking and enables a fast seal in 1-3 seconds (depending on film thickness).
- Pressure absorber ensures a tight seal and prevents packages from crushing.
- Colour-coded LEDs for monitoring the performance.
- Overheat lock, overheat protection, illuminated safety switch.
- Warm-up time after start-up to full operational mode approximately 8-10 minutes.
- Sealing of trays up to: 235x190x(H)155 mm and cups up to: (H)170 mm.
- Maximum film roll size: width 187 mm, ø170 mm film sold separately (code: 970720).
- Equipped with aluminium die for 227x178 mm containers (code: 805572), without divider.

code	٧	W	mm
330005	230	700	610x214x(H)190

TRAY SEALER HENDI MATRIX

- Made of polished aluminium.
- Black silicone seal.

shape	code	type
	805572	for a single-compartment 227x178 mm tray
	805589	for two 178x113 mm trays
	805596	for a 227x178 mm two-compartment tray
	805619	for large soup container ø165 mm
	805626	for a three-container 227x178 mm tray

shape	code	type
OO	805633	for two soup containers ø115 mm
$\overline{\mathbf{N}}$	805640	for a colt 227x178 mm two-compartment tray

330005

bitape	6646	()pc
	805633	for two soup containers ø115 mm
	805640	for a colt 227x178 mm two-compartment tray
	805657	for a single-compartment 178x113 mm tray + ø115 mm container
	805664	for a single-compartment 187x137 mm tray

FILM FOR PET/CPP PEEL 12/40 SEALERS

- Designed for packaging PET 12 / CPP 40 food trays.
- PEEL layer for easy peeling off the sealed film.
- Film dimensions: width: 18.5 cm, length: 250 lm.
- Roll diameter: ø15 cm.
- Film roll weight: approx. 2.9 kg.
- Suitable for the HENDI tray sealer (330005).

code 970720





 $|\bigcirc|$

Ĩ

VACUUM CHAMBER PACKAGING MACHINE KITCHEN LINE

- For professional use in the catering industry and other industries
- Durable design high-quality stainless steel casing and chamber
- Transparent lid made of durable high-quality ABS plastic makes it possible to control the – packaging process
- Convex lid makes it possible to pack large portions
- Bag sealing time: 0-6 s
- 6 vacuum levels to choose from
- Sealing only function
- Marinating function: 11 cycles of extracting and letting air into the bag (one cycle takes 9 min); thanks to negative pressure, marinade penetrates into the product faster, which significantly speeds up the whole process
- The packing cycle starts automatically when the upper lid is closed
- Professional and highly efficient rotary pump
- Intended for continuous operation

VACUUM CHAMBER PACKAGING MACHINE PROFI LINE

- For professional use in the catering industry and other industries
- For packing food and technical products, including those with a high water content
- Durable design casing and chamber made of high-quality AISI 304 stainless steel
- Transparent lid made of durable high-quality ABS plastic makes it possible to control the packaging process
- Convex lid make it possible to pack large portions
- V-shaped gasket with a low leak rate
- Clear indicators (digital display and dial gauge) make it possible to pinpoint the moment when the required vacuum level is reached in the chamber of the packaging machine
- Adjustable pump operation time makes it possible to obtain an appropriate vacuum level in 0-99 s $\,$
- Adjustable sealing time within the range of 0-3.5 s
- Adjustable pump cooling level within the range of 0-9.9 s
- The packing cycle starts automatically when the upper lid is closed
- Oil pump ensures a short and very efficient packing cycle
- To be used with smooth and embossed bags





code	975398	975268	975275
dimensions	359x429x(H)345 mm	370x480x(H)435 mm	425x560x(H)460 mm
chamber dimensions	350×300×(H)110 mm	320×370×(H)185 mm	370x450x(H)220 mm
seal strip	295 mm	300 mm	350 mm
pump performance	77 l/min	133 l/min	333 l/min
power/voltage	630 W/230 V	370 W/230 V	750 W/230 V
weight	24,4 kg	38 kg	62 kg

VACUUM CHAMBER PACKAGING MACHINE PROFI LINE

- Adjustable cycle and sealing time, automatic and manual operation.
- Suitable for vacuum packing liquid and wet food.
- With marinate function.
- Fitted with a digital display and a manual pressure gauge.
- High quality oil pump which provides high pressures (1009mbar) and fast vacuum speed.
- Body and chamber made of high quality stainless steel.
- Large recess in the bottom and domed transparent cover allow for packing large portions.



- For HENDI Vacuum machines

code 936801



201435

HENDI

code	201435	201442
dimensions	359x425x(H)356 mm	505x567x(H)465 mm
chamber dimensions	300x350x(H)110 mm	425x457x(H)100 mm
seal strip	300 mm	410 mm
pump performance	8 m³/h – 133,3 l/min	20 m³/h – 333,3 l/min
power/voltage	950 W/230 V	1100 W/230 V
weight	27 kg	58,8 kg



PROFI LINE STRIP VACUUM PACKAGING MACHINE

- For packaging of food and non-food products, excluding liquids.
- Housing made of AISI 304 stainless steel.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- Pressure gauge with a timer allows you to accurately determine when the required vacuum level is reached in the embossed bag.
- 9 vacuum levels, depending on bag size (no adjustment of vacuum time).
- Bag sealing time countdown.
- Vibration pump.
- Pump capacity: 20 l/min
- Net weight: 8 kg
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

			-	
code	seal strip (mm)	٧	W	mm
970362	350	230	250	370x280x(H)170



VACUUM PACKAGING MACHINE KITCHEN LINE

- For packaging of food and non-food products, excluding liquids.
- Can be used with bag rolls attachment 970638.
- Stainless steel housing.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- Countdown timer adjustment function: 0-6 s
- With marinate function.
- With pulse vacuum generation mode.
- Quick start buttons for vacuum and sealing on the handle.
- Automatic switch off after 10 minutes of idleness.
- Vibration pump.
- Pump capacity: 16 l/min.
- Net weight: 5 kg.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

975374 410 230 550 490x260x(H)145	code	seal strip (mm)	٧	W	mm
	975374	410	230	550	490x260x(H)145

975374



BAG ROLLS ATTACHMENT FOR 975374 VACUUM PACKAGING MACHINE KITCHEN LINE

- Can be attached to vacuum packaging machine Kitchen Line
 975374 or as a stand-alone attachment for other vacuum packaging machines.
- Equipped with a removable knife to cut exactly the needed bag length.
- Internal dimensions: 412x101x(H)101 mm.
- For rolls with maximum dimensions of Ø 100x400 mm.
- Base made of ABS.
- Transparent polycarbonate cover for easy control of the roll.

code	mm
970638	487x122x(H)107



VACUUM PACKING BAGS



SOUS-VIDE COOKING BAGS FOR VACUUM PACKING MACHINES

- Suitable for sous vide cooking.
- 2-ply, inside layer 60 µm food contact approved Polyethylene, outside layer 15µm Polyamide (Nylon).
- Total thickness is 75 µm.
- The used materials act as an UV filter.
- Bags can be used in temperatures from -20° up to 110°C.
- Suitable for chamber vacuum packing machines.

code	packed per	mm
970676	100	200x150
970652	100	250x150
970683	100	300x200
970669	100	350x250
970690	100	400x300





VACUUM PACKING BAGS, FOR CHAMBER VACUUM PACKING MACHINES

- 2 layers
- Inner layer made from food grade Polyethylene.
- Outer layer made from Polyamide (Nylon) increases strength and guarantees airtightness
- Total thickness: 65 µm.
- Suitable for chamber vacuum packing machines.
- Not suitable for sous vide cooking.

code	packed per	mm
970607	100	200x140
970386	100	230x160
970614	100	300x200
970393	100	350x250
970621	100	400x300





EMBOSSED VACUUM BAGS ON ROLL - 2 PCS

- 2 layers.
- 60 µm inner layer made from food grade Polyethylene.
- 15 µm outer layer made from Polyamide (nylon) increases
- strength and guarantees airtightness.
- Total thickness: 75 µm.
- The materials used act as a UV filter.
- Embossing for easier air extraction and obtaining vacuum.
- Can be used in temperatures from -20 $^{\circ}$ to +100 $^{\circ}$ C.
- Suitable for chamber vacuum and strip packing machines.

code	packed per	mm
971062	2	6000x200
971079	2	6000x280

EMBOSSED VACUUM BAGS

- 2-ply, inside layer 60 µm food contact approved Polyethylene, outside layer 15µm Polyamide (Nylon).
- Total thickness is 75 µm.
- The used materials act as an UV filter.
- Embossing improves the air flow out of the bag during the vacuum packing process.
- Bags can be used in temperatures from -20° up to 100°C.
- Suitable for chamber and external vacuum packing machines.

code	packed per	mm
971048	100	150x400
971017	100	150x250
971024	100	200x300
971055	100	250x350
971031	100	300x400



 $|\bigcirc|$


┠╼┦

18/8





237687



INDUCTION STOVE WITH 4 HOBS

- Designed for professional kitchens to prepare several dishes at the same time.
- Made of durable stainless steel, reinforced with frame.
- 2 separate induction cooktops, 320x560 mm each, made of 5 mm thick tempered glass.
- Equipped with 2 5000 W and 2 3500 W induction burners.
- Up to 60% energy savings when compared to standard electric cookers
- 4 independent control knobs, 11 power levels to choose from.
- Safe and comfortable working thanks to heat generation only on contact between the hob and the pot or pan.
- Suitable for induction pots and pans with base diameter of ø160 - 260 mm.
- Maximum allowable load for cooktops: 100 kg.
- Adjustable feet (±30mm) for perfect leveling of the cooker.
- Rack provides ample storage space for pots, pans or other accessories.
- Unit sis not supplied with a plug.
- Caution: the unit has to be connected to the power supply by an electrician.

code	٧	W	mm
237687	400	17000	800x700x(H)870





237670



INDUCTION HOKKER HIGH POWER

- Designed for use with woks or extra large induction pots.
- Made of durable stainless steel, reinforced with frame.
- Induction cooktop with 340x340 mm dimensions, made of 5 mm thick tempered glass.
- Up to 60% energy savings when compared to standard electric cookers.
- Convenient control knob, 11 power levels to choose from.
- Safe and comfortable working thanks to heat generation only on contact between the hob and the pot or pan.
- Suitable for induction pots and pans with base diameter of ø160 - 300 mm.
- Maximum allowable load for cooktop: 40 kg.
- Adjustable feet (±30mm) for perfect leveling of the cooker.
- Unit sis not supplied with a plug.
- Caution: the unit has to be connected to the power supply by an electrician.

code	V	W	mm
237670	400	5000	400x400x(H)380

GAS COOKER KITCHEN LINE WITH CONVECTION ELECTRIC OVEN GN 1/1



- Burners: 2 x 3.5 kW + 2 x 6 kW or 3x 3,5 kW + 3x 6 kW
- Pots: Ø 120-300 mm.
- Cast iron pan support 335x300 mm, one for each burner.
- Thermocouple.
- Cooker top: AISI 304.
- Housing: AISI 430.
- Adjustable steel feet.

CONVECTION OVEN GN 1/1:

- Electric 3 kW/230 V.
- Stainless steel chamber: 640x370x(H)350 mm 4 rail pairs for GN 1/1.
- Distance between rails: 75 mm.
- 1 GN 1/1 grid included.
- Thermostat.



CHENDI

151

 (\bigcirc)

-



GAS COOKER - 5 BURNERS, OPEN FRAME

- Suitable for natural gas.

- 3 burners of 3.0 kW.
- 1 small burner of 1.8 kW.
- 1 wok burner of 3.5 kW.
- With electronic ignition and thermocouples.
- Three-part cast iron pan support.

- Weight: 45 kg.

5	5	
code	kW[HS]	mm
225806	14.3	900x600x(H)850



GAS COOKER - 5 BURNERS WITH ELECTRIC OVEN

- Suitable for natural gas.
- 3 burners of 3.0 kW.
- 1 small burner of 1.8 kW.
- 1 wok burner of 3.5 kW.
- Piezo ignition and thermocouple.
- Three-part cast iron pan support.
- Convection oven 1/1 GN with a capacity of 2.7 kW fitted with two ventilators, thermostat to 275°C and timer.
- Includes 2 grids.
- Additional upper element of 2.5 kW for grilling.
- Stainless steel oven interior and inner door.

- Weight: 78 kg.

code	V	W	kW[HS]	mm
225707	230	2900	14.3	900x655x(H)900



WOK

- With handles, sheet steel 1.5 mm thick.
- Especially suitable for stainless steel wok holder 149546 with Green Fire barbecues, and in combination with stainless steel ring 147207 and Hokker 147108.

code	mm
626504	ø710x(H)220

RING FOR HOKKER

- To adapt Hokker 147108 to use with wok 626504.

code	mm
147207	ø360x(H)80

18/0

10/0

F

HOKKER S	TAND	18/0	
- Only suitabl	e for Hokker Big Flame: 147108.	stainless steel	
code	mm		
147306	425x425x(H)400		

THERMAL PROCESSING







HOKKER KITCHEN LINE

- Model Kitchen Line for propane and butane gas.
- Including converter set also suitable for
- natural gas.
- Fully stainless steel frame.
- Fitted with thermocouple and electronic ignition.
- Fitted with enamelled pan support.
- Gas hose and pressure regulator included.

code	kW[HS] mm	
147801	6	400x440x(H)390





HOKKER KITCHEN LINE XL

- XL model for propane and butane gas.
- Converter set included to make it also suitable for natural gas.
- Fitted with an extra large enamelled pan support.
- Frame completely out of stainless steel.
- Fitted with thermocouple and electronic ignition.
- Gas hose and pressure regulator included.

coue	KW[H5]	mm
147276	10.8	580x650x(H)400



HOKKER PROFI LINE

- For propane and butane gas.
- Very robust stainless steel frame to carry heavy loads.
- Fitted with thermocouple and electronic ignition.
- Fitted with cast iron pan carrier.
- Gas hose and pressure regulator included.
- Can be expanded with hokker base (147306), wok ring (147207) and wok (626504).

code	kW[HS]	mm
147108	6.7	425x425x(H)400





PRESSURE REGULATOR 50 MBAR

– For HENDI gas barbecues & Hokkers.

152157

code



GAS HOSE ASSEMBLY HOKKERS

- For HENDI Hokker Profi & Kitchen Line 147108 147801.



INDUCTION COOKERS KITCHEN LINE

- Very clean design suitable for live cooking.
- Very flat housing with black coated stainless steel frame.
- Surface of ceramic glass with integrated digital display.





INDUCTION COOKER 2000W KITCHEN LINE

- Touch-sensitive controls, power or temperature adjustable in 11 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 120 and 220 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.



INDUCTION COOKER 3500W KITCHEN LINE

- Touch-sensitive controls, power or temperature adjustable in 10 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 20 kg.

code	V	W	mm	code	V	W	mm
239391	230	2000	293x373x(H)56	239421	230	3500	337x417x(H)85





Sturdy stainless steel frame

High quality ventilation



DOUBLE INDUCTION COOKER KITCHEN LINE

- Touch-sensitive controls, power or temperature adjustable in 9 steps.
- With boost mode which temporarily shifts some power from right hob to the left hob, providing up to 2000W
- The left side hob can output 1800W, or 2000W while the boost function is active $% \left({{{\rm{D}}_{\rm{B}}}} \right)$
- The right side hob can output 1700W
- Temperature range: 35-240°C
- Suitable for pans with bottom diameter between 120 and 220 mm
- With timer function for 0-180 minutes
- Equipped with electronic protection against overheating
- Maximum load of the induction cooker: 2x15 kg

code	V	W	mm
239414	230	3500	608x370x(H)61

INDUCTION HOT PLATE KITCHEN LINE

Works also with

a GN tray up to GN 1/2

- Unique induction hot plate with a rectangular induction coil which keeps pans warm while providing freedom of placement.
- Power adjustable in 11 steps by means of a knob.
- Temperature range: 40-100°C.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.



800 W

230 V

239384

Touch-sensitive controls

239384 230	800	460x315x(H)62

 $|\bigcirc$

H









INDUCTION COOKER MODEL 3500 M

- Steplessly adjustable power dial.
- Stainless steel housing.

S.S.

- Maximum load of the induction cooker: 20 kg.
- Suitable for pans with bottom diameter between 120 and 260 mm.

code	V	W	mm
239780	230	3500	327x425x(H)100



INDUCTION COOKER MODEL 3500 D

- Digital power, temperature and timer setting via touch-sensitive controls.
- Stainless steel housing.
- With easily cleanable grease filter and double ventilation.
- Suitable for pans with bottom diameter between 140 and 280 mm.

340x440x(H)120

- Height adjustable feet.

– Maximum loa	ad of the indu	iction cooker: 20 k	g.
code	V	W	mm

239711	230	3500	
		annn ö	



INDUCTION COOKER MODEL 3500 D XL

- Digital power, temperature and timer setting via touch-sensitive controls
- Stainless steel housing
- With easily cleanable grease filter and double ventilation
- Suitable for pans with bottom diameter between 160 and 300 mm
- Height adjustable feet
- Maximum load of the induction cooker: 20 kg

code	V	W	mm
239698	230	3500	390x500x(H)120

INDUCTION WOK MODEL 3500

- Ideal for preparing nutritious meals.
- Stainless steel housing.

3500 W

230 V

HEND

- With easily cleanable grease filter.
- Digital power setting.
- Settings immediately respond to high-low.
- Only suitable for use with wok pan 239773.
- Maximum load of the induction cooker: 20 kg.

code	-	٧	W	mm
239766	induction unit	230	3500	340x450x(H)120
239681	induction wok+wok pan	230	3500	340x450





INDUCTION COOKER MODEL 5000 D

- Digital power, temperature and timer setting via touch-sensitive controls.
- Stainless steel housing.
- With easily cleanable grease filter and double ventilation.
- Suitable for pans with bottom diameter between 140 and 280 mm. - Height adjustable feet.
- Works on 380 V, supplied without plug, an electrician is required for the installation.
- Maximum load of the induction cooker: 30 kg.

code	V	W	mm
239322	400	5000	398x515x(H)168



S.S.

INDUCTION COOKER MODEL 7000

- Stainless steel housing with two hobs.
- Front hob has a maximum power of 5000 W, when the front hob operates at 5000 W the rear hob can only generate 2000 W.
- Rear hob has a maximum power of 3500 W only while the front hob doesn't exceed 3500 W.
- Electronic protection against overheating.
- With adjustable metal feet and removable air filter.
- Works on 380 V, supplied without plug, an electrician is required for the installation.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- Maximum load of the induction cooker: 20+20 kg.

code	V	W	mm
239346	400	7000	405x698x(H)145



 $|\bigcirc|$







INDUCTION COOKER MODEL 2000

- Very slim housing (32 mm) with stainless steel frame.

S.S

ABS

Al

- Ceramic glass surface.
- Touch-sensitive control.
- Maximum load of the induction cooker: 15 kg.
- Suitable for pans with bottom diameter between 120 and 260 mm.

code	V	W	mm
239230	230	2000	296x370x(H)46





209509

INDUCTION COOKER MODEL 1800

- ABS housing.
- Digital power, temperature and timer setting.
- Settings immediately respond to high-low.
- Maximum load of the induction cooker: 15 kg.
- Suitable for pans with bottom diameter between 120 and 260 mm.

code	٧	W	mm
239209	230	1800	315x345x(H)70

HOT TRAY

- GN 1/1 aluminium.
- On insulated base.
- Automatically heats itself to 95°C.
- Can be used in combination with Thermobox Kitchen Line GN 1/1 and bigger (707906, 707968, 707951, 707944)

/0//44)			
code	V	W	mm
209509	230	190	530x325x(H)30





INDUCTION HEATER 800W

- Black crystal glass top surface and plastic housing.
- Power regulation adjustable in 10 steps, fitted with electronic overheating protection.
- Control panel with LED display and touch control, can be mounted in a countersunk manner.

239193

- Can be used as a heater chafing dishes equipped with special adapter.
- Also suitable for built-in installation with the optional separately available ring (239186).



MOUNTING FRAME FOR INDUCTION HEATER, 800W

- Suitable for induction heater 239193.					
code	mm				
239186	ø270x(H)17				



BUILT-IN INDUCTION HEATER, 1000 W

- Heating surface made of black crystal glass.
- Plastic housing.
- Induction heater for countertop installation.
- 10-step power adjustment.
- Equipped with electronic overheating protection.
- Touch panel and LED display.
- Maximum allowable load for the stove: 15 kg.
- Suitable for pots and pans with base diameter of ø120-200 mm.

code	V	W	mm
239551	230	1000	350x350





<u>S.S</u>



QUARTZ HEATED COUNTERTOP DISPLAY

- Stainless steel housing, tempered glass sides, curved acrylic glass doors and mirror back panel.
- Access via two curved glass doors at the front.
- The shelves fit up to 4 GN 1/2 containers (GN containers
- Fitted with 2 quartz heating elements and an electric

code	٧	W	mm
233962	230	560	650x467x(H)630



HEATED COUNTERTOP DISPLAY

- Fitted with double glazing and curved front glass.
- Three levels.
- Two sliding doors at the back.
- Made of stainless steel.
- LED light at the top of the chamber.
- With 3 chrome-plated adjustable shelves.
- Temperature control knob and analogue thermometer.
- Temperature range: 30°-90°C.

code	-	V	W	mm
233726	120 Liter	230	1100	678x568x(H)686
233733	160 Liter	230	1500	857x568x(H)686





HEATED COUNTERTOP DISPLAY

- Stainless steel housing.
- Tempered glass sides, curved front glass.
- One level.
- Large glass door in the rear, full access to the inside.
- Easy to clean.
- With removable crumb tray.
- Temperature control up to 85 °C.
- Includes fine mesh GN 1/1 grid suitable for small products.

code	-	٧	W	mm
273982	single level	230	400	554x376x(H)311



HEATED COUNTERTOP DISPLAY

- Stainless steel housing.
- Tempered glass sides, curved front glass.
- Two levels.
- Large glass door in the rear, full access to the inside.
- Easy to clean.
- With removable crumb tray.
- Temperature control up to 85 °C.
- Includes 2 fine mesh GN 1/1 grids suitable for small products.

code	-	٧	W	mm
273999	double level	230	400	554x376x(H)432



Water container for humidification

S.S.

HEATED COUNTERTOP CABINET

- Fitted with door at the back and curved front glass.
- Lightbox with room for promotional graphics.
- Stainless steel housing.
- Internal lighting in the ceiling.
- With 3 chrome plated shelves, adjustable in height 400x335 mm.
- Water container for air humidification in the heating cabinet.
- Temperature controller and display.
- Temperature range: 30°C up to 90°C.

code	-	٧	W	mm
233740	97 Liter	230	800	460x448x(H)785



233740

 $|\bigcirc|$

<u>S.S.</u>



00



KITCHEN LINE FOOD DEHYDRATOR

- Double wall polypropylene casing increases thermal efficiency.
- The automatic fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 7 305x330 mm stainless steel grates, each with a max load of 500 g.
- Grates are evenly interspaced at 35 mm, easy to remove and clean.
- Transparent door allows the operator to observe the dehydration process.
- It comes with a transparent pad to prevent smaller fruit from falling during dehydration process - it can be also placed at the bottom of the dehydration chamber to collect residue.
- Digital display.
- Temperature control: 35°-70°C.
- Timer adjustable up to 24 hours, in 30-minute intervals.

code	-	V	W	mm
229064	7 trays	230	500	345x450x(H)315



PLASTIC DRIPTRAY FOR FOOD DEHYDRATORS

- For use with HENDI food dehydrators 229002 229019 229033 229064. code

941461





941461



With fine mesh for drying small items.





FOOD DEHYDRATOR PROFI LINE

- Stainless steel housing.
- Digital control panel.
- Timer adjustable up to 24 hours, in 30-minute intervals.
- Temperature control: 35°-75°C, adjustable in 5°C increments.
- The quiet fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 6 305x330 mm stainless steel grates.
- Grates are evenly interspaced, easy to remove and clean.
- Transparent door allows the operator to observe the dehydration process.

code	-	٧	W	mm
229033	6 trays	230	650	340x450x(H)311



PROFI LINE FOOD DEHYDRATOR

- Stainless steel housing.
- Digital control panel.
- Timer adjustable up to 24 hours, in 30-minute intervals.
- Temperature control: 35°-75°C, adjustable in 5°C increments.
- The quiet fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 10 395x380 mm stainless steel grates.
- Grates are evenly interspaced, easy to remove and clean.
- Transparent door allows the operator to observe the dehydration process.

00000/ /0.		
229026 10 trays 230	1000	417x535x(H)430

DRIPTRAY FOR FOOD DEHYDRATOR

- For HENDI Profi Line Food dehydrator 229026

code
946190

SPICE MAT FOR FOOD DEHYDRATOR

- For HENDI food dehydrator Profi Line 229026

code 946268





NEW

NEW

Easy to operate



946190

229026

6 trays

600 W

230 V

229033

10 trays 1000 W 230 V 10:30



946268

Drying chamber with space for 10 trays





PP

HENDI



Thanks to the "cold zone" frying residues are collected below the heater, increasing the quality of the oil.

Foldable doughnut rack

205914

DOUGHNUT DEEP FRYER

- The appliance is ideal for frying donuts, angel wings and various other dishes that are fried in deep fat.
- Designed for intensive use.
- Entirely Made of stainless steel.
- Large oil tank 400x400x(H)160 mm with a max. capacity of 12 liters.
- Welded oil tank with equipped with drain tap at the bottom.
- Removable control element with heater, with an additional safety feature that switches off the entire unit when removed.
- Temperature control: 50°-190°C.
- Overheating protection with reset function for better safety.
- "Cold zone" system separates frying residue below the heater level, increasing fat yield and preventing the fries from getting burnt.

- Rubber, non-slip feet.

9101

code	liters	V	W	mm
205914	12	230	3500	630x860x(H)360

Drain tap

DEEP FRYERS PROFI LINE

- Profi Line deep fryers are made of 18/0 stainless steel.
- Removable control element with an additional safety feature that switches off the fryer heater when it is removed.
- The grease container has a V-shaped bottom with an optimal "cold zone" for increased grease yield.
- Easy to read control panel with temperature control knob and indicator light.
- Overheating protection thanks to a resettable thermal fuse.
- Deep frying basket with extra-long, cool-touch handle for intensive use.
- All deep fryers are equipped with 1 deep frying basket and 1 lid for each chamber.




DEEP FRYER XL PROFI LINE WITH DRAIN TAP, 10 L, 400 V

- Very powerful 400V deep fryer, allows the heating element to use up to 6600W of power.
- Reduces the temperature recovery time after inserting frozen food, resulting in crispier food.
- Supplied without plug, an electrician is required for the installation.

code	liters	٧	W	mm
209424	10	400	6600	302x687x(H)375

FRYING BASKET

code	-
930618	4 litre deep fryers 205808 205846
930632	6 liter friteuses 205815 205853
930656	8 liter deep fryer 205822 205839
933664	8 liter deep fryer 207208 207307 209202 209301
944387	Induction deep fryers 215012 215029
961247	10 liter deep fryer 209424



temperature the heater

18/0

fried crumbs drop to the bottom where the oil temperature is lower and they do not burn that quickly





 $|\bigcirc$

H

DEEP FRYERS PROFI LINE DIGITAL

- The Profi Line range of tabletop deep fryers is made of 18/0 stainless steel.
- Element with switch-off function when removed.
- Oil tank with a V-shaped bottom ensures an optimal cold zone, increases the useful life of the oil.
- Clear digital control panel with temperature and timer function.
- Protected against overheating by means of a re-settable thermal fuse.
- A frying basket with extra long handle turns this model into a fine piece of equipment for intensive use.
- All deep fryers come with frying basket(s) and lid(s).









DEEP FRYER PROFI LINE WITH DRAIN TAP DIGITAL - 2 X 8 L

- Clear digital control panel with temperature and timer function.

DEEP FRYER PROFI LINE WITH DRAIN TAP

code	liters	V	W	mm
207369	8	230	3500	300x515x(H)345

- Clear digital control panel with temperature and timer function.

code	liters	٧	W	mm
207376	16	230	7000	605x515x(H)345


00

DIGITAL - 8 L



DEEP FRYERS PROFI LINE

- Profi Line deep fryers are made of 18/0 stainless steel.
- Removable control element with an additional safety feature that switches off the fryer heater when it is removed.
- The grease container has a V-shaped bottom with an optimal "cold zone" for increased grease yield.
- Easy to read control panel with temperature control knob and indicator light.
- Overheating protection thanks to a resettable thermal fuse.
- Deep frying basket with extra-long, cool-touch handle for intensive use.
- All deep fryers are equipped with 1 deep frying basket and 1 lid for each chamber.



fried crumbs drop to the bottom where the oil temperature is lower and they do not burn that quickly



DEEP FRYER PROFI LINE, 8 L

code	liters	٧	W	mm
207208	8	230	3500	305x460x(H)350



DEEP FRYER PROFI LINE, 2 × 8 L

code	liters	٧	W	mm
207307	16	230	7000	605x460x(H)350



209202 8 230 3500 305x515x(H)350



209301

16

230

3500

605x515x(H)350

 \bigcirc

 \mathbb{H}







205808


205839

DEEP FRYER KITCHEN LINE

- Housing and oil tank made of stainless steel.
- Removable element with switch-off function when removed.
- Removable oil container, making it easier to clean.
- Heating indication lamp to show if the heating element is operating.
- The temperature can be set up to 190°C.
- A security thermostat ensures the deep fryer does not overheat.
- Overheat protection with reset for extra protection.
- A frying basket with heat insulated and extra long handle.
- Cold zone to protect oil quality.
- Supplied with frying basket and lid.

code	liter	V	W	mm
205808	4	230	3000	217x380x(H)300
205846	4+4	230	3000+3000	470x420x(H)330
205815	6	230	3300	265x430x(H)290
205853	6+6	230	3300+3300	550x430x(H)290
205822	8	230	3500	265x430x(H)345
205839	8+8	230	3500+3500	550x430x(H)345

Frying baskets at page **165**



fried crumbs drop to the bottom where the oil temperature is lower and they do not burn that quickly







INDUCTION DEEP FRYER WITH DRAIN TAP


- Precise temperature control thanks to induction, the set oil temperature is maintained.
- Timer.
- Efficient heat exchange.
- Stainless steel housing for easy cleaning.
- Overheating protection.
- Control panel with display shows the set oil temperature.
- Supplied with a frying basket, a lid and an oil filter.

INDUCTION DEEP FRYER WITH DRAIN TAP, 8 L

code	liters	٧	W	mm
215012	8	230	3500	290x485x(H)405

INDUCTION DEEP FRYER WITH DRAIN TAP - 2 X 8 L

code	liters	٧	W	mm
215029	16	230	7000	580x485x(H)406





215029

Frying baskets

at page 165

169

F





RISE AND FALL HEAT LAMP CONICAL

- Thanks to the adjustable cord this heat lamp is very flexible, the length of the cord is adjustable from 70 to 150 cm.
- The amount of heat provided can be changed by adjusting the length of the cord.
- On/off switch located on top of the lamp.
- The included light bulb is shatterproof, making it suitable for keeping food warm.

code	colour	V	W	mm
273845	Black	230	250	ø275x(H)250
273869	Silver	230	250	ø275x(H)250
273876	Copper	230	250	ø275x(H)250

INFRARED HEAT BULB

- Infrared replacement bulb for heat lamps.
- Ideal for back of house use, emits warm red light.
- Shatterproof, with normal fitting (E27).

code	V	W	mm
919217	230	250	ø125x(H)170

INFRARED HEAT BULB

- Infrared replacement bulb for heat lamps.
- Ideal for front of house use, emits bright white light.

code	V	W	mm
19200	230	250	ø125x(H)170
		1	
	1 1 1		m m
			<u>A</u>
			Infrared heat bulb
		/	919200 included

2 LAMP INFRARED FOOD WARMER BRIDGE

273906

- Designed to keep food warm between preparing and serving.
- Height is easily adjustable between 590 and 790 mm.
- Shatterproof lamps included.

code	colour	٧	W	mm
273906	Silver	230	500	453x360x(H)790
273913	Black	230	500	453x360x(H)790

RISE AND FALL HEAT LAMP CYLINDRICAL

- Thanks to the adjustable cord this heat lamp is very flexible, the length of the cord is adjustable from 70 to 150 cm.
- The amount of heat provided can be changed by adjusting the length of the cord.
- On/off switch located on top of the lamp.
- The included light bulb is shatterproof, making it suitable for keeping food warm.

code	colour	V	W	mm
273883	Silver	230	250	ø175x(H)250
273890	Copper	230	250	ø175x(H)250
273852	Black	230	250	ø175x(H)250





Αl



00



Αl

GRIDDLES PROFI LINE

- Stainless steel housing.
- The hard chromed surface (9mm plate) facilitates cleaning.
- With removable dripping tray and high backsplashes.
- Stepless thermostat adjustable up to 300°C.
- Overheating protection.
- Suitable for continous use.
- Power switch with integrated indication lamp.
- Non-slip feet.

GRIDDLE

- Griddle area 330x270 mm, entirely smooth.

code	-	V	W	mm
203125	smooth	230	2000	300x420x(H)225



Scrapers & turners

on page 83

203125



203149

GRIDDLE

- Griddle area 518x328 mm, entirely smooth.

code	-	V	W	mm
203149	flat	230	2400	550x420x(H)240



GRIDDLE HALF RIBBED

- Grill surface: 518x328 mm, left 259 mm smooth and right 259 mm ribbed.

code	-	٧	W	mm
203156	1/2 flat, 1/2 ribbed	230	2400	550x380x(H)240



203170

GRIDDLE RIBBED

– Griddle area 518x328 mm, entirely ribbed.						
code - V W mm						
203170	entirely ribbed	230	2400	550x420x(H)240		



203163

 $|\bigcirc|$

┠╤╟

18/0

GRIDDLE 1/3 RIBBED

- 2 independent working areas, 2 heating indication lamps.
 Griddle area 688x410 mm, left 462 mm smooth and right 226 mm
- ribbed.

code	-	V	W	mm
203163	2/3 flat, 1/3 ribbed	230	3500	720x530x(H)250



CONTACT GRILLS

- Perfect for grilling and heating bread, pieces of meat, sausages, vegetables, etc.
- Enameled cast iron griddles, easy to clean and maintain.
- Housing made from 18/10 stainless steel guarantees durability.
- High power heating elements quickly heat up the grills.
- Temperature can be set continuously, using the thermostat, from 0°C to 300°C.
- Ventilation openings protect the grill against overheating.
- Bottom grill fitted with rear and side edges and a removable dripping tray, making cleaning easier.
- Lift the top grill with the heat resistant handle and lock in any position thanks to the spring-loaded mechanism.
- Fitted with mains switch with integrated indicator light, pre-heating light and 1.7 m power cable with earthed plug.
- With rubber feet, reducing accidental movement during use.
- Grill cleaning brush is included in the kit.





CONTACT GRILL "PANINI"

– Grill surface: 340x230 mm. – Ribbed.				
code	V	W	mm	

263655	230	2200	430x370x(H)210	



CUNIACI GRILL "F	ANINI
- Grill surface: 340x230 i	mm.

 1/2 ribbed and 1/2 smooth. 					
code	V	W	mm		
263662	230	2200	430x370x(H)210		







CONTACT GRILL "PANINI" XL

- Both the top and bottom grill are grooved.

code	V	W	mm
263624	230	2700	548x415x(H)210





CONTACT	GRILL -	DOUBLE	- GRILI
CONTACT	UNILL	DOODL	

- Thermostats independently adjustable.
- Grill surface bottom plate 475x230 mm.

Entirely ribbed.	
------------------	--

code	٧	W	mm
263709	230	3600	570x370x(H)210

CONTACT GRILL - DOUBLE VERSION

- Thermostats independently adjustable.
- Grill surface bottom plate 475x230 mm.

– 1/2 ribbed and 1/2 smooth.						
code	V	W	mm			
263808	230	3600	570x370x(H)210			

CONTACT GRILL - DOUBLE VERSION

- Thermostats independently adjustable.
- Grill surface bottom plate 475x230 mm.

– 1/2 smooth, 1/2 ribbed.					
code	٧	W	mm		
263907	230	3600	570x370x(H)210		






 $|\bigcirc|$







226001

- For natural gas, can be converted to propane with included converter set.
- Fitted with thermocouple.
- Grill distance adjustment.
- Burners power 12 kW.
- Delivered with reflection screens.
- Grill length: 900 mm. Capacity: up to 80 kg.

```
- Weight 30 kg.
```

code	kW[HS]	mm
226001	12	470x550x(H)1150





KEBAB KNIFE ELECTRIC

- For slicing döner kebab, shawarma, gyro, etc.
- 2 stainless steel Ø 100 mm blades, 1 smooth and 1 serrated.
- Blade spins at 2600 RPM and can slice up to 60 kg/h.
- Easily adjustable slicing thickness from 0 mm up to 8 mm.
- Blade cover made of stainless steel ensures safety during cutting.
- Handle and motor housing made of anti-slip material.
- ON/OFF switch integrated with the housing.
- Overload protection with a reset button.
- Blade sharpening stone included.
- Weight 1 kg.

code	V	W	mm
267240	230	80	202x152x(H)182





CORDLESS KEBAB KNIFE ELECTRIC

- For slicing döner kebab, shawarma, gyro, etc.
- 2 stainless steel Ø 100 mm blades, 1 smooth and 1 serrated.
- Blade spins at 2600 RPM and can slice up to 60 kg/h.
- Easily adjustable slicing thickness from 0 mm up to 8 mm.
- Blade cover made of stainless steel ensures safety during cutting.
- Handle and motor housing made of anti-slip material.
- ON/OFF switch integrated with the housing.
- Charger with red and green light indicating battery level.
- Two 2,000 mAh battery packs included.
- Blade sharpening stone included.

- Weight 1,3 kg.

the given it is a set of the set				
code	V	W	mm	
267257	230	80	199x152x(H)184	

REPLACEMENT KNIFE FOR KEBAB KNIFES

- Replace your broken or lost knife to extend the service life of your electric kebab knife.
- For use with HENDI Kebab knife electric 267240 & 267257.

code	
267219	

KEBAB KNIFE ELECTRIC

- Ideal for slicing any type of roasted meat like; kebab, shoarma, gyros, etc.
- Large Ø 80 mm smooth slicing disk with stainless steel guard.
- The blade cover ensures safety while slicing.
- Additional Ø 80 mm serrated slicing disk included.
- Disk spins at 8.000 RPM.
- Aluminium handle with 2.7 m power cord.
- Ingress protection: IPX4.
- Adapter with indicator lamp.
- Blade sharpening stone, knife stand and a screwdriver are included.

code	٧	W	mm
267264	230	80	232x120x(H)115







 $|\bigcirc$

SOUS-VIDE SYSTEM

- Culinary system in which vacuum-sealed food is cooked at a precisely controlled temperature.
- Ideal for à la carte restaurants.
- Exceptionally suitable for preparation outside peak times.
- Consistently high quality results.
- High precision thermostat adjustable (0,1°C) from 35° to 90°C
- Housing made entirely of stainless steel.
- Can be sealed air- and watertight due to the lid with silicone rim.

S.S.



SOUS VIDE SYSTEM GN 1/1

- Equipped with handles and drain tap.

- Stainless steel spacer with 6 compartments included.

code	liters	v	W	mm
225448	20	230	600	540x335x(H)310

SOUS-VIDE SYSTEM GN 2/3

– With handles.

- Supplied with a spacer with 4 stainless steel compartments.

code	liters	V	W	mm
225264	13	230	400	363x335x(H)290





EMBOSSED VACUUM BAGS

code	packed per	mm
971048	100	150x400
971017	100	150x250
971024	100	200x300
971055	100	250x350
971031	100	300x400









IVIDE CIRCULATOR STICK FOR SOUS-VIDE 2.0 COOKING

- For safety the sous vide stick turns off when removed from the water bath.
- WiFi control possible, app available for iOS and.
- Android devices.
- The app helps users calculate the perfect time and temperature, pre-loaded with over 600 recipes.
- Temperature can be set between 5°C and 90°C in 0,1°C increments.
- Can heat and circulate up to 30 liters of water.
- Can circulate 12 liters of water per minute.
- Bright screen shows the working temperature and time, easy to operate.
- The whole body is IPX7 (submersion) water resistant.

code	V	W	mm
222645	230	1200	63x97x(H)344



sousvide...... 208 24:00

LID FOR GN CONTAINERS WITH SOUS VIDE STICK RECESS

- With recess for sous vide stick 222645.
- Also suitable for stainless steel Profi Line Gastronorm containers.

code	GN	mm
864210	GN 1/2	265x325
864203	GN 1/1	530x325

Ni-Fi



IVIDE PLUS SOUS VIDE THERMAL CIRCULATOR

- High precision sous vide thermal circulator with temperature control.
- 4 inch Touch Screen interface.
- Designed to fit to any round or flat cooking vessel with a minimum depth of 16.5 cm by means of a clamp.
- Best performances up to 80 litres.
- Working temperature 5°C to 99°C, accuracy 0.07°C.
- Timer can be set between 1 minute and 99 hours.
- Multiple Machines can be managed from the app.
- Offers exceptional temperature stability.
- Low level water protection device switches off the sous vide in case of accidental use without water.
- Circulating pump to eliminate cold and hot spots.
- Temperature sensor to prevent overload and overheating.
- Carry Case as Standard.
- IPX7, can withstand splashes and accidental submersion.

App:

- Precise temperature control from anywhere.
- A collection of over 600 recipes.
- Our Sous Vide Calculator: We've done all the testing and research for you, which means no more scouring the internet for information.
- Recipe Memory: Store your own times and temperatures.
- Cook history: For greater HACCP control store your last cook 10 times and temperatures.
- Multi device cooking: Control Several cookers form one app.
- Notifications to confirm when the water is at temperature, and the food is cooked.
- Cook time complete, don't worry the app will keep the food at the optimum temperature for holding.

code	V	W	mm
222997	230	2200	130x145x(H)330





LID FOR GN CONTAINERS WITH SOUS VIDE STICK RECESS

- With recess for sous vide stick 222997.
- Also suitable for stainless steel Profi Line Gastronorm containers.

code	GN	mm
864234	GN 1/2	265x325
864227	GN 1/1	530x325










IVIDE PLUS JUNIOR

- High precision sous vide thermal circulator with temperature control.
- 4 Inch high resolution touch screen interface.
- Designed to fit to any round or flat cooking vessel with a minimum depth of 16.5 cm by means of a clamp.
- Best performances up to 45 litres.
- Working temperature 5°C to 99°C, accuracy 0.07°C.
- Timer can be set between 1 minute and 99 hours.
- WiFi enabled, can be controlled by the sousvidetools app.
- Multiple Machines can be managed from the App.
- Low level water protection device switches off the sous vide in case of accidental use without water.
- Circulating pump to eliminate cold and hot spots.IPX7, can withstand splashes and accidental

```
submersion.
```

code	V	W	mm
222638	230	1500	159x121x(H)285





H



SMOKING GUN RECHARGEABLE - 3 SPEEDS OF SMOKE INFUSION

- Smoking is a very flavourful addition to your meat, fish and
- vegetable dishes, but can also create a wow-factor when serving.The cold smoke is gentle for delicate fruits and vegetables, smoke without changing the texture or temperature.
- One button operation, the smoking gun has 3 speeds
- The aluminium fan chamber functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with integrated mesh filter.
- Flexible silicone hose (50 cm long) for easy injection of smoke into resealable bags and containers.
- Lightweight with a comfortable handle making it easy to use with one hand.
- Powered by a rechargeable Lithium battery of 1000mAh.
- Very complete, comes with 3 spare filter meshes, a tweezer and USB charging cable.
- Wood or herbs for smoking not included.

HENDI

code 199640

mm 215x70x(H)160

11

HENDI



199640

PHEND

THERMAL PROCESSING



SMOKE INFUSER

- The aluminium body functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with removable filter.
- Large woodchip holder.
- Flexible rubber hose (30 cm long) for easy injection of smoke into resealable bags and containers.
- Compact and lightweight enough to use with one hand.
- Gentle enough for use on delicate fruits and vegetables without changing their texture of temperature.
- Powered by 2 AA batteries, not included.
- Wood or herbs for smoking not included.

199992 90x54x(H)122	





 Made from borosilicate glass, fitted with silicone vent to hold the tube of a smoking gun.

- Ideal to use in combination with a smoking gun.

code	-	mm
199664	Plate dome	ø260x(H)174
199657	Cocktail dome	ø130x(H)282



GLASS DOME

- Ideal to use in combination with the smoking gun.

	code
199978 ø275x(H)140	199978

1	•			
1				

GAS LIGHTER - SET OF 2 PCS.

– Refillable.
- Supplied empty

Supplied en	pty.	
code	packed per	mm
198124	2	(L)230



198124

 $|\bigcirc|$

AROMATIC WOOD CHIPS

- Dust and wood chips were obtained from the wood of noble species of deciduous trees - fruit trees - and the wood of barrels of seasoned alcohols: red wine, whiskey and cognac.
- We recommend the latter to connoisseurs of the above liquors, as they give an extraordinary taste experience.
 The products come from fragments of old oak barrels in

which the abovementioned alcohols were aged for years!
In our offer, you will find delicate smoking dust and two types of wood chips - fine and slightly larger. Use them in the smoking process, and you will not only gain an excellent taste and smell of any dish, but you can also present it exceptionally attractive, causing the WOW effect!



0AK BEECH CITRUS PEACH ALMOND OLIVE Smoking dust 199787 199183 199213 199237 199220 199190 code weight 700 g 700 g 700 g 700 g 700 g 700 g Smoking chips small 199299 199282 199275 199305 199329 199312 code weight 700 q 700 q 700 q 700 g 700 q 700 g Smoking chips code 199374 199367 199398 199411 199404 199381 weight 3 kg 3 kg 3 kg 3 kg 3 kg 3 kg



00





		RED WINE	WHISKY	COGNAC
Smoking dust	code	199244	199251	199268
	weight	700 g	700 g	700 g
Smoking chips	code	199336	199343	199350
small	weight	700 g	700 g	700 g
Smoking chips	code	199428	199435	199442
	weight	3 kg	3 kg	3 kg



HENDI

SMOKING DUST ASSORTMENT -SET OF 9 FLAVORS

- For use with cold smoke infusers/smoking guns.
 Assortment of 9 different kinds of very fine aromatic chips.
 Flavours in this set: almond, beech, citrus,

cognac, oak,	olive, peach, red wine and whisky.
code	weight (kg)
199794	1.35

 \bigcirc

BIG CHUNKS

- Intended for medium to high temperatures
- Ideal for pizza ovens, outdoor ovens and barbecues direct to charcoal
- Unique aroma
- Strengthen the taste of your favourite dishes
- Made from the best wood or from the best aging barrels.
- Our offer includes wood chunks made from:
 wine, whisky, or cognac barrels.
- beech, olive, citrus, almond, or peach wood.



11111

code	PEACH	<u>ВЕЕСН</u>	CITRUS	ОАК	CHARCOAL MARABU
	199503	199459	199480	199466	199541
weight	3 kg	3 kg	3 kg	3 kg	10 kg



HENDI



TEPAN-YAKI GRIDDLE



Al

TEPPANYAKI GRIDDLE

- Griddle surface dimensions: 440x230 mm.

code	V	W	mm	
238608	230	1800	526x230x(H)120	

TEPPANYAKI GRIDDLE

- Griddle surface dimensions: 892x220 mm.

code	V	W	mm
238301	230	1800	1023x220x(H)112

PARTY PAN

- Aluminium with non-stick coating.

- Removable thermostat.
- Suitable for frying, roasting and keeping hot.
- Including lid with clear glass and two insulated handles.

code	V	W	mm
239605	230	1600	ø620x(H)190
239506	230	1400	ø500x(H)190

THERMOSTAT CABLE FOR PARTY PAN

- Replace your broken or lost thermostat cable to extend the service life of your part pans.

- For use with HENDI Party pan 239506 & 239605.
- 239599







239506

 \bigcirc

Ē



209981

ELECTRIC KETTLE - 1,8 L

- Housing and heating element made of 304 stainless steel.
- Handle, lid and base made of polypropylene.
- 360-degree swivel base.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- External water level indicator.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.
- Only suitable for boiling water, boiling other liquids will damage the appliance.

code	liters	V	W	mm
209981	1.8	230	2150	221x163x(H)249



Control panel with digital display





209943

CORDLESS ELECTRIC KETTLE WITH TEMPERATURE CONTROL

- For preparing beverages with indicated brewing conditions, such as green tea, white tea, or yerba mate.
- AISI304 stainless steel housing and heater.
- Polypropylene handle, lid, and base.
- Temperature regulation and maintenance water can be heated to one of these temperatures: 40°C, 60°C, 80°C, 100°C.
- Heater placed under the bottom, protected against scale.
- Control panel with digital display.
- Thermostat indicator light.
- Internal maximum water level indicator.
- Automatic shut-off function after the water boiled.
- Double protection against switching on an empty kettle.
- Kettle can be rotated 360° base.
- CAUTION: intended for boiling water only, boiling other liquids may damage the kettle.

code	liters	٧	W	mm
209943	1.8	230	1800	225x168x(H)288



ELECTRIC KETTLE - 4,2 L

- Housing and heating element made of stainless steel.
- Handle, lid and base made of polypropylene.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.

code	liters	V	W	mm
209998	4.2	230	2000	340x234x(H)290







KITCHEN LINE BAIN-MARIE

- GN 1/1 container.

- S.S. stainless steel
- Temperature control up to 85 °C.
- Stainless steel water tank with appropriately contoured inner corners for easy cleaning.
- Equipped with an on/off switch, a thermostat and an indicator light.
- Suitable for GN pans up to 150 mm deep.
- Supplied without GN pans.

22000E 220 1200 2/0vE/0v(U)	
238905 230 1200 340x540x(H)	250



KITCHEN LINE BAIN-MARIE WITH DRAIN TAP

- GN 1/1 container.
- Temperature control up to 85 °C.
- Stainless steel water tank with appropriately contoured inner corners for easy cleaning.
- Equipped with an on/off switch, a thermostat and an indicator light.
- Suitable for GN pans up to 150 mm deep.
- Supplied without GN pans.

code	V	W	mm
238912	230	1200	340x540x(H)250

THERMO SYSTEM



 \bigcirc

H

S.S.





RICE COOKER WITH STEAMER FUNCTION

- The housing is made of stainless steel.
- Removable inner pot made from aluminium with a non-stick coating, easy to clean.
- The hinged polypropylene lid is fitted with a convenient handle, airtight gasket, and vent valve.
- The lid is closed tightly thanks to the integrated latch.
- With integrated condensation collector prevents the workplace from getting wet.
- 2 operating modes cooking and keeping warm; after cooking, the appliance goes into keep warm mode.
- Can also be used to steam vegetables with the included steam basket.
- Capacity: 10 scoops of dry rice (15-20 servings of cooked rice).
- Included: steamer basket, rice measuring cup and spoon.

code	liters	V	W	mm
240410	1.8	230	700	ø280x(H)285

PROFI LINE RICE COOKER & WARMER 5.4 L

- Housing made of stainless steel.
- Internal aluminum container with non-stick coating, removable, easy to clean.

240403

- Stainless steel hinged lid with a seal and vent valve.
- Snap fastener for an easy and tight closing of the cooker.
- A special container for collecting condensation that is dripping from the lid protects the work area from getting wet.
- 2 operating modes cooking and temperature maintenance mode; when the cooking is finished, the device switches to temperature maintenance mode.
- Capacity: Suitable for 30 cups of dry rice (45-60 servings of cooked rice).
- Measuring cup, rice spoon and silicone non-stick pad included.

mm	code	liters	٧	W	mm
x(H)285	240403	5.4	230	1950	455x455x(H)380



NON-STICK MAT FOR RICE COOKERS

- For HENDI rice cooker 240403. code

930830



RICE COOKER 4.2 L

- Housing is made of rolled steel painted white, easy to clean.
- Inner pot made from aluminium with a non-stick coating, easy to clean.
- The twist lock, stainless steel lid is fitted with a stay cool handle.
- The handles have a special design allowing them to act as a lid holder, store a hot lid safely and always keep the lid at hand.
- Handles and legs are made of non-heating, durable polypropylene.
- Two operating modes cooking and keeping warm; after cooking, the appliance goes into keep warm mode.
- Capacity: 23 scoops of dry rice (±46 servings of cooked rice).
- Included: rice measuring cup and spoon.

- Net weight: 4.8 kg.

· · · · · · · · · · · · · · · · · · ·				
code	liters	٧	W	mm
240441	4.2	230	1550	420x380x(H)240

RICE COOKER 10 L

- Housing is made of rolled steel painted white, easy to clean.Inner pot made from aluminium with a non-stick coating, easy to
- clean. – The twist lock, stainless steel lid is fitted with a stay cool handle.
- The handles have a special design allowing them to act as a lid
- holder, store a hot lid safely and always keep the lid at hand.
- Handles and legs are made of non-heating, durable polypropylene.
 Two operating modes cooking and keeping warm; after cooking,
- the appliance goes into keep warm mode.
- Capacity: 50 scoops of dry rice (±100 servings of cooked rice).
- Included: rice measuring cup and spoon.

- Net weight: 10.35 kg.

M HENDI

code	liters	V	W	mm
240458	10	230	2900	555x495x(H)365

 $|\bigcirc|$

H



SALAMANDER WALL MOUNTABLE

- Conforms to the IPX4 norm - full protection against dampness.

2000 W

230 V

- Can be installed against the wall without requiring additional brackets, saves space in the kitchen.
- Perfect for grilling or heating up dishes or casseroles.
- Continuous temperature regulation: 50°-300°C.
- With top heating element.

264119

- Fitted with thermostat, 30 min. timer and an indicator lamp.
- 4 possible grid heights.
- Supplied with: grid handles fitted with heat shield, crumb tray.
- Internal dimensions: 460x265x(H)165 mm.
- Cable length: 1.3 m.
- Made of stainless steel.

code	V	W	mm
264119	230	2000	610x310x(H)280





SALAMANDER GN 1/1 WALL MOUNTABLE

- Conforms to the IPX4 norm full protection against dampness.
- Can be installed against the wall without requiring additional brackets, saves space in the kitchen.
- Continuous temperature regulation: 50°-300°C.
- With top heating element.
- Fitted with thermostat, 30 min. timer and an indicator lamp.
- 4 possible grid heights.
- Supplied with: grid handles fitted with heat shield, crumb tray.
- Internal dimensions: 460x265x(H)165 mm.
- Cable length: 1.3 m.
- Made of stainless steel.

code	V	W	mm
264126	230	2850	780x490x(H)310



3600 W

SALAMANDER

- Ideal for casseroles, grilling and heating up dishes.
- Temperature control: 50°-300°C.
- With top heating element.
- Fitted with thermostat, 30 min. timer and indicator lamp.
- 4 possible grid heights.
- Supplied with: grid with handles and crumb tray.
- Internal dimensions: 646x408x(H)337 mm.
- Made of stainless steel.

code	٧	W	mm
264300	230	3600	800x472x(H)456



QUARTZ SALAMANDER MAXI GN 1/1

- Salamander grill with 9 quartz heaters for faster heating, grilling and gratinating food.
- Steel guard of heaters protecting against damage.
- Stainless steel housing.
- Two chrome-plated grates with dimensions of 530x340 mm and two removable handles.
- Two levels for vertical position of each grate with distance of 70 and 45 mm.
- Stainless steel crumbs tray Quartz heaters 3 heaters on three independent levels.
- Heater timer turns on for up to 15 min or continuous operation
 1.3 m power cable without plug.

code	V	W	mm
264331	400	4500	685x396x(H)452







S.S

SALAMANDER WITH QUARTZ INFRARED HEATING ELEMENTS GN 1/1

- It is possible to place GN1/1 trays in the chamber.
- Ideal for grilling or heating up dishes or sandwiches.
- With top & bottom Quartz infrared heating element.
- Fitted with thermostat, 15 min.
- timer and indicator lamp.
- 3 possible grid heights, grid handles fitted with heat shield.
- With crumb tray.
- Conforms to the IPX3 norm.

code	V	W	mm
264409	230	3645	689x397x(H)318







LIFT SALAMANDER 450

- Type 450 stainless steel frame.
- Ideal for grilling or keeping dishes/sandwiches warm and crisp.
- Thermostat continuously adjustable up to a maximum of 300°C, with indicator lights.
- Adjustable height by means of smoothly running lifting system.
- Removable dripping/crumb tray with 440x320 mm grid.

code	V	W	mm
264607	230	2800	480x520x(H)530



LIFT SALAMANDER 600

- Type 600 stainless steel frame.
- Ideal for grilling or keeping dishes/sandwiches warm and crisp.
- Thermostat continuously adjustable up to a maximum of 300°C, with indicator lights.
- 2 independent heating areas.
- Adjustable height by means of smoothly running lifting system.
- Removable dripping/crumb tray with 590x350 mm grid.

Iterifiovable (anipping/ ci unic		oo mini gira.	
code	V	W	mm	
264706	230	3600	600x520x(H)530	

 $|\bigcirc|$

H



WAFFLE MAKER ROUND

 Make delicious Belgian style waffles without a hassle, ideal for a self-serve waffle station. 190

- You can make up to 20 waffles per hour.
- Waffle irons made of enameled cast aluminum, can be cleaned with a brush.
- The waffles measure Ø 190 mm and up to 23 mm thick.
- The temperature can be set steplessly between 50°C and 220°C.
- The timer can be set up to 15 minutes.

code	V	W	mm
212172	230	1000	250x380x(H)590

- Perfect for all types of catering establishments who wants to add

- Grooves are cut out of the waffle iron so you can insert the stick

- Waffle irons made of enameled cast aluminum, can be cleaned

- Open the waffle iron easily with the large, stay-cool, handle.

- The housing is made of 18/0 stainless steel, guaranteeing

these fun waffles on a stick or corn dogs to their offer.

and still close the waffle iron.

a long service life and easy cleaning.

with a brush.

- Fitted with a drip tray for dough and fat, helps you keep your work space clean.
- Ventilation slots in the housing protect the controls against overheating.
- The temperature is continuously adjustable from 50°C to 220°C.
- Timer can be set up to 15 minutes.

212172



WAFFLE MAKER LOLLYPOP

 It's possible to bake 4 lollypop waffles at the same time, each 255 mm long (without the stick) and shaped like an elongated cone.

- Net weight: 10.5 kg.

code	V	W	mm
212165	230	1750	310x395x(H)230

212189

WAFFLE MAKER CORN DOG

- It's possible to bake 6 lollypop waffles or corn dogs at the same time.
- Net weight: 10 kg.

code	V	W	mm
212189	230	1550	390x335x(H)230



WAFFLE MAKERS

- Waffle irons made of enameled cast iron, can be cleaned with a brush.
- Thermostatic temperature control.
- Including waffle fork.
- Insulated handle.



212103

code

212127

212127

mm


320x437x(H)277

212134

LE MA	

- Liège waffles, two 4x6 rectangular patterns.					
code	٧	W	mm		
212103	230	1500	320x437x(H)251		

Liège waffles



240)

190



W

2200

WAFFLE MAKER ,HEART'

WAFFLE MAKER , BRUSSELS'

٧

230

- Brussels waffles, two 3x5 rectangular patterns.

- Flower waffles	five conjoined heart-shaped patterns.	

code	V	W	mm
212134	230	2200	320x437x(H)251

waffles

HENDI

Flower

Brussels

waffles

 $|\bigcirc|$

F

S.S.



Al	S.S.
\square	

COTTON CANDY MACHINE

- Stainless steel removable bowl, suitable for dishwashers.
- The bowl is fastened by 4 secure clamps.
- Motor housing finished with a pink coating.
- Fitted with a drawer for sticks, sugar, dyes, etc.
- Separate switches for power on and the heating elements, with integrated lamps.
- Voltmeter showing actual voltage.
- Sugar dispenser included.
- Overload fuse protects the motor against burning in the event of a blockage.
- Weight: 11 kg.

code	V	W	mm
282731	230	1200	520x520x(H)480

PMMA

plexiglas

COVER FOR COTTON CANDY MACHINE

- Protect the cotton candy machine from dust and dirt.
- Made of plexiglass.
- Suitable for HENDI cotton candy machine 282731.

code	mm	
282755	ø520x(H)350	



CRÊPE MAKER

- Designed for making crepes.
- Baking plate Ø 400 mm made of cast iron with a ceramic coating.
- Very even heat distribution across the surface.
- Including wooden spreader.
- Stainless steel housing.
- Thermostat continuously adjustable from 50 to 300°C.
- With protection from overheating and EGO thermostat.

code V		W	mm		
212028	230	3000	470x520x(H)160		

WOODEN SPREADER FOR CRÊPE MAKERS

- Characteristic shape perfect for spreading the dough on the cooking surface.
- Recommended for use with the pancake maker with the code: 212028

code 525197





NACHO WARMER

- Housing made of aluminium and tempered glass.
- Internal compartment made of AISI 403 stainless steel.
- Fitted with a removable crumb collecting tray.
- Max. heating temperature: 55°C

- Max. load: 30 L

code	V	W	mm
282779	230	300	320x390x(H)510





SAUCE BAIN-MARIE WITH DISPENSER

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Lid fitted with 2 snap latch locks.
- With overheating protection sensor it turns on the sound alarm and automatically cuts the heating off.
- Adjustable heating temperature: up to 90°C.
- Dispensed sauce portion: 35 ml.
- Not dishwasher safe.

code	V	W	mm
558126	230	900	ø180x(H)500



FRENCH FRIES AND NACHOS FUNNEL SCOOP

– Fill opening 70 mm.

- Left and right handed.

code

642566

mm 233x205





 $|\bigcirc|$

H

Always up-to-date!

Our catalogue is also available online with nice features like:

- + powerfull search tool
- + easy navigation
- + fast sharing.

HENDI

But most important of all, up-to-date prices.





CHENDI





With convenient collection drawer for crumbs and unpopped popcorn kernels.

POPCORN MACHINE

- Frame made of aluminium alloy.
- Robust housing made of tempered glass and powder coated steel in two colours available: red or black.
- With a hinged service door made of tempered glass.
- Popcorn heating pan with stirring unit.Lid with handles made of non-heating material.
- Popcorn scooping flap.
- Crumb drawer under the chamber for easy disposal of un-popped kernels and crumbs.
- Un-popped kernels and crumbs are collected underneath the crumb drawer.

NEW

- Illuminated interior. Heated bottom of the popcorn chamber.
- Cycle duration: ±2 min. 150g of corn kernels per cycle.
- Net weight: ±25 kg.

code	colour	V	W	mm
282762	Black	230	1500	560x420x(H)770
282748		230	1500	560x420x(H)770

CHOCOLATE FOUNTAIN

- Made of stainless steel.
- With warming function, temperature can be set up to 150 °C.
- Minimal chocolate capacity: 1 kg.
- Maximal chocolate capacity: 8 kg.
- With separate switch for motor and heating element.










<u>|</u>6





SAUSAGE ROLLING GRILL - ONE ZONE

code	-	٧	W	mm
268506	7 rollers	230	740	520x325x(H)175
268605	9 rollers	230	940	520x400x(H)175

SAUSAGE ROLLING GRILL - TWO ZONES

code	-	V	W	mm
268704	11 rollers	230	1180	520x477x(H)175
268735	14 rollers	230	1480	520x591x(H)175



268551

- **GLASS COVER FOR SAUSAGE ROLLER GRILLS**
- Allows up to 20% reduction in consumed electricity.
- Reduces the time to grill sausages up to 15% thanks to heat accumulation under the glass cover.
- Maximum entry height 250 mm.
- Constructed from three glass elements, each 4 mm thick.
- Stainless steel structure supports the glass elements.
- 4 elements made of high temperature resistant plastic for mounting the cover to the grill.
- Warning: Glass cover fits only the new sausage roller grills with holes in frames.

code	for sausage rolling grill	mm	
268551	7 (268506)	470x325x(H)240	
268612	9 (268605)	470x401x(H)250	
268711	11 (268704)	470x477x(H)250	
268742	14 (268735)	470x591x(H)250	







SAUSAGE WARMER

- Heats hotdog sausages and keeps them warm.
- Stainless steel housing, sausage container made of anodized aluminum and glass.

– With adjustable power.

code	V	W	mm
265000	220-240	450	240x322x(H)466



SAUSAGE CUTTER - ELECTRIC

- Electric sausage cutter with double blade knife and adjustable thickness.
- Extra long insertion tunnel for many types of sausages.
- Maximum diameter of 48 mm.

code	٧	W	mm
265109	230	135	230x185x(H)325





SAUSAGE WARMER

- Stepless thermostat temperature control up to 85°C.
- With handles for easy transport.
- Sausage container capacity: 10 l.
- Lid with insulated, cool-touch handle.

code	٧	W	mm
240502	230	1000	330x280x(H)250



SAUSAGE CUTTER - MANUAL

- Stable footing by suction cups.
- High-quality serrated blades.
- Easy to clean.
- Cuts 11 slices.

222805

^{mm} 275x170x(H)235



SAUSAGE CUTTER

HENDI

code	mm
630716	(L)200

F




18/8

THERMAL PROCESSING

00



262214



code

262801

mm 100x340x(H)64





MULTI TOASTER 6 TONGS

- 2 Layers with 6 toaster tongs stainless steel.
- Infrared guartz tubes for prompt heating, temperature can reach maximum within 30 seconds.
- Tubes cool down in seconds.
- Switch for selecting different heating groups.
- 15 Minutes mechanical timer with bell.
- 6 Toaster tongs included.

code	V	W	mm
262214	230	3000	438x290x(H)402

S.S.	
stainless steel	

SANDWICH TOASTER

- Stainless steel housing.
- Tongs fitted with insulated handles made of PF resin.
- Left and right slot separately operable.
- Timer with alarm adjustable to a maximum of 8 minutes.
- Removable crumb tray.

code	V	W	mm
261163	230	1200	200x300x(H)223



HENDI

TONG FOR SANDWICH TOASTER

- For use with HENDI sandwich toaster 261163.
- Fitted with insulated handles made of PF resin.

code	mm
------	----



CONVEYOR TOASTER SINGLE

- One row of bread slices fit on the conveyor.
- Two separate heating elements, one bellow and one above the conveyor.
- Suitable for continuous toasting of sliced bread.
- Supplied with front and back trays.
- Conveyor speed is adjustable, toasting time between 0:45 and 3:15 minutes.

code	٧	W	mm
261200	220-240	1340	288x418x(H)387







CONVEYOR TOASTER DOUBLE

- Two rows of bread slices fit next to eachother on the conveyor.
- Two separate heating elements.
- Suitable for continuous toasting of sliced bread.
- Supplied with front and back trays.
- Adjustable toasting time up to 3 minutes.

code	colour	٧	W	mm
261309	Steel	230	2240	418x368x(H)387
261347	Red	230	2240	418x368x(H)387
261354	Black	230	2240	418x368x(H)387



Ē



MICROWAVE WITH GRILL HENDI 1050 W, 20 L

281710

- Stainless steel housing and front panel.
- Easy to read control panel.

20 l

- Electromechanical control with two knobs adjusting time and power – 9 levels.
- Top magnetron antenna with rotating shaft ensures uniform distribution of energy.
- Built-in air filter to protect against external factors and dust.
- Airtight door with a glass pane for observing processes in the illuminated microwave interior.
- Push-button opening for easy operation.
- Chamber interior:
- dimensions 304x306x(H)206, capacity 20 l.
- painted white.
- easy to clean.
- no breaking of plates thanks to appropriately rounded edges.

- Multifunctional use:
- defrosting.
- 4 levels of microwave power: Low, Medium, Medium High, High.
- function of combining standard and grill mode: Combi (3 levels).
- grill (power 1000 W).
- the end of the cooking cycle is signalled by an acoustic alarm.
- 4 power levels.
- Microwave power: 700 W.
- Includes 255 mm glass turntable plate and grill stand.
- Suitable for round (up to ø280 mm) plates.
- Maximum single operating time: 35 minutes.
- Equipped with a cable with a grounding plug.
- Weight: 11.1 kg.



code	liters	V	W	mm



HENDI



MICROWAVE 1000W HENDI 1550 W, 25 L

281352

- Housing and interior of the chamber with ceramic bottom made of stainless steel.
- Easy to read control panel.

25 l

- Electromechanical control with one knob adjusting time from 15 s to 6 min.
- Lower rotating magnetron antenna for uniform energy distribution, no rotating disk.
- Built-in air filter to protect against external factors and dust.
- Door with large glass pane for observing processes in the illuminated microwave interior.
- Tight latch closure; easy opening no locking mechanism.
- Chamber interior:
- dimensions 327x346x(H)200, capacity 25 l.
- easy to clean.
- no breaking of plates thanks to appropriately rounded edges.
- ceramic bottom.

- Multifunctional use:
 - defrosting.
- 6 suggested time programs for preparation of selected dishes/ beverages.
- the end of the cooking cycle is signalled by an acoustic alarm.
- 4 power levels.
- Microwave power: 1000 W.
- Suitable for round (up to ø320 mm) and rectangular plates.
- Maximum single operating time: 6 minutes.
- Equipped with a cable with a grounding plug.
- Weight: 15.1 kg.



code	liters	V	W	mm
281352	25	230	1550	511x432x(H)311



 $|\bigcirc|$

 $\mathbb{R}^{\mathbb{R}}$





MICROWAVE PROGRAMMABLE 1000W HENDI 1550 W, 23 L

281444

- Housing and interior of the chamber with ceramic bottom made of stainless steel.
- Easy to read control panel.

23 l 1550 W

- Electronic control.
- Lower rotating magnetron antenna for uniform energy distribution, no rotating disk.
- Built-in air filter to protect against external factors and dust.
- You can select the desired program on the touch panel.
- Door with large glass pane for observing processes in the illuminated microwave interior.
- Tight latch closure; easy opening no locking mechanism.
- Chamber interior:
- dimensions 327x346x(H)200, capacity 23 l.
- easy to clean.
- no breaking of plates thanks to appropriately rounded edges.
- ceramic bottom.

- Multifunctional use:
 - defrosting.
 - 10 default programs.
 - possibility to save up to 100 programs (up to 3 stages in one program).
 - automatic time conversion for double portions.
 - the end of the cooking cycle is signalled by an acoustic alarm.
 - 4 power levels.
- Microwave power: 1000 W.
- Suitable for round (up to ø320 mm) and rectangular plates.
- Maximum single operating time: 60 minutes.
- Equipped with a cable with a grounding plug.
- Weight: 15.5 kg.









MICROWAVE PROGRAMMABLE 1800W HENDI 3000 W, 34 L

281369

- Housing and interior of the chamber made of stainless steel.
- Chamber fitted with a ceramic floor.
- Lower and upper rotating microwave antennas for uniform energy distribution, no rotating parts in the chamber.
- Built-in air filter protects against dust and dirt.
- Easy to read control panel, select the desired program on the touch panel.
- Door with large window for observing processes in the illuminated microwave chamber.
- Tight latch closure; easy opening no locking mechanism.
- Chamber interior:
- dimensions 360x409x(H)225 mm, capacity 34 l.

٧

230

- easy to clean.

code

281369

- no breaking of plates thanks to appropriately rounded edges.

W

3000

- ceramic bottom.

- Multifunctional use:
- defrosting.
- 10 default programs.
- possibility to save up to 100 programs (up to 3 stages per program).
- automatic time conversion for double portions.
- the end of the cooking cycle is signalled by an acoustic alarm.
 Microwave power: 1800 W.
- Suitable for round (up to ø355 mm) and rectangular plates.
- Maximum single operating time: 60 minutes.
- Fitted with a grounded plug.
- Weight: 32.3 kg.





							10
0	н	E	N	D			

 $(\bigcirc$



MICROWAVE PROGRAMMABLE, WITH USB PORT 1800W HENDI 3000 W, 18 L

- Housing and interior of the chamber made of stainless steel.
- Chamber fitted with a ceramic floor.
- Easy to read touch control panel with push buttons and digital display that shows time and power.
- Lower and upper rotating microwave antennas for uniform energy distribution, no rotating parts in the chamber.
- Built-in air and grease filter to protect against external factors.
- A special system that reminds you to clean the filter.
- Door with large window for observing processes in the illuminated microwave chamber.
- Tight latch closure; easy opening no locking mechanism.
- Chamber interior:
- dimensions 330x310x(H)175, capacity 18 l.
- easy to clean.
- no breaking of plates thanks to appropriately rounded edges.
- ceramic floor.

- Multifunctional use:
 - defrosting.
- 10 default programs.
- 10 power levels.
- upload programs via the USB port,
- possibility to save up to 100 programs, including up to 20 custom, multistage programs.
- automatic time conversion for double or triple portions.
- the end of the program is signalled by an alarm. Possibility to change the sound or turn it off completely.
- Microwave power: 1800 W.
- Suitable for round (up to ø300 mm) and rectangular plates.
- Maximum single operating time: 60 minutes.
- Fitted with a grounded plug.
- Comes with a USB card, software included.
- Weight: 31.8 kg.



code	٧	W	mm
281376	230	3000	563x420x(H)340



HENDI Tools for Chefs



00 00

TT.



<u>بر</u>

B



code	281710	281352	281444	281369	281376
COOKING AND PROGRA	MMING				
Control	electromechanical	electromechanical	electronic	electronic	electronic
Number of programs / stages	9/1	1/1	100/3	100/3	100/3
Number of power levels	9	1	4	4	10
Maximum time	35 min	6 min	60 min	60 min	60 min
STANDARD EQUIPMEN	Т				
Microwave source	top magnetron antenna	lower rotating magnetron antenna	lower rotating magnetron antenna	lower and upper rotating magnetron antenna	lower and upper rotating magnetron antenna
Number of magnetrons	1	1	1	2	2
Air filter	YES	YES	YES	YES	YES
USB port	-	-		YES	YES
Additional accessories	YES – grid	-		-	-
DIMENSIONS					
External dimensions	440x330x(H)259 mm	511x432x(H)311 mm	511x432x(H)311 mm	574x528x(H)368 mm	563x420x(H)340 mm
Chamber dimensions	304x306x(H)206 mm	327x346x(H)200 mm	327x346x(H)200 mm	360x409x(H)225 mm	330x310x(H)175 mm
Chamber capacity	20 l	25 l	23 l	34 l	18 L
Maximum plates diameter	280 mm	320 mm	320 mm	355 mm	300 mm
TECHNICAL PARAMET	ERS				
Power	1050 W	1550 W	1550 W	3000 W	3000 W
Voltage	230 V	230 V	230 V	230 V	230 V
Weight	11,1 kg	15,1 kg	15,5 kg	32,3 kg	31,8 kg

COOKING TIMES vs APPLIANCE POWER

Power	700	1000	1100	1400	1800
0:35	0:35	0:25	0:22	0:18	0:12
	1:05	0:52	0:48	0:37	0:27
(Y)	1:35	1:14	1:06	0:57	0:39
Cooking time	2:05	1:39	1:29	1:10	0:52
o conting time	5:00	4:03	3:34	2:50	2:10
	10:00	8:15	7:23	5:40	4:00









LOW TEMPERATURE OVEN

- Designed for slowly preparing or regenerating food, by means of a very accurately set and controlled process.
- With core temperature probe, separately adjustable.
- Recessed handles in the sides.
- Easy to clean door seal.
- Oven chamber is heated on 4 sides, uniformly distributing the heat throughout the chamber.
- Energy efficient due to extra insulation.
- Seamless oven chamber with rounded corners, easy to clean.
- Temperature adjustable by 1 degree increments oven chamber up to 120°C, core temperature and keep warm up to 100°C.
- Door hinges left or right, easy to convert.
- Digital setting and readout of time, set temperature, and current core/chamber temperatures.
- Stainless steel pan and tray holder, suitable for GN 1/1 containers, grids and trays as well as 600x400 mm bakery trays, on 3 levels.

code	V	W	mm
225479	230	1200	495x690x(H)415







HENDI

225929

CONVECTION STEAM OVEN WITH GRILL 4X GN 2/3

- High-quality stainless-steel body and chamber.
- Manual control panel with knobs for function, temperature, time and amount of steam.
- Has functions for defrost, pre-heat, convection, grill, steam or a combination of those functions.
- Temperature can be set up to 280°C.
- Timer can be set up to 120 minutes.
- Convection by means of two heating elements and one fan.
- With top grill elements.
- Oven fits 4 GN 2/3 trays, distance between the trays is 70 mm.
- Supplied with 1 grid GN 2/3.
- Convection 3 kW, grill: 1.8 kW.
- Chamber heaters: bottom 1.6 kW, top 0.7 kW.
- Adjustable feet from 55 to 75 mm.

code	V	W	mm
225929	230	3000	620x555x(H)585

STAND FOR CONVECTION STEAM OVEN WITH GRILL 4X GN 2/3

 For use in combination with convection steam oven with grill 225929.

code		mm 580x390x(H)7	750
24823		JOUX37UX(H)/	50
	-	-	
1000	-		
	1		
	1.		
	10		
	_	4	
12	1	N.	
-		-	
			224823

F







Two highly efficient fans, distributing hot air evenly



CONVECTION OVEN H90

- Housing Made of stainless steel.
- Cool touch door with double glazing, which can be removed for easy cleaning.
- Partially enamelled chamber with interior lighting.
- Heating by means of 2 heating elements and 2 fans.
- Temperature adjustable from 50°C to 300°C.
- Timer: 0-120 min.
- Fits 4 438x315 mm trays.
- Guides interspaced at: 70 mm.
- Supplied with 4 trays.
- Stand: 223468

code	V	W	mm
227060	230	2670	595x595x(H)570

Fits four aluminium trays





Fitted with interior lighting



HENDI







CONVECTION OVEN WITH HUMIDIFICATION H90S

- Housing Made of stainless steel.
- Cool touch door with double glazing, which can be removed for easy cleaning.
- Partially enamelled chamber with interior lighting.
- Heating by means of 2 heating elements and 2 fans.
- Temperature adjustable from 50°C to 300°C.
- Direct humidification, manually operated with a button.
- Water inlet, which can be connected to water supply, at the back
- Timer: 0-120 min.
- Fits 4 436x315 mm trays.
- Guides interspaced at: 70 mm.
- Supplied with 4 trays.
- Stand: 223468

code	٧	W	mm
227077	230	2670	595x595x(H)570

ACCESSORIES

code 801970







STAND FOR OVENS H90 & H90S

- Suitable for H90 and H90S ovens 227060, 227077

GRID FOR OVENS H90 AND H90S	TRAY FOR OVENS H90 AND H90S
– Suitable for 227060 and 227077.	– Suitable for 227060 and 227077.

			22/0/7.	
mm	code	mm	code	mm
433x338	943380	437x314x(H)8	223468	595x425x(H)700

HENDI





 $|\bigcirc|$

STEAM CONVECTION OVEN

- Two reversible fans.
- Direct humidification, adjustable in 5 steps.
- Fits up to four 600 x 400 mm trays, not included.
- Chamber made of stainless steel 18/10.Double layer glass door, cools front pane by means of natural convection.
- Tray support spacing 73 mm



S.S.











4x

600x400x(H)20

• •

CHENDI



code	225523	225516	
type	three-phase	convection oven	
control	electromechanical	electromechanical	
tray support spacing	73 mm	73 mm	
external size	790x750x(H)635 mm	790x750x(H)635 mm	
number of fans	2 – with reverse	2 – non-reversible	
thermostat	50°C up to 300°C electromechanical	50°C up to 300°C electromechanical	
humidification	direct , 5-step, manually operated	indirect, manually operated with a button	
power/voltage	6,4 kW/400 V	3,2 kW/230 V	
weight	58 kg	50,4 kg	
	STAND FOR OVENS	STAND FOR OVENS	
code	224670	224670	
dimensions	540x460x(H)700 mm	540x460x(H)700 mm	



CONVECTION OVEN MULTIFUNCTIONAL

- Fits 4 trays 429 x 345 mm, 4 trays included.
- One non-reversible fan.
- Body and chamber made of stainless steel.
- Double layer glass door, cools front pane by means of natural convection.
- Tray support spacing 74 mm.



225165



code	225165	
type	convection oven multifunctional	
control	electromechanical	
capacity	4 trays 429x345x(H)9 mm	
ray support spacing	74 mm	
external size	590x695x(H)590 mm	
non-reversible fan	1	
hermostat	50°C up to 260°C electromechanical	
nultifunctional	8 baking options	
umidification		
oower/voltage	2,6 kW/230 V	
veight	36,4 kg	



935569

 \bigcirc

Ē

OVEN TRAY FOR CONVECTION OVEN MULTIFUNCTIONAL


 For HENDI Convection oven multifunctional 					
	225165				
	code	mm			
	935569	429x345			





CONVECTION STEAM OVENS MANUAL NANO GN-SIZE

- A convection steam oven combines the efficiency of a convection oven with the capabilities of a steam oven.
- These modes can be used separately or in conjunction with one another.
- These ovens are the way to go when you want to create scrumptious baked goods, vegetables with a bite, flavourful roasted meat and poultry or perfectly steamed fish.
- Steam is generated by directly spraying water on the heaters.
- The steam levels in the chamber are controllable and the oven has multiple automated features to maintain the set levels.
- A direct water connection is needed: ¼", max 30°C, 150-200 kPa (2 bar), only treated, softened water.
- Housing and chamber are made of high-quality stainless steel, the chamber is equipped with a drain in the bottom.
- The powerful 6 bladed fan(s) have auto-reverse and can spin at two speeds (1400/2800 rpm), this results in ideal distribution of air in chamber and preventing inner turbulence.
- The fan motor has double bearings and 250W of power.
- The manual control panel has thermostat and steaming indicator lights and three large knobs for setting the time, temperature and amount of steam.
- Timer can be set up to 120 minutes, temperature up to 260°C.
- The door is fitted with two layers of glass with space for gravity ventilation, this keeps the outside glass cool to the touch.
- Outside glass can be removed to ease cleaning.
- Door gasket is fitted in the chamber and removable to ease cleaning and replacement.
- The chamber is fitted removable GN-tray guides and halogen lighting.









	5x	7x	12x
	GN 2/3	GN 1/1	GN 1/1
code	223307	223116	223093
tray support spacing	67 mm	67 mm	67 mm
external size	700x714x(H)628 mm	920x834x(H)859 mm	920x834x(H)1195 mm
number of fans with reverse	1	2	3
power/voltage	5,4 kW/400 V	10,8 kW/400 V	16,1 kW/400 V
weight	64 kg	117 kg	151 kg
FLOOR STAND			
code	223666	223659	223642
dimensions	700x580x(H)700 mm	940x640x(H)700 mm	940x640x(H)500 mm







CONVECTION STEAM OVENS DIGITAL NANO GN-SIZE

- A convection steam oven combines the efficiency of a convection oven with the capabilities of a steam oven.
- These modes can be used separately or in conjunction with one another.
- These ovens are the way to go when you want to create scrumptious baked goods, vegetables with a bite, flavorful roasted meat and poultry or perfectly steamed fish.
- Steam is generated by directly spraying water on the heaters.
- The steam levels in the chamber are controllable and the oven has multiple automated features to maintain the set levels.
- Works with a direct water connection: $\frac{3}{4}$ ", max 30°C, 150-200 kPa (2 bar), only treated, softened water.
- Housing and chamber are made of high-quality stainless steel, the chamber is equipped with a drain in the bottom.
- The powerful 6 bladed fan(s) have auto-reverse and can spin at two speeds (1400/2800 rpm), this results in ideal distribution of air in chamber and preventing inner turbulence.
- The fan motor has double bearings and 250W of power.
- The digital control panel has clear readouts for the different functions, time, temperature and cooking program.
- Electronic timer can be set up to 999 minutes, temperature up to $260\,^\circ\text{C}.$
- The oven is programmable to ensures the same level of quality in day to day operations.
- It's possible to create 99 3-step programs, 4 if pre-heating is also added to the program.
- The oven is fitted with a removable temperature probe which can work in conjunction with the incorporated Delta-T cooking function.
- Keeps the chamber warm before pre-heating to ensure quick ready times.
- The door is fitted with two layers of glass with space for gravity ventilation, this keeps the outside glass cool to the touch.
- Outside glass can be removed to ease cleaning.
- Door gasket is fitted in the chamber and removable to ease cleaning and replacement.
- The chamber is fitted removable GN-tray guides and halogen lighting.
- Automatic chamber heating before 'PRE-HEATING" cycle.



AUTOMATIC CLEANING SYSTEM FOR NANO DRIVE OVENS AND THEIR BAKERY VERSIONS

 The system should be purchased together with an oven and installed by an authorised service/ authorised technician as the oven software has to be adjusted to the cleaning system.



DHEND

code

229477



	5x	7x	12x
	GN 2/3	GN 1/1	GN 1/1
code	223291	223109	223086
tray support spacing	67 mm	67 mm	67 mm
external size	700x714x(H)628 mm	920x834x(H)859 mm	920x834x(H)1195 mm
number of fans with reverse	1	2	3
power/voltage	5,4 kW/400 V	10,8 kW/400 V	16,1 kW/400 V
weight	64 kg	117 kg	151 kg
FLOOR STAND			
code	223666	223659	223642
dimensions	700x580x(H)700 mm	940x640x(H)700 mm	940x640x(H)500 mm



 $|\bigcirc$

Ĩ

CONVECTION OVENS & COMBI-OVENS NANO 4X 450X340MM

- These ovens are the way to go when you want to create scrumptious baked goods, vegetables with a bite, flavourful roasted meats and poultry or perfectly steamed fish.
- Housing and chamber are made of high-quality stainless steel, the chamber is equipped with a drain in the bottom.
- The powerful 6 bladed fan can spin at two speeds (1400/2800 rpm), this results in ideal distribution of air in chamber and preventing inner turbulence.
- The fan motor has double bearings and 250W of power.
- Timer can be set up to 120 minutes, temperature up to 260 $^\circ\text{C}.$
- The door is fitted with two layers of glass with space for gravity ventilation, this keeps the outside glass cool to the touch.
- Outside glass can be removed to ease cleaning.
- Door gasket is fitted in the chamber and removable to ease cleaning and replacement.
- Chamber capacity of 4 trays (450x340mm), tray guides are placed 75 mm apart.
- Comes with 4 baking trays.



HENDI FOOD SERVICE FOULPMENT

OHENDI



	oven with humidifier and grill function NANO	manual NANO	with humidifier NANO	with humidifier NANO
code	223369	223376	223352	223345
	Manual control panel, three knobs for temperature, time and mode. With a humidifier button for indirect humidification.	Manual control panel, two knobs for temperature and time	Manual control panel, two knobs for temperature and time. With a humidifier button for indirect humidification.	Digital control panel, easy control over the time, temperature and humidification. The oven is programmable, possibility to create 99 3-step programs, 4 if pre-heating is added to the program.
tray support spacing	75 mm	75 mm	75 mm	75 mm
external size	560x595x(H)530 mm	560x603x(H)530 mm	560x603x(H)530 mm	560x603x(H)530 mm
number of fans	1 non-reversible fan	1 non-reversible fan	1 reversible fan	1 reversible fan
power/voltage	3,1 kW/230 V	3,1 kW/230 V	3,2 kW/230 V	3,1 kW/230 V
weight	40 kg	35 kg	38 kg	38 kg
FLOOR STAND				
code	223031	223031	223031	223031
dimensions	560x510x(H)800 mm	560x510x(H)800 mm	560x510x(H)800 mm	560x510x(H)800 mm



HENDI



OVEN TRAY 450X340 MM

 Perfect for HENDI Nano Convection ovens & combi-ovens NANO 4x 450x340 mm
 Fits ovens 223269 223376 223345 223352.

code	-	mm
951569		450x340
951576	Perforated	450x340






OVEN GRID CHROME PLATED

- Perfect for HENDI Nano Convection ovens & combi-ovens NANO 4x 450x340 mm
- Fits ovens 223269 223376 223345 223352.

code	mm
951583	450x340



HOSE WITH RINSE HEAD FOR APPLIANCES

- Ideal for any chef to keep their appliances spotless.
- Suitable for cleaning any number of waterproof appliance parts and surfaces.
- A 2 meter long hose brings many objects into range.
- Ergonomic handle with valve lever is comfortable to hold.
- Supplied with a dedicated holder that can be placed on oven housing (as indicated by technician) or on the wall using 3 screws.
- Jet is divided into a number of smaller ones using a strainer which increases the cleaning area covered.
- Water temperatures from 5°C to 85°C are ideal.
- Maximum water flow rate up to 11 L/m at pressure of 3 bar.
- Recommended supply water pressure: 3 bar.
- Operating pressure of supply water: 0.5 to 7 bar.
- PA66 nylon housing, metal parts made of chromeplated steel.
- Water supply connection: 1/2" inner diameter.

code mm 810323 56x42x(H)2000



CHENDI

 (\bigcirc)

╟╤╟

OVEN MITTS

- Hendi protective gloves are certified personal protective equipment and comply with the requirements of REGULATION (EU) 2016/425
 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9
 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC. The regulation defines hazard categories
 I through III, and for each category, methods, and certification requirements are specified. Hendi protective gloves are a category II protective equipment.
- They are CE marked as certified personal protective equipment.
- All our gloves meet the requirements of the general standard EN 420



Protection against mechanical hazards. Gloves that protect against mechanical hazards are marked with a pictogram and numbers describing the degree of protection provided, e.g:

The first digit indicates the abrasion resistance, the second the disc cut resistance, the third the tear resistance, and the fourth the puncture resistance.
An additional letter at the end (from A to F) indicates the degree of cut protection depending on the force applied (from 2 N to 30 N).

1

Protective gloves – General requirements and test methods. – They provide

 thermal protection according to EN 407 Protective gloves and other hand protection against thermal risks (heat and/or fire) and
 protection against mechanical risks according to EN 388 Protective gloves for mechanical protection, specifying levels of mechanical protection performance, and according to EN 13997 Protective clothing - mechanical properties - determination of resistance to cutting by sharp objects.



HENDI

3

Protection against thermal hazards

Gloves that protect against thermal hazards are marked with a pictogram and numbers describing the degree of protection provided, e.g:

- The first digit indicates the burning behaviour, the second resistance to contact heat, the third resistance to convection heat, and the fourth resistance to radiation heat, the fifth resistance to small splashes of molten metal, the sixth resistance to large splash of molten metal.

cce temp	Ĩ
temp	ß
X	
3	
	101
	Ē



CE

10/2020

HENDI Hend BY. Innovatietane é 5755370 De Komp, The Netherlands www.hendi.su Size 11

1442X 4232XX

C €

556603

556627

() HENDI



OVEN MITTS, COTTON - 2 PCS

mm

(L)350

packed per

2

code

556603

code	packed per	mm
556627	2	(L)360



OVEN GLOVE HEAT RESISTANT - 2 PCS

- Heat resistant up to 250°C.

_	Comfo	rtable	fit	

code	packed per	mm
556634	2	(L)300

() HENDI
Hendi B.V. Innovatielaan 6 6745 XW De Klomp, The Notherlands www.hendi.eu
Size 11 Item 556610
100% Cotton/ Baumwolle/ Katoen/ Bawetna/ Coton/ Di cotone/ Bumbac/ χποποκ/ βαμβάκι
EN 388: 2016 + A1: 2018 2233X EN 407: 2020
CE
04/2019



OVEN MITTS, FLAME RETARDANT COTTON - 2 PCS

– Extra long to protect the forearm.

– 2 pcs.

code	packed per	mm
556610	2	(L)380



oven

20 mm outer rim around all four sides

- allows placing the tray in point of sale displays - promotion and sale of products "directly form the tray"

Non-stick coating

– de marmereffectcoating voorkomt aanbakken; bak met 90% minder vet/olie

> The robust structure prevents undesirable deformation. The tray is positioned securely in the oven chamber's guides and is

deformation-resistant

Bottom and outer walls with increased thickness of 1 mm guarantee temperature stability on the entire surface, without uneven heat distribution

Safe coating – no toxins are released when

baking foodstuffs in high temperatures Made of odourless enamelled steel – no odour emissions at high temperature ranges. Heat resistance up to 300°C



The tray has right angles allowing for maximum use of the finished product and easie


the finished product and easier food cost estimation, which translates into profit enabling exact portion sizes and higher return on investment





GASTRONORM CONTAINER ENAMELLED GN 2/3

code	GN	mm
890356	GN 2/3	345x325x(H)20
890349	GN 2/3	345x325x(H)40



GASTRONORM CONTAINER ENAMELLED

code	GN	mm
890257	GN 1/1	530x325x(H)20
890240	GN 1/1	530x325x(H)40
890233	GN 1/1	530x325x(H)60





TRAY GN 1/1 - WITH 4 RIMS

- With Teflon™ non-stick coating.

code	mm	
808429	325x530x(H)10	
	-	
808207		
ΓRΔY		
RAY With 3 rims.		aluminium oven
	mm	aluminium
With 3 rims.	mm 600x400x(H)20	aluminium
With 3 rims.		aluminium) oven
With 3 rims.		aluminium
With 3 rims.		atuminium ven
With 3 rims.		atuminium) oven
With 3 rims.		atuminium) oven
With 3 rims.		atuminium) oven
With 3 rims.		atuminium oven
With 3 rims.		atuminium oven







530x325x(H)10

mm

530x325x(H)10

Al



WITH 4 RIMS

code

808405

- With Teflon™ non-stick coating.

808313

TRAY PERFORATED GN 2/3 -WITH 4 RIMS

354x325x(H)10

808313

0

0

 $|\bigcirc|$







808245



mm

809273



GASTRONORM TRAY GN 2/3
code


18/10 stainless steel	oven	Wash	stackable
mm			

code	mm
809280	354x325
809273	354x325





code	GN	mm
805558	GN 1/1	530x325x(H)20
805541	GN 1/1	530x325x(H)40
805534	GN 1/1	530x325x(H)65





GASTRONORM GRID

code	
801932	

mm 354x325



code	-	mm
801956	Chrome plated - transverse grid	530x325
801901	Stainless steel AISI 304	530x325
801918	Stainless steel 18/10	530x325





SMOKE OVEN ELECTRIC

- The smoke oven is ideal for smoking a variety of foods such as fish, beef, ham and vegetables.
- Made of stainless steel, with a magnetically closing double-insulated door.
- Temperature adjustable with a thermostat, thermometer integrated in door.
- Equipped with a hot air vent on the rear.
- Supplied with 3 grids (400x279 mm) and 3 meat hooks.

code	V	W	mm
238486	230	1600	540x380x(H)720

SMOKING CHIPS

- Made from the best wood or from the best aging barrels.
- Unique aroma.
- Chips can be placed directly over charcoal or on a smoking tray or in a smoking tube.
- Our offer includes chips made from:
- wine, whisky, or cognac barrels.
- oak, beech, olive, citrus, almond, or peach wood.

code	-	weight (kg)
199411	peach	0.7
199398	citrus	0.7
199404	almond	0.7
199428	red wine	0.7
199435	whisky	0.7
199367	beech	0.7
199442	cognac	0.7
199374	oak	0.7
199381	olive	0.7







PIZZA OVEN

- Suitable for heating up frozen products.
- Tray grid suitable for pizzas up to ø 30 cm.
- Timer adjustable up to 15 minutes.
- With 2 heating elements (top and bottom) and crumbs tray.

code	V	W	mm
220306	230	1450	480x420x(H)195



220306



PIZZA OVENS COMPACT

- Ideal for baking pizzas, bread, lasagnas, etc.
- The compact dimensions make it perfect for small kitchens or even food trucks.
- The use of high-quality materials guarantees a long service life.
- Housing made of high-quality stainless steel AISI 430, easy to clean and maintain.
- Oven chamber measures 415×400×(H)120 mm for pizzas or other dishes.
- Chamber floor lined with chamotte stone; these accumulate the heat which results in crispy pizza bottoms.
- Each heating element is 1000 W and can be set independently from 50°C to 350°C.
- The door is fitted with a window and the chamber has a light, this allows to follow the cooking process.
- The door can be opened without stopping the heating process.
- Can operate in continuous mode or with a timer.
- Timer can be set up to 120 minutes and when the times is finished the oven stops heating.
- Fitted with ± 1.7 m long power cable with earthed plug.



PIZZA OVEN COMPACT

 Chamber is heated by 2 efficient heating elements; one above and one below the chamber.

code	٧	W	mm
220290	230	2000	580x560x(H)275

DOUBLE DECK PIZZA OVEN 3000W

 Chambers are heated by 3 efficient heating elements; one above, one below and one in between the two chambers.

code	V	W	mm
220283	230	3000	580x560x(H)435



PIZZA, PASTA & KEBAB

PIZZA OVEN BASIC

name

code

dimensions ext.

dimensions int.

power/voltage weight

FLOOR STAND

code dimensions

- Steel housing with a stainless steel front, insulated with rock wool.
- Analog control panel with individual controls for each heating element, two elements per oven chamber.
- Each oven chamber is fitted with refractory bricks, a thermometer and a light.
- Models with 2 chambers have full separate control panels for each oven chamber.
- Temperature range: 50°C up to 500°C.



 $|\bigcirc|$ H

ELECTRIC DOUGH ROLLERS

- Perfect voor het rollen van pizzadeeg, pastadeeg en pastei/ravioli deeg.
- De dikte van het deeg: 1 tot 4 mm.
- Afzonderlijke roller afscherming voor eenvoudig en veilig gebruik.





code	226612	226629	226636
number of pairs of rollers	1	2	2
weight of the dough portion	0,21-0,70 kg	0,08-0,21 kg	0,21-0,70 kg
rolled dough disc diameter	ø260-450 mm	ø140-300 mm	ø260-400 mm
dimentions	650x345x(H)430 mm	475x375x(H)660 mm	585x435x(H)790 mm
power	250 W	250 W	250 W
voltage	230 V	230 V	230 V
weight	27 kg	28 kg	37 kg





Stainless steel roller

CHEESE-GRATING MACHINE

- Capacity of 30 kilos per hour.
- Functional and practical, stable body.
- Despite its small size, the device offers high performance.
- Ideal for grating Parmesan cheese and other hard cheeses.
- Motor is protected against overloading.
- Provided with grated cheese container 1,3 L.
- Speed: 1400 RPM.
- Cylinder diameter Ø 110x60 mm.
- Weight 8 kg.

code	-	V	W	mm
226827	30 kg/h	230	380	280x250x(H)310

226



SPIRAL MIXERS

- For professional use.
- Ideal for pizzerias, bakeries, patisseries, dumplings bars, doughnut shops to mix heavy dough.
- Sturdy and robust housing made of white lacquered steel.
- The bowl, protection grid and spiral are made of AISI 304 stainless steel.
- Safety guard with a grid makes it easy to add ingredients during operation.
- With microswitch, operation stops when safety guard is lifted.
- Chain drive ensures efficient operation.
- Quiet work guaranteed thanks to oil bath gearmotor.
- The spiral design ensures perfect homogeneity and aeration of the dough.
- The mixer doesn't heat up the dough during operation.
- With built-in 30 minute timer.
- Fitted with 4 wheels of which 2 have brakes ensuring comfortable transport and easy use in the kitchen.
- 2 options to choose from: with fixed head and bowl or with rising head and removable bowl.



4 wheels of which 2 have brakes

SPIRAL MIXER WITH FIXED HEAD AND BOWL

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	kg	V	W	hp
226315	290x590x(H)580	10	8	35	ø260x(H)200	40	230	370	0,5
226209	385x670x(H)725	22	17	56	ø360x(H)210	59	400	750	1,0
226308	435x750x(H)810	32	25	88	ø400x(H)260	82	400	1100	1,5

Removable

bowl

SPIRAL MIXER WITH RISING HEAD AND REMOVABLE BOWL

226209

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	kg	٧	W	hp
226339	380x600x(H)645	10	8	35	ø260x(H)200	56	230	370	0,5
226346	390x670x(H)735	22	17	56	ø360x(H)210	81	400	750	1,0
226353	435x750x(H)810	32	25	88	ø400x(H)260	95	400	1100	1,5

18/10

With integrated timer

226346



HENDI





PASTA MAKER

- Perfect for making fresh pasta (max. width: 140 mm).
- Dough thickness adjustable in 7 steps from 0,2 to 2,5 mm.
- Three aluminium alloy rollers/cutters: dough roller, tagliatelle cutter and fettuccine cutter.
- Includes a hand crank and a clamp for table mounting.

code	mm
224830	382x440x(H)340



PASTA MAKER ELECTRIC

- Perfect for making fresh pasta (max. width: 170 mm).

224830

- Cover equipped with safety switch.

END

- Dough thickness adjustable in 7 steps from 0,2 to 2,5 mm.
- Three rollers/cutters: dough roller, tagliatelle cutter (6,25 mm) and fettuccine cutter (2 mm). The rollers and cutters are made of 430 stainless steel.

code	٧	W	mm			
224847	230	70	258x218x(H)232			



Watch the video



PIZZA DOUGH BOX

- Made of food-grade polypropylene, harmless to human health.
- It maintains freshness of dough and continuity of proofing process.
- Stackable with or without lids.
- Dishwasher safe.

WHAT SHOULD AN IDEAL PIZZA DOUGH PROOFING BOX BE?

Airtight

One of the most key features to look out for is whether your dough proofing box is airtight. This prevents the dough from drying out during prolonged fermentation and makes the dough easier to form.

Environmentally friendly

The use of airtight, reseatable boxes reduces the use of foil, traditionally used to cover the dough during proofing. Plastic boxes are durable and can last for many years.

Made of suitable material

Traditional Italian dough proofing boxes were made of wood, but modern plastic boxes provide several benefits. They are airtight and they improve the shape and structure of the dough balls. The right amount of time for the dough to proof creates the right structure which translates into comfortable work – the dough is easier and quicker to stretch. This is not possible with metal containers that interfere with the dough proofing process.

The plastic surface is also smooth, which prevents the dough balls from sticking and makes it easy to remove them from the box after proofing.

Stackable

During proofing and fermentation, we keep multiple balls of dough at the same time. Stackable boxes take up less space in the kitchen. Stacked boxes are also easier to handle due to their stability.

No rounded edges

Special pizza dough boxes make it easy to cut and pull the dough without misshaping it. GN containers, which are used in kitchens, have rounded edges, thus making it impossible to remove the dough balls without destroying their shape.

PF		[
polyethylene	stackable	food contact

KITCHEN LINE PIZZA DOUGH BOX

code	liters	mm int.	mm
880906	14	565x365x(H)70	600x400x(H)75
880913	18	565x365x(H)90	600x400x(H)95
880920	24	565x365x(H)125	600x400x(H)130
880968		lid	600x400



880906

 (\bigcirc) \mathbb{H}



PIZZA SCOOP



- Lightweight and durable, made of anodized aluminium.
- Handle with slide grip for easy removal of pizzas from the oven.

code	-	mm
617151		230x1200
617168	perforated	230x1200

PIZZA SCOOP, ROUND, PERFORATED

PIZZA SCOOP SQUARED

code

617113

617137

617120

617144

PP

code

523957

- Light and robust, made of anodised aluminium.



mm

305x1320

305x1320

405x1320

405x1320

- Made from hard anodised aluminium, making it more wearresistant, abrasion-resistant and corrosion resistant.

-	With s	sliding	grip,	which	doubl	les a	as h	neat	insul	ation.	

perforated

perforated

code	-	mm		
618103	perforated	230x1200		

PIZZA SCOOP ROUND

- Handle with slide grip for easy removal of pizzas from the oven

S.S.	
stainless steel	

code	-	mm
617182		230x1200
617199	perforated	230x1200



260x55

code	
523902	

230

HENDI





mm

300x75

PIZZA, PASTA & KEBAB







PIZZA SCOOP, SQUARED

- For use in pizzerias and regular restaurants
- Long wooden handle
- Aluminium head

– Heat resistant

code	mm	
617816	305x1320	
618028	355x1320	
617861	405x1320	

PIZZA OVEN CLEANING BRUSH

- Brush made of brass wire.
- Steel scraper.
- Removable wooden handle with a screw.

code	mm
525630	930x260

617724

PIZZA SCOOP, WOODEN

– Can be used when removing pizza from the oven and for serving.

- Made of durable wood, resistant to high temperatures.

code	mm
617724	535x305x(H)10



F





PIZZA SCOOP WITH SHORT HANDLE, SQUARED, PERFORATED

- Ideal for use in small spaces
- Made of anodised aluminum
- Lightweight and durable
- Perforation to drain excess flour
- Short handle
- Non-heating silicone handle



PIZZA SCOOP WITH SHORT HANDLE, SQUARED, PERFORATED

- Made from hard anodised aluminium, making it more wear-resistant, abrasion-resistant and corrosion resistant.
- Fitted with a short handle, ideal for compact spaces.
- The silicone handle remains cool during use and protects against heat

PIZZA SCOOP SQUARED WITH SHORT HANDLE

- Ideal for small spaces
- Short wooden handle
- Aluminium head
- High Thermal Resistance

		and protects a	gamscheat.			
code	mm	code	mm	code	mm	
618073	300x660	618080	350x710	618035	305x660	
618066	350x710	618097	300x660	618042	355x710	
				618059	405x760	



PIZZA SLICER

- Stainless steel knife blade, polypropylene handle.

code	ø	length (mm)
617007	ø100	(L)230



PIZZA SLICER

- Stainless steel knife blade, polypropylene handle.
- With HACCP color coding system, coloured clips are not removable after placing.

code	ø	length (mm)
617014	ø100	(L)230

PIZZA PLATES SPECIALE

- Made of very durable porcelain, these plates are perfect for heavy use in professional catering establishments.
- The snow-white plates are available in sizes with the diameter of 28 and 33 cm and are complemented with elements in trendy colours;
- they go together perfectly and bring out the appearance of the dish, making it look even tastier.
- The decoration is protected by glaze, which makes the plates dishwasher and microwave safe.





PIZZA PLATE SPECIALE DECORATED PIZZA PLATE SPECIALE GRANITE

1	-		
Mar In			
774885		-	

code	order unit	mm	code	order unit	mm	code	order unit	mm
774830	6	ø280	774892	6	ø330	774885	6	ø330
774847	6	ø330						



order unit

6

mm

ø330

code

774861



PIZZA PLATE SPECIALE GRAY code order unit 774854

6



PIZZA PLATE SPECIALE ORANGE

 (\bigcirc)

Ы

mm	code	order unit	mm
ø330	774878	6	ø330



PIZZA PLATE SPECIALE BAROCCO

code	mm
777855	ø330











temp

PIZZA BOARD WITH HANDLE

- Made of compressed wood fibers.
- Resistant to temperature of up to 175 °C.
- The high pressure used during production makes the boards stronger than regular wood.
- Maintenance free (no need for oil or bleach).
- Handle with hole to hang the board.
- Darkens during use which gives it a natural look.

code	mm
505533	ø305x(H)6
500040	ø356x(H)6
500057	ø406x(H)6



- Made of blue steel.
- Ideal for uniform pizza baking.
- Pan thickness: 0.75 mm

- Suitable for using in a wood-burning oven.

code	mm
617069	ø200x(H)25
617076	ø220x(H)25
617083	ø240x(H)25
617090	ø260x(H)25
617106	ø280x(H)25
617205	ø300x(H)25
617304	ø320x(H)25
617403	ø360x(H)25
617410	ø400x(H)25
617427	ø450x(H)38
617434	ø500x(H)38

PIZZA SCREEN

- Ideal for uniform pizza baking.
- Made of aluminium.

code	mm		
617502	ø230		
617519	ø250		
617526	ø280		
617533	ø300		
617540	ø330		
617557	ø360		
617458	ø380		
617564	ø400		
617465	ø430		
617571	ø450		
617588	ø508		
617595	ø600		





LID SPACER FOR PIZZA'S - 500 PCS - Height of the lid spacer: 35 mm.

 code
 packed per

 709900
 500

PIZZA, PASTA & KEBAB

234

PP

709900

PERFORATED PIZZA PAN

- For use in restaurants, canteens and hotels serving pizza.
- The pizza screen is made of carbon steel covered with iron oxide which ensures excellent corrosion protection.
- Even baking thanks to special sheet perforation.
- Holes measuring: Ø 3mm.
- Heat resistance up to: 420°C.
- Food contact safe.
- Suitable for oven use.
- ATTENTION: Not dishwasher safe nor microwave safe.

code	mm
616918	ø280x(H)25
616901	ø260x(H)25
616925	ø300x(H)25
616932	ø340x(H)25
616949	ø400x(H)25



PAN GRIPPER

– Suitable for all types of pizza pans.				
code	mm			
617700	(L)190			







NEW

C

PAN GRIPPER – Suitable for all types of nizza nans

- 5	ullable ioi	all types of pizza paris.
	code	mm
	617731	(L)200



ø500 and 600 mm have a reinforced bottom

PIZZA BOARD

- Made of raw beech wood.
- With grooves to assist cutting into 6 equal parts.

• • • •
mm
ø300
ø350
ø400
ø450
ø500



PIZZA SCREEN/PAN RACK

- Holds up to 14 pizza screens or pans.

code	mm	
810361	300x305x(H)680	







PIZZA DELIVERY BAG 35 CM KITCHEN LINE

- Made from durable and easy to clean polyester.
- Outside made from 600D polyester and the inside is made from 210D polyester.
- Pizza compartment is padded with 5 mm thick foam.
- Closed with velcro, easy to adjust.
- The large handle makes carrying comfortable.
- Fitted with top transparent pocket for bills.

	code			mm	
70	9887		370x3	70x(H)210	

PIZZA DELIVERY BAG 45 CM KITCHEN LINE

- Made from durable and easy to clean polyester.
- Outside made from 600D polyester and the inside is made from 210D polyester.
- Pizza compartment is padded with 5 mm thick foam.
- Closed with velcro, easy to adjust.
- The large handle makes carrying comfortable.
- Fitted with top transparent pocket for bills.

code	mm
709870	470x470x(H)210





WATERPROOF COATING

The bag is made of a high-quality material that protects its contents against water and wind. EASY DELIVERY EVEN WHEN IT RAINS OR SNOWS

HENDI



UNIQUELY CAPACIOUS INTERIOR

The bag has a capacity of 72 litres, which means that you can deliver up to: 10 pizza boxes* or 8 salads* + 6 main courses* + 6 soups* HIGH CAPACITY = HIGH PERFORMANCE = LOWER COST OF DELIVERY = HIGHER PROFIT

* standard delivery packaging was used for the measurement.

ADJUSTABLE THERMAL SHELF

A shelf that divides the compartment into two parts. Select a place for salads, coleslaws. Put hot dishes in a separate compartment. COOL AT THE BOTTOM, HOT AT THE TOP

SEPARATORS

The thermal bag has 5 semicircular separators in the lower shell. They provide thermal insulation of the container compartment from the ground and prevent the outer fabric from becoming worn out. DON'T WORRY ABOUT PUTTING IT DOWN THE DISHES ARE SAFE

THREE-LAYER WALL WITH COMPARTMENT INSERT

Low temperature permeability thanks to the multi-layer system of walls where the PVC compartment insert plays an important role. It stiffens the entire structure and provides effective thermal insulation. THE THERMO INSTANT TECHNOLOGY KEEPS THE FOOD WARM FOR MORE THAN 1.5 HOURS

PIZZA & FOOD DELIVERY BACKPACK INSULATED

- Lightweight backpack with large, adjustable, padded shoulder straps and padded back section for comfort.
- Fitted with adjustable waist band for extra stability.
- Waterproof thanks to the use of durable 600D polyester.
- Large compartment with adjustable, velcro mounted shelf.
- Compartment has two layers of insulation, PE foam and aluminium foil.

MULTIFUNCTIONAL CARRIER Equipped with:

- Chest + belt tensioners
- Hooks for payment terminals/on the straps
- Comfort system soft, ventilated cladding with light foam on
- the back and the harness • Waterproof bill pocket
- FUNCTIONALITY COMFORT "HANDS-FREE"

STRUCTURAL AND SUPPORT BELTS IN AUTOMOTIVE TECHNOLOGY


Polypropylene weave strips in the belt. Durable, strong, with a great design that will last for years. NO FRAYING OR UNRAVELLING

- One side of the backpack can be opened with a zipper for easy access.
- With large padded carrying handles on the top and a transparent card holder on the back.
- Reflector strip fitted on the outside for extra safety.

code	mm
709801	410x410x(H)480



PROFI LINE | 800 SERIES ARKTIC



- Self-closing lockable door(s) with comfortable curved door handle(s).Forced air cooling with auto-defrost, compressor placed above
- the chamber.
- 60 mm thick polyurethane foam insulation.





- With adjustable shelving, fits containers up to GN 2/1.
- Digital display and electronic thermostat.
- Fitted with 4 wheels of which 2 are castor
- wheels.
- Climate class: 5.



	SET O REFR FREE - 4 stair up to 6 - Diame	Chamber and outer housing made of stainless steel F 4 FEET FOR IGERATORS AND ZERS nless steel feet, adjustable 60 mm ster: 55 mm ofi Line and Kitchen Line	Adar	232125 232149
J	code 941072			
i	Code 941072		B A	
type	Cooling, 1-door	2 freezing, 1-door	cooling, 2-door	freezing, 2-door
code	Cooling, 1-door 232118	2 freezing, 1-door 232132	cooling, 2-door 232125	freezing, 2-door 232149
code capacity	Cooling, 1-door 232118 670 l	2 freezing, 1-door 232132 670 l	cooling, 2-door 232125 1240 l	freezing, 2-door 232149 1240 l
code capacity dimensions	Cooling, 1-door 232118 670 l 730x805x(H)1940 mm	2 freezing, 1-door 232132 670 l 730x805x(H)1940 mm	cooling, 2-door 232125 1240 l 1314x805x(H)1940 mm	freezing, 2-door 232149 1240 l 1314x805x(H)1940 mm
code capacity dimensions chamber dimensions	Cooling, 1-door 232118 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm	2 freezing, 1-door 232132 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm	cooling, 2-door 232125 1240 l 1314x805x(H)1940mm 1194x635x(H)1540mm	freezing, 2-door 232149 1240 l 1314x805x(H)1940mm 1194x635x(H)1540mm
code capacity dimensions chamber dimensions range	Cooling, 1-door 232118 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm 0/8°C	2 freezing, 1-door 232132 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm -22/-17°C	cooling, 2-door 232125 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm 0/8°C	freezing, 2-door 232149 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm -22/-17°C
code capacity dimensions chamber dimensions range coolant	Cooling, 1-door 232118 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm 0/8°C R600a (110 g)	2 freezing, 1-door 232132 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm -22/-17°C R290 (120 g)	cooling, 2-door 232125 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm 0/8°C R600a (140 g)	freezing, 2-door 232149 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm -22/-17°C R290 (150 g)
code capacity dimensions chamber dimensions range coolant energy class	Cooling, 1-door 232118 670 l 730x805x(H)1940 mm 610x635x(H)1940 mm 0/8°C R600a (110 g) B	2 freezing, 1-door 232132 670 L 730x805x(H)1940 mm 610x635x(H)1540 mm -22/-17°C R290 (120 g) C	cooling, 2-door 232125 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm 0/8°C R600a (140 g) B	freezing, 2-door 232149 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm -22/-17°C R290 (150 g) C
code capacity dimensions chamber dimensions range coolant energy class shelves	Cooling, 1-door 232118 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm 0/8°C R600a (110 g)	2 freezing, 1-door 232132 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm -22/-17°C R290 (120 g)	cooling, 2-door 232125 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm 0/8°C R600a (140 g)	freezing, 2-door 232149 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm -22/-17°C R290 (150 g)
code capacity dimensions chamber dimensions range coolant energy class shelves average daily power consumption	Code 941072 941072 0 0 0 0 0 0 0 0 0 0 0 8 0 0 8 0 0 8 0 8 0 0 8 0 0 8 0 8 0 0 8 0 8 0 0 8 0 8 0 8 0 10 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 1000 0 1000 0 1000 0 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 10000 1000000	2 freezing, 1-door 232132 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm -22/-17°C R290 (120 g) C 4 x GN 2/1 [650x530 mm]* 4,99 kW	cooling, 2-door 232125 1240 L 1314x805x(H)1940 mm 1194x635x(H)1540 mm 0/8°C R600a (140 g) B 4+4 x GN 2/1 (650x530 mm)* 2,01 kW	freezing, 2-door 232149 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm -22/-17°C R290 (150 g) C 4+4 x GN 2/1 (650x530 mm)* 8,19 kW
code capacity dimensions chamber dimensions range coolant energy class shelves average daily power consumption power/voltage	Code 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941072 941000 94100000000000000000000000000000	2 freezing, 1-door 232132 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm -22/-17°C R290 (120 g) C 4 x GN 2/1 [650x530 mm]* 4,99 kW 600 W/230 V	cooling, 2-door 232125 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm 0/8°C R600a [140 g] B 4+4 x GN 2/1 (650x530 mm)*	freezing, 2-door 232149 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm -22/-17°C R290 (150 g) C 4+4 x GN 2/1 (650x530 mm)* 8,19 kW 980 W/230 V
code capacity dimensions chamber dimensions range coolant energy class shelves average daily power consumption	Code 941072 941072 0 0 0 0 0 0 0 0 0 0 0 8 0 0 8 0 0 8 0 8 0 0 8 0 0 8 0 8 0 0 8 0 8 0 0 8 0 8 0 8 0 10 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 9 0 1000 0 1000 0 1000 0 1000 0 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 10000 1000000	2 freezing, 1-door 232132 670 l 730x805x(H)1940 mm 610x635x(H)1540 mm -22/-17°C R290 (120 g) C 4 x GN 2/1 [650x530 mm]* 4,99 kW	cooling, 2-door 232125 1240 L 1314x805x(H)1940 mm 1194x635x(H)1540 mm 0/8°C R600a (140 g) B 4+4 x GN 2/1 (650x530 mm)* 2,01 kW	freezing, 2-door 232149 1240 l 1314x805x(H)1940 mm 1194x635x(H)1540 mm -22/-17°C R290 (150 g) C 4+4 x GN 2/1 (650x530 mm)* 8,19 kW

* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load)



238



REFRIGERATOR & FREEZER COUNTERS PROFI LINE | 700 SERIES



- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanized steel.
- Self-closing doors fitted with comfortable handles.
- Work surface fitted with a 40 mm high ridge at the back (except 233764).
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- 50 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable stainless-steel feet.
 Climate class: 5 (232040, 232057).
- 4 (232064, 232699).



₩



* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load)



တိ

 (\bigcirc)

KITCHEN LINE | 600 SERIES



- Inner and outer housing are made of high-quality stainless steel Selfclosing doors fitted with comfortable handles.
- Work surface fitted with a 40 mm high ridge at the back.
- Static refrigeration supported by internal fan, pollen filter.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 50 mm thick polyurethane foam insulation.

- With adjustable shelving.
- Digital display and electronic thermostat.
- With 4 adjustable stainless-steel feet.
- Climate class: 5 (233344, 233382), 4 (233351, 233399).
- Coolant: R600a (233344, 233382), R290 (233351, 233399).




* Maximum load capacity of the shelf approx. 15 kg (with evenly distributed load)



HENDI

KITCHEN LINE | 700 SERIES

- Inner and outer housing are made of high-quality stainless steel.
- Doors fitted with comfortable handles.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 35 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic feet.
- Auto-defrost with condensation evaporator.
- Climate class: SN-T.
- Coolant: R600a.



type	cooling, 2-door	cooling, 3-door			
code	232019	232026			
capacity	300 L	380 l			
dimensions	900x700x(H)880 mm	1365x700x(H)880 mm			
chamber dimensions	830x595x(H)500 mm	1295x595x(H)500 mm			
range	-2/8°C	-2/8°C			
coolant	R600a	R600a			
energy class	А	А			
shelves	2 shelves (335x570 mm)	3 shelves (335x570 mm)			
power/voltage	220 W/230 V	220 W/230 V			
weight	70 kg	91 kg			
SHELF	931561	931561			



HENDI

₩

A ↑ G

Α

LAN TOOD

SALAD COUNTERS

- Inner and outer housing are made of high-quality stainless steel.
- Doors fitted with comfortable handles.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 35 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.





- Digital display and electronic thermostat.
- With 4 adjustable plastic non-slip feet.
- Climate class: SN-T.
- Coolant: R600a.
- All models delivered without GN containers.





900x700x(H)1300 mm

830x595x(H)500 mm

-2/8°C

R600a

2 shelves (335x570 mm)

310 W/230 V

80 kg

956403



Comfortable

HENDI

dimensions chamber dimensions

range

coolant

shelves

weight

SHELF

242

power/voltage

Shelve placing

adjustable

1

232880

Three door salad counter with glass display	Two door salad counter with raised GN display	
232798	232880	
With stylish glass display, s space for 4x GN 1/1 containers (max. height 150 mm)	With stainless steel lid which covers space for 5x GN 1/6 containers (max. height 150 mm) GN display dimensions: 900x265x(H)195 mm	
380 L	300 L	
1365x700x(H)1300 mm	900x700x(H)1055 mm	
1295x595x(H)500 mm	830x595x(H)500 mm	
-2/8°C	-2/8°C	
R600a	R600a	
3 shelves (335x570 mm)	2 shelves (335x570 mm)	
310 W/230 V	270 W/230 V	
110 kg	100 kg	
956403	956403	














Three door salad counter


232811







Two door salad counter



Electronic temperature controller





 $|\bigcirc|$

PIZZA COUNTERS

- Inner and outer housing are made of high-quality stainless steel, with granite worktop.
- Doors fitted with comfortable handles.
- Forced air cooling with auto defrost, compressor placed underneath the chamber.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic non-slip feet.
- Climate class: SN-T.
- Coolant: R600a.
- All models delivered without GN containers.







232859

232873

	Two door pizza counter 300L	Three door pizza counter 380L	
code	232859	232873	
	With stainless steel cover around the GN space which fits 5x GN 1/6 containers (max. height 150 mm)	With glass cover around the GN space which fits 8x GN 1/6 containers (max. height 150 mm).	
capacity	300 L	380 L	
dimensions	900x700x(H)1100 mm	1365x700x(H)1120 mm	
chamber dimensions	830x595x(H)500 mm	1295x595x(H)500 mm	
range	-2/8°C	-2/8°C	
coolant	R600a	R600a	
shelves	2 shelves (335x570 mm)	3 shelves (335x570 mm)	
power/voltage	310 W/230 V	220 W/230 V	
weight	94 kg	180 kg	
SHELF	931561	956403	



PIZZA COUNTERS

- Inner and outer housing are made of high-quality stainless steel, with granite worktop.
- Doors fitted with comfortable handles.
- Forced air cooling with auto defrost, compressor placed underneath the chamber.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic non-slip feet.
- Climate class: SN-T.
- Coolant: R600a
- All models delivered without GN containers.

2-DOOR PIZZA COOLING TABLE WITH 7 DRAWERS, WITH GRANITE WORKTOP

- Equipped with 7 uncooled drawers of 400x620x(H)65 mm.
- Chamber dimensions: 1480x670x(H)570 mm.
- 60 mm thick polyurethane foam insulation.
- 2 shelves (600x400mm) included.
- Spread load capacity of 15 kg each.
- Energy label (counter only): A (A+++-G).
- Weight: 367 kg.

code	range	V	W	mm
232842	-2/8°C	230	250	2010x800x(H)1000



232842

000

1000

R600

<u>Incenti</u>



THREE DOOR PIZZA COUNTER WITH COOLING **DISPLAY 380+40L**

- Chamber capacity: 254 l.
- Chamber dimensions: 1295x595x(H)475 mm.
- Includes 3 shelves 335x570 mm, maximum load capacity 15 kg (with evenly distributed load).
- Cooling top unit with static cooling.
- Cooling top unit for 6x GN 1/4, dimensions 1405x335x(H)435 mm.
- Climate class: table: 4, cooling top unit: 5.
- Refrigerant: R600a (70 g + 40 g).
- Average daily electricity consumption: 1.6 kW (table),
- 1.55 kW (top unit).
- Self-closing door.
- Energy label (counter only): A (A+++-G).


- Weight: 193+41 kg.

5	5			
code	range	٧	W	mm
232033	-2/8°C	230	400	1365x700x(H)1030

SHELF FOR COUNTER REFRIGERATOR & FREEZERS 2-DOORS KITCHEN LINE







Arkeid



232033

 $|\bigcirc$

 \mathbb{H}





M HENDI

REFRIGERATED COUNTERTOP SERVER

- Inner and outer casing made of high-grade stainless steel
- Static cooling cooled bottom of the inner basin
- EMBRACO refrigeration unit
- Insulation thickness: 40 mm (material: C5H10)
- Digital display, electronic thermostat
- Climate class: 5
- Refrigerant: R600a (40 g)
- Average daily electricity consumption: 1.55 kW
- Temperature range: 0/8°C
- Compressor: EMT45HLR with 1/5 hp
- Automatic defrosting
- Smooth operation in ambient temperature of up to 32°C and relative humidity up to 60%
- 4 plastic feet









232927

8x GN 1/4

REFRIGERATED COUNTERTOP SERVER GN 1/4 ARKTIC

- With hardened glass display.
- Fits GN 1/4 containers with a max height of 150 mm.

code	-	٧	W	mm
232903	5x GN 1/4	230	180	1205x335x(H)430
232910	7x GN 1/4	230	180	1505x335x(H)430
232927	8x GN 1/4	230	180	1805x335x(H)430

REFRIGERATED COUNTERTOP SERVER GN 1/3 ARKTIC

- With stainless steel lid.
- Fits GN 1/3 containers with a max height of 150 mm.

code	-	V	W	mm
233948	4x GN1/3	230	180	1205x395x(H)290
233955	6x GN1/3	230	180	1405x395x(H)290
233979	7x GN1/3	230	180	1605x395x(H)290
233986	8x GN1/3	230	180	1805x395x(H)290
233993	9x GN1/3	230	180	2005x395x(H)290







232965

4V1000

R60 C001

4x GN 1/3



232972

6x GN 1/3



232989

7x GN 1/3



232996

9x GN 1/3

REFRIGERATED COUNTERTOP SERVER GN 1/3 ARKTIC

- With hardened glass display.

- Fits GN 1/3 containers with a max height of 150 mm.

			•	
code	-	٧	W	mm
232965	4x GN 1/3	230	180	1205x395x(H)430
232972	6x GN 1/3	230	180	1405x395x(H)430
232989	7x GN 1/3	230	180	1605x395x(H)430
232996	9x GN 1/3	230	180	2005x395x(H)430





18/10



NEW

DRY AGING CABINET

- Body, door frame, and door handle made of AISI 304 stainless steel.
- Door made of 2 layers of Low-E tinted tempered glass which increases energy efficiency by blocking infrared light and UV from the outside while preventing the heat from transferring inside. Door lock is included.
- Distilled water container made of ABS distilled water must be filled manually.
- Notification on display and audible alarm to warn when humidity is below 15% for the user to fill the water container.
- Alarm indicating the door open for more than 3.5 minutes protection against uncontrolled disruption of the conditions in the chamber.
- In the cabinet there are:
- 3 shelves,
- 1 hanging rod,
- 3 hooks,
- salt tray (salt not included),
- all elements above are made of AISI 304 stainless steel.
- Built-in UVC sterilisation lamp to prevent bacterial growth and guarantee safe environment for the meat; when the door is opened during the seasoning process, bacteria do not have a chance to develop.
- Cooling by means of an evaporator and a ventilator which ensures the required level of air circulation.
- LED lights placed on both sides of the chamber and on the ceiling.
- Max. load per shelf: 30 kg.
- Max. load per hook: 25 kg.
- Max. load of the hanging rod: 50 kg.
- Temperature range: 1-25 °C.
- Adjustable humidity range: 60-85%.
- Current humidity level is displayed on the panel.
- Refrigerant: R600a.

code	liters	٧	W	mm
204962	352	230	170	595x710x(H)1720

6

204962



Blast chilling from +90°C to +3°C


This process helps lower the food temperature to safe +3°C in a suitably short time, in line with HACCP standards. The adequate chilling speed helps reduce bacteria growth in the range from +65°C to +10°C.


Blast chilling helps retain the quality, colour and smells of food and extends the storage period.

Blast freezing from +90°C to -18°C

Powerful chilling system and blowing air of -40°C into the chamber makes the core temperature of food quickly drop to -18°C. It prevents large ice crystals from occurring, which damage the internal structure of food.

Blast freezing results in a large number of small crystals which preserves the original properties of food: flavour, colour, texture and nutrients, and helps extends the storage period.











BLAST CHILLER 3X GN 2/3

- For quick cooling or freezing of prepared food, freezing cakes, desserts, fish or ice cream.
- Stainless steel exterior and chamber interior, galvanized steel base.
- Chamber with rounded internal corners for easy cleaning.
- 3 stainless steel guides suitable for GN 2/3.
- 60 mm polyurethane insulation, injected under high pressure.
- Self-sealing door with left hand hinges and magnetic seal.
- Front panel with electronic control and display.
- Easy access to capacitor for cleaning and maintenance.
- Manual defrosting with door open.

- Removable drip tray.
- Distance between guides: 80 mm.
- Cooling capacity at 9kg: (+65°C/+3°C) in max. 90 min.
- Freezing capacity at 7kg: (+65°C/-18°C) in 240 min.
- Cooling Agent: R455.
- Fan forced cooling.
- Chamber and Core Probe Included.
- Adjustable feet (up to 20 mm).

code	V	W	mm
237731	230	550	660x640x(H)420



BLAST CHILLERS

- Enables quick chilling or freezing of prepared dishes.
- Chilling from 70°C to 3°C (90 mins), from 70° C to -18°C (240 mins) or within a pre-set time (without indicating the target temperature).
- Outer housing and inner chamber made of high-quality stainless steel.
- Inner chamber with rounded corners for easier cleaning.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 60 mm thick polyurethane foam insulation.


- Removable top cover.
- Self-closing door with magnetic gasket.
- Digital temperature controller and display.
- Probe included.
- Fitted with 4 adjustable stainless steel feet.
- Climate class: SN-T
- Coolant: R455.



code	chamber capacity	tray support spacing (mm)	output at chilling to +3°C (kg/cycle)	output at freezing to -18°C (kg/cycle)	۷	W	inside dimensions of the chamber (mm)	mm	kg
232163	3× GN 1/1 or 3× 600×400	70	14	11	230	1150	610×410×(H)280	750×740×(H)750	50
232170	5× GN 1/1 or 5× 600×400	70	20	15	230	1420	610×410×(H)410	750×740×(H)880	71
232194	7× GN 1/1 or 7× 600×400	105	25	20	230	1490	610×410×(H)760	750×740×(H)1290	90
232187	10× GN 1/1 or 10× 600×400	70	25	20	230	1490	610×410×(H)760	750×740×(H)1290	90

SHELF FOR BLAST CHILLERS

code 943564





HENDI



S.S.

Chamber and outer housing

₩











S.S. stainless steel

watch the video

COUNTERTOP SALAD DISPLAY

- Body made of high-quality stainless steel, fitted with curved glass cover with easy opening system.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 8x GN 1/6 GN containers or 4x GN 1/3 containers (max. height 100 mm), not included.
- With 4 adjustable stainless steel feet.
- Digital temperature controller and display.
- Refrigerant: R600a.
- Climate class: 4.
- Energy label: C (A-G).

code	range	V	W	mm
233672	0/3°C	230	105	767x612x(H)328

250

COOLING





Possibility to place a graphic





SUSHI DISPLAY 5X GN 1/3

- White coated stainless steel housing, fitted with double glazing and curved glass cover.
- Accessible through two sliding doors at the back or via the curved glass cover.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 5x GN 1/3 (H) max. 40 mm trays.
- Fitted with LED lighting and evaporator at the top.
- Digital temperature controller and display.
- Refrigerant: R600a.
- Climate class: 3

code	range	٧	W	mm
233757	3/7°C	230	160	1307x450x(H)330

CAKE DISPLAYS



COUNTERTOP DISPLAY FRIDGE

- Housing made of stainless steel fitted with curved glass front cover and glass side panels.
- Accessible through two sliding glass doors at the back.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 2 chrome plated shelves included.
- Bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Temperature range: 2 to 6°C.
- Climate class: 4
- Refrigerant: R600a.
- Energy label: B (A-G).

code	liters	V	W	mm
233702	120	230	160	686x568x(H)686
233719	160	230	160	850x568x(H)686





Watch the video

233757

Digital display







REFRIGERATED DISPLAY CABINETS

- Display cabinet frame made of ABS+PVC polymers, with double glass.
- Unit housing made of ABS.
- Forced cooling with automatic defrosting, compressor placed under the chamber.
- Air duct outside of the glass blows air over the glass to remove and prevent condensation.
- Durable PVC coated shelves, adjustable in height.
- With bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Climate class: 4









14V7000

00



REFRIGERATED DISPLAY CABINET, 58 L

- With 2 shelves.
- Fitted with an energy efficient inverter compressor, adjusts the power to the needs instead of only turning on or off.
- Energy label: C (A-G).
- Temperature range: 2 to 6°C.
- Refrigerant: R600a.

REFRIGERATED DISPLAY CABINET, 68 L

- With 3 shelves.
- Fitted with an energy efficient inverter compressor, adjusts the power to the needs instead of only turning on or off.
- Energy label: C (A-G).
- Temperature range: 2 to 6°C.
- Refrigerant: R600a.

code	-	V	W	mm	
233610	white	230	170	452x406x(H)816	2
233627	black	230	170	452x406x(H)816	2

code	-	V	W	mm
233634	white	230	170	452x406x(H)891
233238	black	230	170	452x406x(H)891



Air duct outside glass to remove and prevent condensation

Double glazing and easy opening door

HENDI

Digital controller

3



78 L

- With 3 shelves.
- Fitted with an energy efficient inverter compressor, adjusts the power to the needs instead of only turning on or off.
- Energy label: C (A-G).
- Temperature range: 2 to 6°C.

- Refrigerant: R600a.

code	-	V	W	mm
233641	white	230	170	452x406x(H)966
233658	black	230	170	452x406x(H)966

98 L

- With 4 shelves.
- Fitted with an energy efficient inverter
- compressor, adjusts the power to the needs instead of only turning on or off. - Energy label: C (A-G).
- Temperature range: 2 to 6°C.
- Refrigerant: R600a.

code v w mm 233665 white 452x406x(H)1116 230 210 233269 black 230 210 452x406x(H)1116

270 L

- 5 shelves, dimensions 428x386x(h)18mm.
- Fitted with 4 wheels, 2 with brakes.
- Energy label: C (A-G).
- Temperature range: 2 to 8°C.
- Refrigerant: R290.

code	-	٧	W	mm
233696	white	230	290	556x526x(H)1913
233290	black	230	290	556x526x(H)1913



Internal lighting in the ceiling



233696, 233290 -4 wheels, 2 with brakes

HENDI



233696, 233290 - Double glazing and easy opening curved door



 $|\bigcirc|$

H







233825

ROUND CAKE DISPLAY, ARKTIC

- Housing made of stainless steel fitted with tempered double glazing.
- Accessible through self-closing door.
- Forced air cooling with auto-defrost,
- compressor placed underneath the chamber.
- Fitted with 3 adjustable glass shelves.Bright LED lighting on 2 sides.
- Bright LED lighting on 2 sides.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 0/6°C.
- Climate class: 6
- Refrigerant: R600a.
- Energy label: B.



B ^A G

ROUND CAKE DISPLAY, ARKTIC

- Housing made of stainless steel fitted with tempered double glazing.
- Accessible through self-closing door.
- Forced air cooling with auto-defrost,
- compressor placed underneath the chamber.
- Fitted with 4 adjustable glass shelves.
- Bright LED lighting on 2 sides.
- Fitted with 5 castors of which 2 has a brake.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 0/6°C.
- Climate class: 4 Refrigerant: R290.
- Average daily electricity consumption: 7,23 kWh.
- Energy label: B.

REFRIGERATED DISPLAY CABINETS, ARKTIC

- Housing made of stainless steel fitted with triple glazing.
- Fitted with an energy efficient inverter compressor, adjusts the power to the needs instead of only turning on or off.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 3 adjustable chrome plated shelves.
- Bright LED lighting in the 4 posts.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 0/6°C.
- Climate class: 4.

233276

- Refrigerant: R290.
- Energy label: B.

code	liters	V	W	mm	code	liters	V	W	mm	code	liters	٧	W	mm
233825	100	230	210	ø480x(H)1030	233832	360	230	460	ø680x(H)1750	233276	400	230	495	650x650x(H)1908



COOLING







С	A ↑ G	
3330	6	

 \langle 2







REFRIGERATED DISPLAY CABINETS WITH 3 SLANTED SHELVES ARKTIC

- Fitted with 3 adjustable slightly slanted glass shelves.
- Energy label: C (233306), B (233443, 233320).
- Temperature range: 0°/6°C.

liters	V	W	mm
300	230	480	650x805x(H)1445
500	230	490	900x805x(H)1445
650	230	490	1200x805x(H)1445
	300 500	300 230 500 230	300 230 480 500 230 490









Electronic temperature controller HENDI

4 spinning wheels







REFRIGERATED DISPLAY CABINETS WITH 2 SHELVES

- Fitted with 2 adjustable glass shelves.
- Energy label: C (233337), B (233450, 233375, 233467).
- Temperature range: 0°/6°C

code	liters	٧	W	mm						
233337	300	230	480	915x675x(H)1210						
233450	410	230	490	1215x675x(H)1210						
233375	510	230	490	1515x675x(H)1210						
233467	610	230	500	1815x675x(H)1210						

F

BACK BAR REFRIGERATORS


- Powder coated housing, embossed aluminium chamber, plastic lockable door(s) with toughened glass.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Chamber fitted with LED lighting.
- Digital display and temperature control.
- Fitted with 4 adjustable non-slip feet.
- Refrigerant: R600a.





E A G

300 W/230 V





COOLING



240 W/230 V

power/voltage

215 W/230 V

DISPLAY REFRIGERATORS WITH LIGHTBOX

- Made of stainless steel, aluminium and polypropylene.
- Doors fitted with triple glazing of which one layer is tempered.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.



Al PP

- With LED lighting in the chamber and in the lightbox.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display.
- Climate class: N-ST.



F ¢





233795

	1-door	2-door		
code	233788	233795		
capacity	313 L	618 L		
dimensions	620x669x(H)1965 mm	1120x595x(H)1965 mm		
shelves	4 adjustable PVC coated shelves	8 adjustable PVC coated shelves		
shelf dimensions	498×442×(H)26 mm	442×498×(H)26 mm		
range	2/10°C	2/10°C		
coolant	R600a	R290		
energy class	E	F		
power/voltage	300 W/230 V	400 W/230 V		



F



WINE COOLERS, DUAL ZONE

- Two cooling zones with the possibility to set different temperatures in each of them.
- Black powder-coated housing, frameless tempered glass door with stylish stainless steel handle.
- Static cooling supported with a fan, automatic defrosting, chiller located at the back of the cooler.
- LED light at the top of the chamber.

THE IDEAL TEMPERATURE OF SPECIFIC WINES (FROM REDS TO WHITES):

Temperature	Types of wine
18°C	Bordeaux, Cabernet Sauvignon, Shiraz
16°C	Rioja, Pinot Noir
15°C	Chianti, Zinfandel
14°C	Chinon, Porto, Madeira
10°C	Chardonnay, Sauternes
9°C	Sauvignon Blanc
6°C	Champagne Non Vintage, Prosecco, Cava, Asti





- Digital display and electronic thermostat.
- Temperature displayed in degrees Celsius, possibility to switch to Fahrenheit.
- 4 adjustable non-slip feet.
- Climatic class: N-ST.
- Refrigerant: R600a.



Arktic 🗱 S.S.



code	237588	237557	237564	237595
capacity	133 L max 46 bottles of wine	232 L max 72 bottles of wine	387 L max 135 bottles of wine	447 L max 160 bottles of wine
dimensions	595x588x(H)820 mm	595x605x(H)1225 mm	595x680x(H)1625 mm	595x685x(H)1795 mm
shelves	5 wooden	9 wooden	13 wooden	15 wooden
range	5/22°C	5/22°C	5/22°C	5/22°C
coolant	R600a	R600a	R600a	R600a
energy class	G	G	G	G
climatic class	N-ST	N-ST	N-ST	N-ST
power/voltage	90 W/230 V	110 W/230 V	130 W/230 V	150 W/230 V





 $|\bigcirc|$

H





Al	
aluminium	wash

CONFECTIONERY DISPLAY TRAY

code	mm
808504	400x300x(H)20
808511	600x400x(H)20



code	mm
808566	400x300x(H)20
808573	600x400x(H)20

DISPLAY TRAYS MELAMINE





MEAT TRAY

M	-20°C 70°C
melamine	temp

- Black melamine.

code	mm	
568101	290x160x(H)35	
568200	350x250x(H)40	
568309	420x280x(H)60	



- Black melamine.

code	mm
568408	290x160x(H)60
568507	300x190x(H)80





Black melamine.

- Dlack melanine.		
code	mm	
569009	270x210x(H)17	
569016	300x150x(H)17	
569108	300x190x(H)17	
569207	350x240x(H)17	



DISPLAY TRAYS STAINLESS STEEL



DISPLAY TRAY - With feet.	
code	mm
407202	240x170



DISPLAY TRAY – Not suitable for high temperatures		
code	mm	
407400	345x245	



408308

310x230



MEAT TRAY		
code	mm	
508107	260x200x(H)48	
508206	310x240x(H)48	



code	mm
429419	475x105x(H)60

HENDI





CLEARING TROLLEY - 7 X GN 1/1

- Designed to fit GN 1/1 Trays/containers interspaced at 80 mm.
- With working surface.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- GN 1/1 530x325.
- Permissible load of the trolley 150 kg with an evenly distributed weight.
- Flatpack delivery.

CLEARING TROLLEY - 15 X GN 1/1

- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Permissible load of the trolley 150 kg with an evenly distributed weight.
- Flatpack delivery.

CLEARING TROLLEY - 15X 600X400

- GN 1/1 with 15 layers interspaced at 80 mm. 600x400 mm 15 layers interspaced at 80 mm.
 - Tray locks on either side.
 - Fitted with four castors of which two have brakes.
 - Permissible load of the trolley 150 kg
 - with an evenly distributed weight.
 - Flatpack delivery.

code	mm	code	mm	code	mm	
810668	445x615x(H)945	810613	440x610x(H)1710	810651	515x680x(H)1710	
2						
	-			- //		
	$\langle \rangle_{\mathcal{S}}$		Equipped with a simple locking system			

Two castors have brakes



MHENDI



DOUBLE TROLLEY - 30 X GN 1/1

- GN 1/1 with 30 layers interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution 150 kg.

code	mm
810576	740x550x(H)1730



15x GN 1/1





In order to save space during storage trolleys can be pushed into one another

F

810606

CLEARING TROLLEY COMPACT STORAGE -15 X GN 1/1

- In order to save space during storage trolleys can be pushed into one another.
- GN 1/1 with 15 layers interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution 150 kg.

code	mm
810606	445x610x(H)1710

DOUBLE MOBILE TROLLEY - 12 X GN 1/1

- GN 1/1 with 12 layers interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Permissible load of the trolley 150 kg with an evenly distributed weight.
- Flatpack delivery.

code	mm
810569	740x550x(H)940







SERVING TROLLEY

- Made of stainless steel.
- Fitted with 2 shelves and sound insulation material underneath.
- Maximum load per shelf 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between shelves 550 mm.
- Worktop 830x510 mm.
- Flatpack delivery.

code	mm
810002	905x585x(H)945

SERVING TROLLEY

- Made of stainless steel.
- 3 shelves with noise reducing material underneath.
- Maximum load per shelf 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between shelves 270 mm.
- Worktop 830x510 mm.
- Flatpack delivery.

code	mm	
810101	905x585x(H)945	



SERVING TROLLEY MATT BLACK

- Made of stainless steel with a matt black finish.
- 3 shelves with noise reducing material underneath.
- Maximum load per shelf 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between shelves 270 mm.
- Worktop 830x510 mm.
- Flatpack delivery.

code

264

811320



SERVING TROLLEY HEAVY DUTY

- Made of stainless steel, welded for extra strength.
- Fitted with 3 shelves.
- Maximum load per shelf 80 kg.
- Fitted 4 castors, of which 2 with brakes.

code	mm	
810224	800x500x(H)850	



mm



 $|\bigcirc|$









SERVING TROLLEY WITH 4 SHELVES

- Made of stainless steel.
- Fitted with 4 shelves.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Flatpack delivery.

code 810118

905x585x(H)1245

mm

SERVING TROLLEY WITH 5 SHELVES

- Made of stainless steel.
- Fitted with 5 shelves.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Flatpack delivery.

code	mm	
810125	905x585x(H)1545	



3-SHELF POLYPROPYLENE SERVICE CART

- Can be used as a mobile tool, suitable for storing.
- Moves smoothly over uneven surfaces, in elevators or walkways.
- Top shelf placed at an ergonomic height for greater comfort.
- Shelf spacing: 340 mm.
- Maximum load per shelf (provided that the load is distributed evenly): 50 kg.
- Fitted with 4 swivel castors with corner protection, 2 with brakes.
 Rounded corners.
- itounaca corners.

810200 800x410x(H)95	50



code	mm
810514	730x480x(H)825



PLATE TROLLEY

- Assures safe transport of tableware.
- Mobile polyethylene guards make it possible to load plates of various sizes.
- Extremely robust design made of polyethylene protects the tableware from chipping or breaking.
- Number of plates stacks: 6.
- Number of plates per stack: 50.
- Wheels resistant to uneven ground, non-marking even at full load.
- Two castor wheels with brakes Ø 10 mm, large wheels Ø 20 mm.
- Shock and impact resistant.
- Vinyl cover to meet strict sanitary standards included.
- Plates diameter from Ø 170 to Ø 330 mm.

code	mm	
877906	930x720x(H)785	





cover with every

caddy for sanitary

storage



up to 50 plates

in one stack



877906

front wheels with brakes

Examples of sets



4x ø230-335 mm



6x ø118-230 mm



4x ø115 mm 2x ø140 mm

2x ø230 mm



5x ø128 mm 2x ø231 mm

5x ø102 mm

2x ø334 mm





mm

425x205x(H)150

871300

mm



code

871102

PE
polyethylene









871300

THERMOBOXES, RACKS, TROLLEYS











INSULATED ICE CONTAINER - 110 L

- Ideal to transport ice cubes or flakes over long distances.
- Robust polyethylene housing resistant to shocks and impact.
- Thick foam insulation to keep ice temperature as long as possible.
- Inner walls resistant to scratches and stains.
- Sliding, sealed lid allowing easy scooping of ice.
- Ergonomic grip integrated with housing.
- Two large wheels resistant to uneven ground and two smaller castor wheels with brake.
- Profiled drain for melted ice in chamber, with tap.
- Delivered ready-to-use, does not require assembly.
- 4 wheels, 2 with brakes (large \emptyset 20 mm, small \emptyset 10 mm).

- Tap, scoop and drip tray included.

code	liters	mm
877883	110	585x800x(H)745



PC	PP	[7]
polycarbonate	polypropylene	food contact

INGREDIENT TROLLEY

- Useful in any large kitchen to store, transport and quick measure of quantities of dry food such as: flour, sugar, salt, groats, rice.
- One-piece, solid and sturdy polyethylene structure.
- Rounded corners and smooth inner walls are ideal for easy cleaning.
- Guides located in the upper, inner part of the trolley permit the comfortable fitting of the scoop.
- Transparent polycarbonate lid for easy identification or product type and quantity.
- Four wide, rubber wheels Ø 75 mm, including two castor wheels with brakes for easier transport.
- Ergonomic height of 71 cm ideal to put under a worktable.

code	liters	mm
877913	81	333x743x(H)711
877920	98	394x755x(H)735







transparent cover

four torsional wheels

267







2 torsion wheels with brakes

877883

drip tray

tap





 $\mathbb{R}^{\mathbb{R}}$



- 4 heavy duty clamps, 25 mm wide, at either side of the jug, for easy and quick opening and closing.
- Comfortable transport grips.

- Vent for easier lid opening.
- Shock and impact resistant.
- Rounded chamber with grooves leading to the tap.

0	P	blace for sticker					C		
1	-	hot	perature reten			4 heavy d clam	uty		Har a
		80	°C 75°C	72ºC	70°C	68ºC		P P	
		Initia	l 1h perature	2 h	3 h	4 h			D
		cold o		4ºC	5ºC	6°C	- 18		
877869	1	Initia	al 1h berature	2 h	3 h	4 h	- 11		ĩ
code	liters	mr	n						
877869	9.4	230x420	(H)470			07	7876		
877876	18	230x420	(H)620			07	/0/0		









Temperature retention

75°C

hot

80°C



70°C

68ºC















		~	8
7)	N
0			4
			7
	_		R
5	-	1	

$\hat{\mathbb{D}}$
$\mathbb{D}^{\mathbb{N}}$
\approx
-l

door with seal.

Examples of sets

200	150
	150
200	

Ē	3_	100	
<u> </u>	.1	100	ľ
_[]	J.	100	
E L	ł	100	
	2		

belt

front wheels with brakes

65 65 65 65 65 65

12x20

THERMO CATERING CONTAINER 2X GN 1/1 200

- Double-walled insulated polyethylene LDPE impact resistant hard polyethylene.
- Keeps hot and cold.

877821

877814

- With 2 sturdy carrying handles.
- Press-formed guides fitted in chamber housing.
- Inside dimensions: 335x533x(H)590 mm.
- Suitable for 1/1 Gastronorm trays:
- 12 GN trays 10 mm deep.
- 6 GN trays 65 mm deep.
- 4 GN trays 100 mm deep.
- 3 GN trays 150 mm deep.
- 2 GN trays 200 mm deep.

code	mm int.	mm
877814	335x533x(H)590	477x680x(H)620

TROLLEY FOR THERMO CONTAINER

code	mm
877821	530x710x(H)230









Initial temperatur	1 h e	2 h	3 h
cold			
0°C	2ºC	4ºC	5°C
Initial temperatur	1h e	2 h	3 h

		-		-	
nitia emp	il perature	1 h	2 h	3 h	4 h
cold 0'	°C	2ºC	4ºC	5°C	6ºC
nitia emr	il berature	1 h	2 h	3 h	4 h

72ºC

THERMO FRONT LOADERS





THERMO CATERING BOX

- Ultra-lightweight, durable container with perfectly sealable opening.
- Removable door even if the boxes are stacked
- With 5 grooves spaced 65 mm apart to slide in containers, fits GN 1/1 containers.
- The high stacking ledges with locking profile ensures stable stacking without sliding.
- Fits perfectly on Euro pallets four boxes per layer

code	liters	mm int.	mm
707661	66	535x310x(H)400	600x400x(H)490





- To heat the element, place it on a stainless steel tray or in a container and place in a convection oven, max 90°C for max. 40 minutes.

code	GN	mm
707784	GN 1/2	320x265x(H)30
707845	GN 1/1	530x325x(H)30

707760 HDPE

707753

FREEZING ELEMENT

- For use in thermoboxes, keeps the temperature between -12 to -10°C for 3 to 4 hours thanks to the eutectic plate.
- Before use: freeze at -18°C for 24 hours or until frozen solid.
- To check if ready, shake the element and when you feel and hear nothing moving inside it's ready.

code	GN	mm
707753	GN 1/1	530x325x(H)30
707760	GN 1/2	320x265x(H)30




THERMO CATERING BOX


- Ultra-lightweight, durable container with perfectly sealable opening.
- Suitable for Gastronorm 1/1 containers.
- With 8 grooves spaced 61 mm apart to slide in GN containers.
- The high stacking ledges with locking profile ensures stable
- stacking without sliding.

code	liters	mm int.	mm
707999	100	550x335x(H)545	635x465x(H)660




707999











PIZZA THERMOBOX PROFI LINE

Made of polypropylene.

Integrated grips for easier carrying.

Special profile in the inside for easier unloading.

Sturdy and stable structure designed for long-term use. Ultralight, closed from the top with a separate lid.

Stackable thanks to grooves in housing.

Stackable thanks to grooves in housing.

code	liters	mm int.	mm
707975	21	350x350x(H)175	410x410x(H)240

THERMOBOX PROFI LINE

- Perfect for transport of hot or cold products.
- Containers offer high insulation levels.
- Withstands temperatures ranging from -20°C to +110°C.
- With recessed handles at the side.

code	liters	mm int.	mm
707906	40	538x338x(H)234	600x400x(H)285
707968	46	538x338x(H)257	600x400x(H)320
707951	53	625x425x(H)200	685x485x(H)260
707944	80	625x425x(H)300	685x485x(H)360

COOLING ADAPTOR EPP GN 1/1

- Place this adaptor with cooling element on top of your Thermobox Kitchen Line GN 1/1 and keep the goods cold for extra long periods of time.
- Supplied without cooling element.
- Fits on top of 707906 and 707968.

code	mm	
707814	600x400x(H)85	

THERMOBOX PROFI LINE

- Perfect for transport of hot or cold products.
- The special heat-sealed inner lining provides reinforcement, facilitates easy cleaning and substantially improves the useful life.
- The thermobox is suitable for containers sizes up to Gastronorm 1/1.
- Boxes have a sealed structure which provides exceptional
- insulation, up to 50% better than other HENDI thermoboxes.
- Temperature resistant from -20°C up to 110°C.
- Practical integrated handles allow for comfortable carrying.
- The thermoboxes are stackable both with and without lids.

code	liters	mm int.	mm
707982	39	538x338x(H)217	674x400x(H)287







MHENDI



The same diameters make them easier to stack and transport









Air valve

Double lid secured with a seal

and equipped with 6 latches

Space between the walls is filled with special insulating material which keeps hot or cold temperature of food for up to 6-8 hours

code	liters	mm
710104	10	ø330x(H)220
710203	20	ø330x(H)360
710302	35	ø330x(H)570

- Designed for catering establishments to keep food and drinks warm during transport.
- The space between the walls is filled with a special insulating material, which ensures that the temperature is maintained for 6 to 8 hours.
- Housing and lid made of AISI 430 steel, satin finish, thickness: 0.8 mm.
- The interior and lid of the container made of AISI 304 steel, thickness: 0.8 mm.
- Container interior made of high gloss polished steel, satin finished lid interior.
- Two ergonomic handles, each fixed with nine seals for safe handling.
- Insulated lid with handle and large vent valve for easy opening.
- Thick silicone seal, removable hygienic.
- Lid with 6 snap fasteners.
- Container bottom equipped with a black rubber ring fixed with screws, which ensures easier stacking of containers and protects the container as well as the ground against damage.
- Stackable different models up to 35 l.



 $|\bigcirc$






ALUMINIUM STORAGE RACK FOR GN CONTAINERS

- GN 1/1 containers fit directly between the aluminum supports.
- Anodized aluminium frame.
- With dishwasher safe polypropylene shelves.
- Easily expandable.
- Carrying capacity 150 kg, distributed across the surface.

code	-	mm
812266		1120x355x(H)1685
812372	connecting hook	15x42x(H)42



Easily expandable





GN 1/1 containers fit directly

Plastic shelves can be cleaned in a dishwasher





ALUMINIUM STORAGE RACK

- Frame made of corrosion resistant anodized aluminium.
- With 4 shelves, each shelf consists of 3 removable polypropylene elements which are dishwasher safe.
- Adjustable feet to ensure level placement.
- Connect racks to each other or create corner racks with the connecting hook available in the assortment (code: 812280).
- Max. spread load capacity per shelf: 150 kg.

code	-	mm
812273		1280x405x(H)1685
812280	connecting hook	15x42x(H)42
812341	shelf	NEW





- 4 adjustable shelves.
- Maximum load per shelf 125 kg.
- Fitted with adjustable feet.
- Chrome-plated iron.

code	mm
812259	910x455x(H)1830

- Made from steel, available in a chrome plated finish or black powder coated finish.
- Easy to assemble, shelf height is easily set.
- Supplied with 5 wire shelves.
- Spread load capacity per shelf: 80 kg.

- Fitted with adjustable feet.

code	colour	mm
812990	Black	910x455x(H)1830
812204	Chrome	910x455x(H)1830



 \bigcirc

Stainless steel furniture for self-assembly. Fast and easy fastening. Compact packaging - low shipping costs.





ADJUSTMENT HEX KEY FOR QUICK ASSEMBLY SOLID FASTENING OF LEGS USING TWO SCREWS

STABLE LEVELLING AND HEIGHT ADJUSTMENT



STORAGE RACKS WITH 4 SHELVES

- Made of AISI 430 stainless steel
- Feet made of 30×30 mm profiles
- Approximate maximum load per shelf 70 kg/m²
- Adjustable feet 25 mm upwards or 5 mm downwards

code	mm
812556	1000x600x(H)1800
812501	600x400x(H)1800
812518	800x400x(H)1800
812525	1000x400x(H)1800
812532	1000x500x(H)1800
812549	1200x500x(H)1800
812563	1200x600x(H)1800





816486

WALL SHELF, WITH TWO STEEL BRACKETS

- Made of AISI 430 stainless steel.
- Welded for high durability and stability.
- Approximate maximum load per shelf 25 kg/m².
- 30 mm backsplash prevents the goods from falling down.
- Delivered with 2 steel brackets for wall-mounting.

code	mm
816486	800x300x(H)250
816493	1000x300x(H)250
816509	1200x300x(H)250
816516	1400x300x(H)250
0.0010	

DOUBLE ADJUSTABLE WALL SHELF, WITH TWO STEEL BRACKETS

- Made of AISI 430 stainless steel.
- The backsplash prevents the goods from falling down.
- Removable shelf with smooth surface for easy cleaning.
- Maximum load per shelf (provided that the load is distributed evenly): 25 kg.
- Welded for high durability and stability.
- Delivered with 2 steel brackets for wall-mounting.

code	mm	
DEPTH 300 MM		
811771	800x300x(H)600	
811726	1000x300x(H)600	
811733	1200x300x(H)600	
811740	1400x300x(H)600	

DEPTH 400 MM

816592	1000x400x(H)600



430

430

- 11

H

WORK TABLES SELF-ASSEMBLY

- Made of AISI 430 stainless steel.
- Screwed.
- Legs made of 40×40 mm profiles.
- Worktop filled from below with waterproof laminated board that reinforces the item and forms a soundproofing layer.



- With a 40 mm backsplash to maintain hygiene.
- Rear legs moved from the wall by 150 mm to ensure easy wall-mounting.
- Adjustable feet 25 mm upwards or 5 mm downwards.





WORK TABLE HEAVY DUTY

- Shelf mounted at 160 mm from the floor, leaving plenty of space for larger appliances and boxes.
- Approximate maximum load per worktop and per shelf 70 kg/m².

code	mm	
WITH SHELF, DEPTH 600 MM		
811511	1000x600x(H)850	
811528	1200x600x(H)850	
811535	1400x600x(H)850	
811542	1600x600x(H)850	
811559	1800x600x(H)850	

WITH SHELF, DEPTH 700 MM

810705	1000x700x(H)850
810712	1200x700x(H)850
810729	1400x700x(H)850
810736	1600x700x(H)850
810743	1800x700x(H)850



WALL WORK TABLE WITH UPSTAND AND SHELF

- Shelf mounted at 160 mm from the floor, leaving plenty of space for larger appliances and boxes.
- Approximate maximum load per worktop and per shelf 70 kg/m².

code	mm	
DEPTH 600 MM		
811450	800x600x(H)850	
811467	1000x600x(H)850	
811474	1200x600x(H)850	
811481	1400x600x(H)850	
811498	1600x600x(H)850	
811504	1800x600x(H)850	

DEPTH 700 MM

812716	800x700x(H)850
812723	1000x700x(H)850
812730	1200x700x(H)850
812747	1400x700x(H)850
812754	1600x700x(H)850
812761	1800x700x(H)850

CENTRAL WORK TABLE

- Worktop and shelf made of stainless steel, shelf connected to the stainless steel legs with an aluminium collar.
- Height-adjustable legs.
- Robust construction.
- Tabletop and shelf both have a spread load capacity of 130 kg.

code	mm
812457	1200x600x(H)880
812440	1000x600x(H)880
812464	1400x600x(H)880
812471	1600x600x(H)880
812488	1800x600x(H)880



SINK TABLES - SCREWED

- Sink bowls pressed from a single sheet of stainless steel characterised by high resistance to food acids and chemicals
- Sink bowl seamlessly welded into the worktop
- Sink dimensions: 400×400×(H)250 mm
- Drain compatible with standard traps: Ø50 mm
- Tap opening Ø30 mm
- Worktop with 10 mm recess to prevent water from flowing out



SINGLE SINK TABLE WITH SHELF -FOR SELF-ASSEMBLY

- Stainless steel shelf mounted at 200 mm, non-adjustable.

- Approximate maximum load per worktop and per shelf - 70 kg/m².

Approximate maximum toad per worktop and per shear 70 kg/m		
code	mm	sink location
DEPTH 600 MM		
811863	800x600x(H)850	on the right
812495	800x600x(H)850	on the left
DEPTH 700 MM		
812938	1000x700x(H)850	on the right
812945	1000x700x(H)850	on the left

Screwed

- Feet made of 40×40 mm profiles
- 40 mm backsplash prevents the walls from being stained
- Feet legs moved from the wall by 50 mm to ensure easy wall-mounting
- Adjustable feet 25 mm upwards or 5 mm downwards



DOUBLE SINK TABLE WITH SHELF - FOR SELF-ASSEMBLY

- Stainless steel shelf mounted at 200 mm, non-adjustable.

– Approximate maximum load per worktop and per shelf – 70 kg/m².

code	mm	sink location
DEPTH 600 MM		
811887	1000x600x(H)850	in the middle
DEPTH 700 MM		
812969	1000x700x(H)850	in the middle

	Worktop with 10 mm recess to prevent water from flowing out
SINK - Made of - Intende - Internal - Ø35mm - Ø52mm	
code	
81181	



- Made of durable stainless steel (AISI 304).
- Intended for wall-mounting.

CHENDI

- Internal dimensions 350x250x(H)100mm.
- ø35mm opening for tap instalment, fits HENDI 970522 tap.
- ø52mm drain compatible with standard traps

code	mm
811818	400x295x(H)145



 (\bigcirc)

BUDGET LINE TABLES – SCREWED

- Robust construction made entirely of AISI 430 stainless steel.
- Worktop reinforced from the bottom with a longitudinal profile.
- With a 40 mm upstand.
- Shelf mounted at 160 mm from the floor, leaving plenty of space for larger appliances and boxes.
- Both the worktop and shelf have a spread load capacity of 70 kg/m².
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Flat pack delivery for self-assembly.



mm

600x600x(H)850

800x600x(H)850

1000x600x(H)850

1200x600x(H)850

CENTRAL WORK TABLE WITH A SHELF

BUDGET LINE - SCREWED

code

817094

817100

817162

817179



WALL WORK TABLE WITH SHELF BUDGET LINE - SCREWED

code	mm	
817223	600x600x(H)850	
817261	800x600x(H)850	
817278	1000x600x(H)850	
817285	1200x600x(H)850	

DOUBLE SINK TABLE WITH SHELF BUDGET LINE – SCREWED

- Durable construction made entirely of AISI 430 stainless steel.
- 2 sink bowls (400x400x(H)250 mm), each pressed from a single sheet of stainless steel, seamlessly welded into the worktop.
- With a 40mm upstand.Shelf mounted at 160 mm from the floor, leaving plenty of space for larger appliances and boxes.
- Both the worktop and shelf have a spread load capacity of 70 $\mbox{kg/m^2}.$
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- ø30mm opening for tap instalment, fits HENDI 970515 and 970508 taps.
- ø52mm drain compatible with standard traps.

code	mm	
817032	1000x600x(H)850	





11





WALL WORK TABLE CABINETS - WELDED



- Made of AISI 430 stainless steel
- Welded for high durability and stability
- Worktop filled from below with waterproof laminated board that reinforces and soundproofs the item
- Approximate maximum load per worktop 70 kg/m²
- 40 mm backsplash prevents the walls from being stained
- Door handles made of plastic
- Cabinet body moved from the wall by 100 mm to ensure easy wall-mounting
- Feet height: 160 mm, adjustable feet 25 mm upwards or 5 mm downwards

SINK TABLE WITH CABINET - WELDED

- Sink bowls pressed from a single sheet of stainless steel characterised by high resistance to food acids and chemicals.
- Sink bowl seamlessly welded into the worktop. - Sink dimensions: 400×400×(H)250 mm.
- Drain compatible with standard traps: Ø50 mm.
- Tap opening Ø30 mm.
- Worktop with 10 mm recess to prevent water from flowing out.
- Welded for high durability and stability. - Approximate maximum load per worktop - 70 kg/m².
- 40 mm backsplash prevents the walls from being stained.
- Door handles made of plastic.
- Cabinet body moved from the wall by 100 mm, no rear wall to ensure access to water and sewage connection.
- Feet height: 160 mm, adjustable feet 25 mm upwards or 5 mm downwards.



WALL WORK TABLE CABINET WITH SLIDING DOORS - WELDED

- Sliding doors mounted on roller bearings

code	mm
811641	800x600x(H)850
811658	1000x600x(H)850
811665	1200x600x(H)850
811672	1400x600x(H)850
811689	1600x600x(H)850



SINGLE SINK TABLE WITH CABINET - WELDED

- Hinged doors, hinges on the left.
- Doors are kept shut with magnetic latches.

code	mm	
1 SINK BOWL, DEP	L, DEPTH 600 MM	
813522	600x600x(H)850	
2 SINK BOWLS, DE	TH 700 MM	
813546	600x700x(H)850	

DOUBLE SINK TABLE WITH CABINET - WELDED.

– Sliding	doors
codo	

code	mm
813690	1000x600x(H)850



- Thoroughly removes all greases, oils and dirt from grills, deep fryers, ovens, extractor hoods and tiles.
- Foam can be used on all washable, alkali-resistant surfaces.
- Not suitable for aluminum or painted surfaces!
- The thick foam is ideal for vertical surfaces.

code	liters
976791	1

976791





 (\bigcirc)







SINGLE SINK TABLE BUDGET LINE - SCREWED

- Basin made of stainless steel (AISI 304), frame made of stainless steel (AISI 430).
- Basin depth: 300 mm.
- Embossed area water flow towards the sink, envelope-shaped.
- With a 40mm upstand.
- Distance from the upstand to the basin: 100 mm.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- ø30mm opening for tap instalment, fits HENDI 970515 and 970508 taps.
- ø52mm drain compatible with standard traps.
- Flat pack delivery for self-assembly (wrench included).

code	mm
811009	800x600x(H)850
811023	1000x600x(H)850



STAINLESS STEEL CLEANER

- Clean all kinds of stainless steel and aluminum surfaces.
- Ready for use, just spray and wipe.
- Comes in a 500ml spray bottle.
- Removes fingerprints and has an anti-static effect.
- After use the treated surfaces are dirt and water repellent.

code	liters
976784	0.5



976784

FURNITURES

''

F

430



304

430

SINGLE BASIN TABLE - WELDED

- Basin welded, made of AISI 304 stainless steel for high resistance to food acids and chemicals.
- Embossed area drop towards the trap, envelope-shaped.
- Drain compatible with standard traps: ø50 mm.
- 40 mm backsplash to prevent water from flowing out.
- Framework and body made of standard AISI 430, dimensions 40 x40 mm.
- Basin table front cover made of AISI 430 steel.
- Welded for high durability and stability.
- Adjustable feet: +25/-5 mm.
- Tap opening: ø30 mm.

code	mm	basin size (mm)
SINGLE BASI	N, DEPTH 600 MM, HEIGHT 300) MM
811825	800x600x(H)850	686x443x(H)300
811832	1000x600x(H)850	886x443x(H)300

SINGLE BASIN	, DEPTH 700 MM, HEIGHT 30	00 MM
812853	800x700x(H)850	686x540x(H)300
812860	1000x700x(H)850	886x540x(H)300

WALL MOUNTED CABINET WITH SLIDING DOORS -WELDED

- Made of durable stainless steel (AISI 430).
- Equipped with sliding doors with plastic handle, all on roller bearings.
- The smooth internal surface eases cleaning.
- Maximum spread load capacity per shelf: 70 kg/m².
- Welded for high durability and stability.
- Delivered with special strip brackets for mounting on the wall.

code	mm
DEPTH 300 MM	
814154	800x300x(H)600
811207	1000x300x(H)600

DEPTH 400 MM

814178	800x400x(H)600
814185	1000x400x(H)600
811214	1200x400x(H)600









430



TABLE WITH 1 SINK BOWL AND A SHELF - SCREWED, DEPTH: 600 MM

- Durable construction made entirely of AISI 430 stainless steel.
- Sink with the dimensions of 400x400x(H)250 mm.
- Sink bowl pressed from a single sheet of steel, seamlessly welded into the worktop.
- Drain compatible with standard traps: ø50 mm.
- A special opening for installing a Ø30 mm tap.
- A 40 mm backsplash on one side of the table protects the walls from stains.
- Non-adjustable shelf, distance from the floor to the bottom edge of the shelf: 160 mm.
- Legs made of 40x40 mm profiles.
- Screwed structure allows for folding, storage and transport of the piece of equipment.
- Piece of equipment designed for work performed in the kitchen.
- Approximate maximum load per worktop: 70 kg/m².
- Adjustable feet: +25/-5 mm.

code	mm	sink location
816998	800x600x(H)850	on the right
817001	800x600x(H)850	on the left

SINK TABLE - WELDED, 2 SINKS

- Sink bowls pressed from a single sheet of stainless steel characterised by high resistance to food acids and chemicals
- Sink bowl seamlessly welded into the worktop
- Sink dimensions: 400×400×(H)250 mm
- Drain compatible with standard traps: Ø50 mm
- Tap opening Ø30 mm
- Worktop with 10 mm recess to prevent water from flowing out
- Welded
- Feet made of 40×40 mm profiles
- 40 mm backsplash prevents the walls from being stained
- Feet legs moved from the wall by 50 mm to ensure easy wallmounting
- Adjustable feet 25 mm upwards or 5 mm downwards
- Approximate maximum load per worktop 70 kg/m².
- 400x400x(H)250 mm sink.

code	mm
815007	1000x600x(H)850

- 1

CHENDI DECRE 1000 ml 🖯 285

TABLE WITH SINK, DISHWASHER SPACE AND SHELF

- Made of high-quality stainless steel.
- Smooth and polished surfaces and joints for safe and easy cleaning.
- Reinforced worktop (AISI 430).
- Worktop with marine edge fitted with a 40 mm backsplash, prevents the buildup of dirt between the table and the wall.
- The integrated sink (AISI 304) measures 400x400x(H)250 mm.
- Comes with a pre-drilled tap hole of ø 30 mm.
- The reinforced shelf measurers 575x585 mm and is non-adjustable.
- The legs (AISI 430) are made of 40x40 mm tubes and fitted with adjustable feet (+25 / -5 mm).
- Available with a sink on the left side (237519) or on the right side (237526).
- Spread load capacity: ±70 kg/m².
- Bolted construction for self-assembly.
- Flatpack delivery.

code	-	mm
237519	left	1200x700x(H)850
237526	right	1200x700x(H)850

DEGREASER FOAM

- Thoroughly removes all greases, oils and dirt from grills, deep fryers, ovens, extractor hoods and tiles.
- Foam can be used on all washable, alkali-resistant surfaces.
- Not suitable for aluminum or painted surfaces!
- The thick foam is ideal for vertical surfaces.

code	liters
976791	1











LOADING TABLE WITH SINK FOR DISHWASHER

- Made of durable stainless steel, with a 510 mm wide basket guide, upstand and integrated sink (400x400 mm).
- Equipped with a catch for hood dishwashers.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Flat pack delivery, needs assembly.
- Versions available for left & right side instalment.

code	-	mm
231777	left side	1200x700x(H)850
231791	right side	1200x700x(H)850



UNLOADING TABLE FOR DISHWASHERS

- Made of durable stainless steel, with a 510 mm wide basket guide and upstand.
- Equipped with a catch for hood dishwashers.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Flat pack delivery, needs assemblage.
- Versions available for left & right side installment.

code	-	mm
231760	left side	1000x700x(H)850
231784	right side	1000x700x(H)850



MOVABLE TABLES WITH SHELF

- Made of AISI 430 stainless steel.
- Feet made of 40×40 mm profiles.
- Worktop filled from below with waterproof laminated board that reinforces and soundproofs the item.
- Steel wire shelf mounted at 200 mm, non-adjustable.
- Approximate maximum load per worktop and per shelf 70 kg/m².
- Worktop without backsplash allows the user to use the table regardless of where they stand.
- 4 low-noise, swiveling castors $\emptyset125~\text{mm},$ two of which are equipped with a brake

code	mm
815786	1000x700x(H)850
815793	1200x600x(H)850



POT STAND

- Made of durable stainless steel (AISI 430).
- Robust welded construction guarantees stability and high durability of the stand.
- Worktop reinforced with a steel profile.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Approximate maximum load per worktop (when evenly distributed): 100 kg/m².

code	mm	
815151	500x500x(H)450	
812044	550x550x(H)450	









811108

PASS-THROUGH CUPBOARD WITH PARTITION AND SLIDING DOORS

- Made of durable stainless steel (AISI 430).
- Fitted with 2, non adjustable, removable shelves and 2 fixed shelves (bottom and middle shelf).
- Equipped with 8 sliding doors with vertical handle, all on roller bearings.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Flat pack delivery, needs assembly.

code	mm
811634	800x500x(H)1800
811108	1000x600x(H)1800



PASS-THROUGH CUPBOARD WITH SLIDING DOORS

- Made of durable stainless steel (AISI 430).
- Fitted with 2, non adjustable, removable shelves and 2 fixed shelves (bottom and middle shelf).
- Equipped with 4 sliding doors with vertical handle, all on roller bearings.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Flat pack delivery, needs assembly.

code	mm	
812402	800x700x(H)1800	

229286

WALL-MOUNTED EXTRACTOR HOOD

- Made of durable stainless steel (AISI 430).
- Equipped with a set of stainless steel labyrinth filters which can be washed in dishwashers.
- With collection pan for catching fat and grime that comes from the filters.
- Fitted with an ø200 mm ventilation connection at the top.
- The hood isn't equipped with a fan, this needs to be done separately.

code	light	mm	kg
229286	-	1000x700x(H)450	32
229293	-	1200x700x(H)450	36
229309	YES	1000x700x(H)450	35
229316	YES	1200x700x(H)450	39



430

- 11

 (\bigcirc)

 \mathbb{H}

DISHWASHER 50X50 - ELECTRONIC CONTROL

- Extremely easy to use, clean and service
- Ideal for washing plates, cutlery, glassware, cups, trays
- Electronic control, touch control, electronic panel
- Detergent and rinse aid dispensers and pump as standard
- AISI 304 stainless steel housing
- Bottom rotating, separate plastic washing and stainless steel rinsing arms
- At the top stationary plastic wash arms, rotating stainless steel rinse arms

max H

- Robust double-skinned door with microswitch for operation at opening
- Maximum height of glass to be cleaned: 325 mm
- Maximum height of plates to be washed: 335 mm
- Washing water temperature 60°C
- Flushing water temperature 85°C
- Boiler (capacity/power): 6 l / 6 kW
- Bath (capacity/power): 35 l / 2.8 kW
- Washing pump: 0,75 kM
- Safety thermostat for boiler/bath: up to 105°C / 99°C
- Electronic boiler and bath water thermometer
- Sealing factor of the pump: IP 44
- Vertically adjustable feet ±10 mm, ø40 mm
- Weight: 55 kg

FUNCTIONS:

- Three washing programs: 60, 120, 180 s. (The washing program can be automatically extended by the time of warming up the rinsing water to +85°C)
- Dishwasher compartment washing programme
- Can be rinsed with cold water especially suitable for glass washing
- THERMO-PROTECTOR" system to prevent cold flushing water guarantees the start of rinsing at temp. 85°
- SOFT START" system starts the water pump at a lower level pressure
- and a gradual increase in pressure to protect delicate vessels
- 8-point self-diagnostic system
- ECO system for reduced power consumption

EQUIPMENT:

- 1 universal glass basket 500×500x(H)105 mm
- 1 basket with pins for deep and shallow plates with 5×8 pcs, 500×500x(H)105 mm
- 1 cutlery basket 110×110x(H)130 mm
- Electric detergent and rinse aid dyspenser
- Water hose 1.5 m long, with ¾" female thread connection
- Drain pump
- Drain hose

DISHWASHERS AND HYGIENE

- Electric cable without plug













electromechanical control



electronic control

Separate stainless steel washing and rinsing arms at the top





Separate stainless steel washing and rinsing arms at the bottom

DISHWASHER 50X50





electromechanical control



electronic control

Separate stainless steel washing and rinsing arms at the top





Separate plastic washing arms and stainless steel rinsing arms at the bottom

code	control	basket size	voltage (V)	rinse aid dispenser	detergent dispenser	drain pump
230299	electromechanical	40x40	230	YES		
233009	electromechanical	40x40	230	YES	YES	
233016	electromechanical	40x40	230	YES		YES
233023	electromechanical	40x40	230	YES	YES	YES
230268	electronic	40x40	230	YES	YES	YES
230305	electromechanical	50x50	400	YES		
233030	electromechanical	50x50	400	YES	YES	
233047	electromechanical	50x50	400	YES		YES
233054	electromechanical	50x50	400	YES	YES	YES
237540	electronic	50x50	230	YES	YES	YES
231753	electronic	50x50	400	YES	YES	YES



		GLASSWAS	HER 40X40	DISHWASHER 50X50		
CONTROL		electromechanical electronic		electromechanical	electronic	
INTENDED USE	ITENDED USE		es, cutlery, plates	plates, cutlery, gla	asses, mugs, trays	
WASHING PARAMETERS						
Washing cycles number/duration	s	1 - 1201)	3/60, 120, 180 ¹⁾	1 - 1201)	3/60, 120, 180 ¹⁾	
Capacity	baskets/h	30	60/30/20	30	60/30/20	
Maximum height	mm	plate 290 /	glass 295	plate 325 /	glass 335	
Water consumption per cycle	l	2-2,5	1,7	2-2	2,5	
Washing water temperature	°C	6	2	6	2	
Rinse water temperature	°C	8	5	8	5	
Boiler (capacity/power)	l/kW	3,5/	/2,5	6/	/6	
Tank (capacity/power)	l/kW	17/	2,5	35/	2,8	
Safety thermostat for boiler	°C	10)5	10)5	
Safety thermostat for tank	°C	9	9	9	9	
STANDARD EQUIPMENT						
Water thermometer in the boiler			electronic	analog	electronic	
Separate washing/rinsing arms		washing and rinsing	stainless steel arms	plastic washing arms, sta	inless steel rinsing arms	
Rinse aid dispenser		YE		YE		
Detergent dispenser		OPTION	YES	OPTION	YES	
Drain pump		OPTION	YES	OPTION	YES	
Equipment		1x universal baskets 400x400x(H)150 mm for glasses 1x basket with pins 400x400x(H)110 mm for plates 1x cutlery basket 110x110x(H)130 mm water supply hose length 1,5 m, with connection 3/4" inner thread drain hose length 2 m, Ø25 mm		1x universal baskets 500x500x(H)105 mm for glasses 1x basket with pins 500x500x(H)105 mm for plates 1x cutlery basket 110x1H)130 mm water supply hose length 1,5 m, with connection 3/4" inner thread drain hose length 2 m, 025 mm		
TECHNICAL PARAMETERS						
Dimensions (width x depth x height)	mm	470x510	x(H)710	570x600	0x(H)830	
Power	kW	2,	8	6	6,6 or 3,6 (230 V)	
Pump power	KM	0,1	0,3	0,'	75	
Pump leakage rate		IP	44	IP 44		
Voltage	٧	23	30	400	400 or 230	
Weight	kg	3	9	57	55	
FUNCTIONS						
Dishwasher self-cleaning programme			YES		YES	
"SOFT START" system 2)			YES		YES	
THERMO-PROTECTOR system 3			YES		YES	
Self-diagnosis system 4			YES		YES, 8-point	
ECO system					YES	
CONSTRUCTION						
Housing made of AISI 304 steel		YE	S	YE	ES	
Double-layer insulated doors		YE	S	YE	ES	
Vertically adjustable feet ø40 mm		±1	0	±1	10	
FLOOR STAND		222	.980	231	050	
Dimensions	mm	470x500		560x560		
Capacity		For 2 baskets 400	0x400x(H)150 mm	For 2 baskets 500)x500x(H)105 mm	

 $^{\rm 1)}$ Indicated time may be extended due to the time needed for the water in the boiler to reach 85°C

DISHWASHER FUNCTIONS

²¹ "SOFT START" – activates the water pump at a lower pressure and gradually raises the pressure to avoid damaging delicate dishes

^{3]} "THERMO-PROTECTOR" system – prevents rinsing with cold water – guarantees that rinsing will start at 85°C

^{4]} Self-diagnosis system for a quick check of the dishwasher condition



Ē

HOOD DISHWASHER - ELECTRONIC CONTROLLER

- Extremely easy to use, clean and service
- Ideal for washing plates, cutlery, glassware, cups, trays, GN 1/1 containers
- Electronic control
- Detergent and rinse aid dispensers and drain pump as standard
- Maximum height of washed plates 400 mm
- Maximum height of glass to be cleaned 395 mm
- Touch electronic control panel
- AISI 304 stainless steel housing
- Stainless steel upper and lower washing and rinsing arms
- Lifting of the hood facilitated by built-in springs
- Washing water temperature 60°C
- Temperature of rinsing, scalding water 85°C
- Boiler capacity and output 13.5 l / 7.5 kW
- Tank capacity and power 68 l / 6.0 kW
- Cleaning pump power 1,5 kM
- Electronic water thermometers for the boiler and bath separately
- Safety thermostat for boiler/bath up to 105°C / 99°C
- Sealing factor of the pump: IP 44
- Corner installation of dishwasher possible
- Water connection: 3/4"
- Weight: 131.5 kg
- Adjustable stainless steel feet from 100 to 150 mm

FUNCTIONS:

- Three washing programs: 60, 120, 240 s
- Dishwasher compartment washing programme
- Possibility of a final rinse with cold water especially useful when washing glass
- "THERMO-PROTECTOR" system to prevent rinsing with cold water
- 8-point self-diagnostic system
- "SOFT START" function to start the water pump at a lower pressure and raise it gradually so as not to damage delicate dishes
- Door with microswitch for operation when hood is raised
- ECO function reduces power consumption when the device is not used for more than 15 minutes

EQUIPMENT:

- 1 universal glass basket 500×500x(H)105 mm
- 1 basket with pins for deep and shallow plates with 5×8 pcs, 500×500x(H)105 mm
- 1 cutlery basket 110×110x(H)130 mm
- Rinse aid and detergent dispenser
- Drain pump
- Water hose 1.5 m long, with 3/4" female thread connection.
- Drain hose
- Electric cable without plug



Hood dishwasher electronic controller Unloading table for dishwashers

W1Q

GN

1/1

max H

400 mm

Dishwasher basket for glassware

Trolley for dishwasher racks







Separate stainless steel washing and rinsing arms at the top



Separate stainless steel washing and rinsing arms at the bottom

code	control	basket size	voltage (V)	rinse aid dispenser	detergent dispenser	drain pump
230312	electromechanical	50x50	400	YES		
233061	electromechanical	50x50	400	YES	YES	
231340	electronic	50x50	400	YES	YES	YES

CONTROLelectronechanicalelectronechanicalINTENDED USEpiste, cutlery, disase, strays, EN containerWashing optices number/durations1-120"3/6/0.180"Capacitybasketh306/0.0015Maximum heightmmglass 39/ Jate 400Washing owner temperature*C2-2.51,7Washing water temperature*C2-2.51,35.7.5Tank Capacity/power!1/ KW7/0.7513.57.5Tank Capacity/power!1/ KW7/0.753.57.5Steley thermostat for baler*C99Steley thermostat for baler*C99Steley thermostat for baler*C99Steley thermostat for baler*C1515Steley thermostat for baler*C1515 <th></th> <th></th> <th colspan="4">HOOD DISHWASHEER 50X50</th>			HOOD DISHWASHEER 50X50			
Washing Parkameters 3/6/0.10.10/1 Washing sycles number/duration s 1-120 ¹⁰ 3/6/0.10.10/1 Opencity basketch 30 6/0.00/15 Maimum height mm glass 95/ plate 400 6/0.00/15 Maimum height mm glass 95/ plate 400 6/0.00/15 Water consumption per cycle L 2-2.5 1.7 7 Water termperature °C 62 7 7 Boler (capacity/power) L/ KW 7,47.5 13,507.5 13,507.5 Tank (capacity/power) L/ KW 6/4/5 5 5 Safety thermosater for basin °C 99 5 5 StanDarD EDUIPMENT °C 99 5 5 5 5 StanDarD Eduipment °C 99 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	CONTROL		electromechanical	electronic		
Mashing cycles number/duration s 1 - 120" 3/60, 120, 180" Capacity baskets/h 30 6/03015 6/03015 Maximum height mm glass 395 / plate 400 6/03015 Water consumption per cycle L 2-25 1.7 Mashing water temperature °C 6/2 7 Rise water temperature °C 8/2 7 Boiler (apacity/power) L / WW 7,47,5 13,57,5 Safety thermostal for boiler °C 97 5 Vater thermostal for boiler °C 97 5 Safety thermostal for boiler °C 97 5 Detergent dispenser VES VES VES Detergent dispenser VES VES 10 10 <th colspan="2">INTENDED USE</th> <th>plates, cutlery, glasses, mu</th> <th>ıgs, trays, GN containers</th>	INTENDED USE		plates, cutlery, glasses, mu	ıgs, trays, GN containers		
Capacity baskets/h 30 64/30/15 Maximum height mm glass 375 / plate 400 0 Washing water temperature °C 62 1.7 Washing water temperature °C 63 5 Boiler (capacity/power! 1 / kW 7.47,5 13,57,5 Tank (capacity/power! 1 / kW 63/4 5 Safety thermostal for boiler °C 63/4 5 Safety thermostal for boiler °C 63/4 5 Safety thermostal for boiler °C 97 5 Safety thermostal for boiler °C 97 5 Safety thermostal for tank °C 97 5 Safety thermostal for tank <td< th=""><th>WASHING PARAMETERS</th><th></th><th></th><th></th></td<>	WASHING PARAMETERS					
Maximum height mm glass 3% / plate 400 Water consumption per cycle 1 2-2.5 1.7 Water consumption per cycle 1 2-2.5 2 Rines water temperature °C 62 2 Rines water temperature °C 85 13,57/5 Boller (capach/power) 1 / KW 64/6 5 Safely thermostal for bolier °C 105 5 Safely thermostal for bolier °C 97 5 Detergent dispenser OPTION YES 5 Detergent dispenser OPTION	Washing cycles number/duration	s	1 - 120 ¹⁾	3/60, 120, 180 ¹⁾		
Water consumption per cycle I 2-2.5 1,7 Washing water temperature °C 62 63 Rines water temperature °C 35 13,5/7,5 Bailer (capacity/power) 1 / WW 7,4/7,5 13,5/7,5 Tank (capacity/power) 1 / WW 7,4/7,5 13,5/7,5 Tank (capacity/power) 1 / WW 48/8 5 Safety thermostat for baler °C 9 5 Safety thermostat for baler °C YES 5 Detained dispenser °C YES 7 Safety thermostat for baler YES 7 5 Safety thermostat for baler	Capacity	baskets/h	30	60/30/15		
Washing water temperature °C 62 Rines water temperature °C 85 Biolier (capacity/power) L/ kW 7,47,5 13,57,5 Tank (capacity/power) L/ kW 68/6 Safety thermostal for baller °C 99 STANDARD EQUIPMENT 97 Electronic touch control panel YES YES Water thermometer in the baller and the basin stainless stel washing arms at the bottom and top YES Rines aid dispenser OPTION YES Detergent dispenser OPTION YES Surface filters above water tevel in the basin 12 kurversal basket 500-5004/H105 mm for plates 1x curversal basket 500-5004/H105 mm for plates Surface filters above water tevel in the basin YES Equipment YES Vater surpery hose, length 1.5 m, with 3/c female thread YES Dimensions (with x deight x height) mm 750-4890x/H1130 mm Power cord with x height) mm 750-4890x/H1130 mm Power cord with x height mm 750-4890x/H1130 mm Power cord with x height mm 750-4890x/H1130 mm Power cord with x height mm 750-4890x/H1130 mm Power kW 8.4 Power Power kW 8.4 Power	Maximum height	mm	glass 395 /	plate 400		
Rinse water temperature °C 85 Boiler (apacity/power) U/ KW 7.47.5 13.57.5 Boiler (apacity/power) U/ KW 606 Safety thermostat for boiler °C 99 Safety thermostat for boiler °C 99 Stank (apacity/power) V/ KW 606 Safety thermostat for boiler °C 99 Stank (apacity/power) VES 9 Electronic touch control panel YES 9 Separate washing/rinsing arms stainless steel washing and rinsing arms at the boiltom and top Rins aid dispenser Comparate washing/rinsing arms stainless steel washing and rinsing arms at the boiltom and top YES Equipment VES 12 basket thip in SDACOADUHIDS mm for plates 12 basket thip in SDACOADUHIDS mm for plates Surface filters above water VES 12 basket thip in SDACOADUHIDS mm for plates 12 basket thip in SDACOADUHIDS mm for plates Surface filters above water VES VES 12 basket thip SDACOADUHIDS mm for plates Vers rapping hose, length 15 m, with 3/4 fremule thread YES 12 basket thip SDACOADUHIDS mm for plates Vers rapping hose, length 15 m, with 3/4 fremule thread YES 12 basket thip SDACOADUHIDS mm for plates Power ord without plug YES 13 basket thip SDACOADUHIDS mm	Water consumption per cycle	l	2-2,5	1,7		
Boiler (capacity/power) I / kW 7,4/7,5 13,5/7,5 Tank (capacity/power) I / kW 68/6 Safety thermostat for balar *C 99 Stakety thermostat for balar *C 99 Stakety thermostat for balar *C 99 Stakety thermostat for balar *C 99 Staket thermometer in the balar and the basin YES Water thermometer in the balar and the basin stainless steel washing arms at the bottom and top Rinse aid dispenser OPTION YES Detergent dispenser OPTION YES Surface filters above water tere in the basin 4 pcs Vater supph hose, length 1.5 m, with 3/4 (remate thread YES TECHNICAL PARAMETERS YES Dimensions with 3/4 (remate thread YES Power ord Whose, length 1.5 m, with 3/4 (remate thread YES Power ord Whose length 1.5 m, with 3/4 (remate thread N Power ord Whose length 1.5 Pump leades area YES Staff consistors YES Staff consistors YES Dimensions NM YES YES Dimensions YES Dimensions YES Staff consolid Staff consistor YES <t< td=""><td>Washing water temperature</td><td>°C</td><td>62</td><td></td></t<>	Washing water temperature	°C	62			
Tank (capacity/power) I / WW 68/6 Safe y thermostat for baile °C 105 Safe y thermostat for baile °C 9 STANDARD EQUIPMENT YES 105 Electronic touch control panel YES 106 Add the basin Separate washing/rinsing arms Stainless steel washing and mising arms at the bottom and top Rinse aid dispenser OPTION YES Detergent dispenser OPTION YES Equipment YES YES Surface filters above water tru uiversal basket 500x500x/HI105 mm for glasses Tx basket with pins S00x00X/HI105 mm for glasses YES Surface filters above water YES YES Water supply hose, length 15 m, with 3/4 Ternale thread YES Power ord without plug YES YES Power ord without plug YES YES Pump leakage rate KW 1.5 Pump power KM 1.5 Pump leakage rate KW YES Veleght kg 111 131,5 ELECHNICAL PARAMETERS YES YES Dishwasher self-cleaning programme </td <td>Rinse water temperature</td> <td>°C</td> <td>85</td> <td></td>	Rinse water temperature	°C	85			
Safety thermostat for boiler °C 105 Safety thermostat for tank °C 99 STANDARD EQUIPMENT VES Electronic touch control panel VES Water thermometer in the boiler and the basin stainless statel washing and mining arms at the bottom and top Separate washing/rinsing arms stainless statel washing and mining arms at the bottom and top Separate washing/rinsing arms stainless statel washing and mining arms at the bottom and top Separate washing/rinsing arms Stainless statel washing and mining arms at the bottom and top Separate washing/rinsing arms Stainless statel washing and mining arms at the bottom and top Separate washing/rinsing arms VES Detergent dispenser OPTION VES Equipment 1x universal basket 500:500x/H1105 mm for glasses 1x basket with pins 500:500x/H1105 mm for glasses 1x cuttory basket 1001/H1108 mm Surface filters above water level in the basin 4 pcs Power cord without plug YES Power cord without plug YES Dimensions mm Water supply hose, length 15 m, with 3/C female thread W Nord additional screen in front of the pump inlet mm Ves 8.6 Power KW 8.6 Pump power KW 1.5 Pump power	Boiler (capacity/power)	l/kW	7,4/7,5	13,5/7,5		
Safety thermostat for tank °C 99 STANARD EQUIPMENT VES Electronic touch control panel NES Water thermometer in the boiler and the basin stainless steel washing and rinsing arms at the bottom and top Rinse aid dispenser OP10N VES Detergent dispenser OP10N VES Equipment YES VES Surface filters above water level in the basin 4 pcs Additional screen in front of the pump inlet Surface filters above water level in the basin YES YES Vater supply hose, length 1.5 m, with 3/4 'tenale thread YES Power cord without plug YES Power cord without plug YES Power KM 1,5 Pump power YES YES <	Tank (capacity/power)	l/kW	68/6	6		
STANDARD EQUIPMENT VES Electronic touch control panel YES Water thermometer in the boiler and the basin analog electronic and the basin Stainless steel washing and rinsing arms at the bottom and top Rinse aid dispenser YES Detergent dispenser OPTION YES YES Equipment 1's universal basket 500x500.0H/1105 mm for plasses 1'x basket 100x500.0H/1105 mm for plasses 1'x cutery basket 110x110/kH/130 mm Surface filters above water terevent the basin Surface filters above water level in the basin YES YES Water supply hose, length 1.5 m, with 3/4' remale thread YES YES Water supply hose, length 1.5 m, with 3/4' remale thread YES YES Dimensions Windt's depth x height] mm 750x880x[H]1390/1830 YES Power ord without plug YES YES YES Velight kg 111 131,5 Pump leakage rate KW YES YES SoFT START" system "I YES YES YES SoFT START system "I YES YES YES SoFT START of ASI 304 keto	Safety thermostat for boiler	°C	105			
Electronic touch control panel YES Water thermometer in the boiler and the basin analog electronic Separate washing/rinsing arms stainless steel washing arms at the bottom and top Rinse aid dispenser VES Detergent dispenser OPTION YES Equipment YES YES Surface filters above water level in the basin YES YES Surface filters above water level in the basin YES YES Additional screen in front of the pump intet YES YES Power cord without plug YES YES Power cord without plug YES YES Power cord without plug YES YES Power ord without plug YES YES Power K kW 8,6 YES Pump pakage rate KW YES Sufficience YES YES Dishwasher self-cleaning programme	Safety thermostat for tank	°C	99			
Water thermometer in the boiler and the basin electronic and the basin stainless steel washing and rinsing arms at the bottom and top Rinse aid dispenser VES Detergent dispenser OPTION VES Equipment Ix universal back t500500/H1105 mm for glasses 1x basket with pins 500:5000/H1105 mm for glasses 1x cuttery basket 110x110/H1103 mm Surface filters above water level in the basin 4 pcs Is universal back t500500/H1105 mm for glasses 1x cuttery basket 110x110/H1103 mm Surface filters above water level in the basin VES VES VES Additional screen in front of the pump intel VES VES VES Power cord without plug VES VES VES VES Power ord without plug VES VES<	STANDARD EQUIPMENT					
and the basin electronic Separate washing/rinsing arms at the bottom and top Rinse aid dispenser VES Detergent dispenser OPTION Equipment 1x universal basket 500-500/41105 mm for glasses 1x basket with pins 500-500/41105 mm for glasses 1x basket with pins 500-500/41105 mm for glasses Surface filters above water level in the basin 4 pcs Additional screen in front of the pump inlet YES Water supply hose, length 1.5 m, with 3/4" female thread YES Power ord without plug YES Dimensions mm 750x880x/H1390/1830 mm Power ord without plug 8,6 Pump power KW Valge 11 Vising 11 Pump leakage rate KW Vigget YES Dishwasher self-cleaning programme YES Self-StaRT 'system ³¹ YES THERMO-PROTECTOR system ³⁴ YES Self-Cleaning programme YES Self-StaRT 'system ³¹ YES THERMO-PROTECTOR system ³⁴ YES Obor with microswitch for operation with the hood raised YES Door with microswitch for operation with the hood raised YES Door with microswitch for operation with the hood raised YES <td< td=""><td>Electronic touch control panel</td><td></td><td></td><td>YES</td></td<>	Electronic touch control panel			YES		
Rinse aid dispenser YES Detergent dispenser OPTION YES Equipment 1x universal basket 500x500xHII 05 mm for glasses 1x basket with pins 500x500xHII 05 mm for plates 1x cutlery basket 110x1 10xHII 05 mm YES Surface filters above water level in the basin 4 pcs 4 Additional screen in front of the pump inlet YES Water supply hose, length 1.5 m, with 3/4" female thread YES Power cord without plug YES TECHNICAL PARAMETERS Dimensions (width x depth x height) mm 750x880xHII 1390/1830 Power cord without plug 8,6 Pump power KW 8,6 Pump power KW 8,6 Pump power KM 1,5 Pump power KM 131,5 FUNCTIONS YES Soft START' system ³⁰ YES THERMO-PROTECTOR system ³⁰ YES Self-diagnosis system ⁴⁰ YES Construction YES Dor with microswitch for operation with the hood raised YES Dor with microswitch for operation with the hood raised dAISI 304 steel YES			analog	electronic		
Detergent dispenser OPTION YES Equipment 1x universal baske 100x000/H1105 mm for glasses 1x basket with pins 500x500/H1105 mm for glasses 1x cuttery basket 110x110(H1130 mm 1 Surface filters above water Level in the basin 4 pcs 4 Additional screen in front of the pump inlet YES 1 Water supply hose, length 1.5 m, with 3/4" female thread YES 1 Power cord without plug YES 1 Dimensions with 3/4" female thread Mm 750x880x/H11390/1830 Power KW 8,6 Pump power KM 1,5 Pump leakage rate KW 131,5 Voltage V 400 Weight kg 111 131,5 FUNCTIONS YES YES YES SofT START" system ³¹ YES YES Cobs with microswitch for operation with the hood raised YES YES Door with microswitch for operation with the hood raised dAISI 304 steel YES YES	Separate washing/rinsing arms		stainless steel washing and rinsi	ng arms at the bottom and top		
Equipment 1x universal basket 500x500x[H]105 mm for glasses Surface filters above water 1x universal basket twith pins 500x500x[H]105 mm for plates Surface filters above water 4 pcs Level in the basin 4 pcs Additional screen in front of YES Water supply hose, length 1.5 m, YES Power cord without plug YES TECHNICAL PARAMETERS YES Dimensions mm Ividiage KM Power KM Voltage V Voltage V Voltage V Voltage V Voltage YES FUNCTIONS YES Dishwasher self-cleaning programme YES *SOFT START' system ³ YES THERMO-PROTECTOR system ³⁴ YES Dor with microswitch for operation with hood raised YES Dor with microswitch for operation with hood raised YES	Rinse aid dispenser		YES	5		
Equipment 1x basket with pins 500x500x1H1105 mm for plates 1x cuttery basket 110x110x1H130 mm Surface filters above water level in the basin 4 pcs Additional screen in front of the pump inlet YES Water supply hose, length 1.5 m, with 3/4 female thread YES Power cord without plug YES Power cord without plug YES Dimensions Width x depth x height] mm 750x880x[H]1390/1830 Power KW 8,6 Pump power KW 8,6 Pump power KW 1,5 Pump power KW 131,5 FUNCTONS YES YES Disbuscher self-cleaning programme YES YES Soft FJART "system "1 131,5 YES THERMO-PROTECTOR system "1 YES YES Soft FJART "system "1 YES YES Soft Glagnosis system 4 YES YES ECO system YES YES Down with microswitch for operation with the hood raised YES Down with microswitch for operation with the hood raised AISI 304 steel YES Down with microswitch dorors YES YES <td>Detergent dispenser</td> <td></td> <td>OPTION</td> <td>YES</td>	Detergent dispenser		OPTION	YES		
tevel in the basin 4 pcs Additional screen in front of the pump inlet YES With syler, length 1.5 m, with 3/4" female thread YES Power cord without plug VES TECHNICAL PARAMETERS VES Dimensions (with x height) mm Power KW Power KW Power KM Pump power KM Voltage V Voltage V Voltage V Voltage V SofF START "system 3I YES SofF START "system 3I YES Soff Start for operation with microswitch for operation with heod raised YES Construction YES Heusing made of AISI 304 steel YES	Equipment		1x basket with pins 500x500x(H)105 mm for plates			
the pump inlet YES Water supply hose, length 1.5 m, with 3/4" female thread YES Power cord without plug YES Dimensions (widt x depth x height) mm 750x880x(H)1390/1830 Power kW 8,6 Pump power KM 1,5 Pump power KW 10 Voltage V 400 0 Weight kg 111 131,5 FUNCTIONS YES 15 Self-diagnosis system ²¹ YES 131,5 FUNCTIONS YES 131,5 THERMO-PROTECTOR system ²¹ YES YES Self-diagnosis system ²¹ YES YES CONSTRUCTION YES YES Housing made of AISI 304 steel YES YES			4 pc	S		
with 3/4" female thread TES Power cord without plug YES TECHNICAL PARAMETERS mm 750x880x/H)1390/1830 Dimensions (width x depth x height) mm 750x880x/H)1390/1830 Power KW 8,6 Pomp power KM 1,5 Pump power KM 19/44 Votage V 400 Weight kg 111 131,5 FUNCTIONS YES Dishwasher self-cleaning programme YES YES Self-cliagnosis system ^{al} YES YES Constructions YES YES Self-cliagnosis system ^{al} YES YES Self-diagnosis system ^{al} YES YES Construction YES YES Housing made of AISI 304 steel YES YES Double-layer insulated doors YES YES			YES	;		
TECHNICAL PARAMETERS Dimensions (width x depth x height) mm 750x880x(H11390/1830 Power kW 8,6 Pump power KM 1,5 Pump leakage rate kW IP 44 Voltage V 400 Weight kg 111 131,5 FUNCTIONS VES VES SOFT START" system ²¹ VES YES Soft START" system ²¹ YES YES Construction system ⁴¹ Other state YES Door with microswitch for operation with the hood raised YES YES Construction YES YES YES Housing made of AISI 304 steel YES YES Double-layer insulated doors YES YES			YES	;		
Dimensions (width x depth x height)mm750x880x(H)1390/1830PowerKW8,6Pump powerKM1,5Pump leakage rateKWIP 44VoltageV400Weightkg111131,5FUNCTIONSFUNCTIONSYESSoFT START" system 21YESTHERMO-PROTECTOR system 21YESStelf-diagnosis system 41YESECO systemYESDoor with microswitch for operation with the hood raisedYESCONSTRUCTIONYESHousing made of AISI 304 steelYESDouble-layer insulated doorsYES	Power cord without plug		YES	5		
width x depth x height)mm750X880XH11390/1830PowerkW8,6Pump powerKM1,5Pump leakage ratekWIP 44VoltageV400Weightkg111131,5131,5FUNCTIONSDishwasher self-cleaning programmeYESSOFT START" system 3YESTHERMO-PROTECTOR system 3YESSelf-diagnosis system 4YESECO systemYESDoor with microswitch for operation with the hood raisedYESDouble-layer insulated doorsYESDouble-layer insulated doorsYES	TECHNICAL PARAMETERS					
Pump powerKM1,5Pump leakage ratekWIP 44VoltageV400Weightkg111131,5FUNCTIONSDishwasher self-cleaning programmeYESSOFT START" system 21YESYESTHERMO-PROTECTOR system 31YESYESSelf-diagnosis system 41YESYESDoor with microswitch for operation with the hood raisedYESYESDoor with microswitch for operation with the hood raisedYESYESDouble-layer insulated doorsYESYES		mm	750x880x(H)	1390/1830		
Pump leakage rate kW IP 44 Voltage V 400 Weight kg 111 131,5 FUNCTIONS Image: State of the	Power	kW	8,6			
Voltage V 400 Weight kg 111 131,5 FUNCTIONS V V V Dishwasher self-cleaning programme YES YES "SOFT START" system 21 YES YES THERMO-PROTECTOR system 31 YES YES Self-diagnosis system 41 YES, 8-point YES Door with microswitch for operation with the hood raised YES YES CONSTRUCTION YES YES Housing made of AISI 304 steel YES YES Double-layer insulated doors YES YES	Pump power	KM	1,5			
Weight kg 111 131,5 FUNCTIONS VES Dishwasher self-cleaning programme YES "SOFT START" system ²¹ YES THERMO-PROTECTOR system ³¹ YES Self-diagnosis system ⁴¹ YES Self-diagnosis system ⁴¹ YES Door with microswitch for operation with the hood raised YES CONSTRUCTION YES Housing made of AISI 304 steel YES Double-layer insulated doors YES	Pump leakage rate	kW	IP 4	4		
FUNCTIONS Dishwasher self-cleaning programme YES "SOFT START" system 21 YES THERMO-PROTECTOR system 31 YES Self-diagnosis system 41 YES Self-diagnosis system 41 YES Construction YES Door with microswitch for operation with the hood raised YES CONSTRUCTION YES Housing made of AISI 304 steel YES Double-layer insulated doors YES	Voltage	V	400	l		
Dishwasher self-cleaning programme YES "SOFT START" system 21 YES THERMO-PROTECTOR system 31 YES Self-diagnosis system 41 YES Self-diagnosis system 41 YES CON with microswitch for operation with the hood raised YES Door with microswitch for operation with the hood raised YES Housing made of AISI 304 steel YES Double-layer insulated doors YES	Weight	kg	111	131,5		
programme TES "SOFT START" system ²¹ YES THERMO-PROTECTOR system ³¹ YES Self-diagnosis system ⁴¹ YES, 8-point ECO system YES Door with microswitch for operation with the hood raised YES CONSTRUCTION YES Housing made of AISI 304 steel YES Double-layer insulated doors YES	FUNCTIONS					
THERM0-PROTECTOR system ³¹ YES Self-diagnosis system ⁴¹ YES, 8-point EC0 system YES Door with microswitch for operation with the hood raised YES CONSTRUCTION YES Housing made of AISI 304 steel YES Double-layer insulated doors YES	5			YES		
Self-diagnosis system 4 YES, 8-point EC0 system YES Door with microswitch for operation with the hood raised YES CONSTRUCTION YES Housing made of AISI 304 steel YES Double-layer insulated doors YES	"SOFT START" system 2)			YES		
ECO system YES Door with microswitch for operation with the hood raised YES CONSTRUCTION YES Housing made of AISI 304 steel YES Double-layer insulated doors YES				YES		
Door with microswitch for operation with the hood raised YES CONSTRUCTION YES Housing made of AISI 304 steel YES Double-layer insulated doors YES	Self-diagnosis system ^{4]}			YES, 8-point		
with the hood raised YES CONSTRUCTION YES Housing made of AISI 304 steel YES Double-layer insulated doors YES	EC0 system			YES		
Housing made of AISI 304 steel YES Double-layer insulated doors YES				YES		
Double-layer insulated doors YES	CONSTRUCTION					
	Housing made of AISI 304 steel		YES	6		
Vertically adjustable feet mm from 100 to 150 mm	Double-layer insulated doors		YES			
	Vertically adjustable feet	mm	from 100 to	150 mm		

¹⁾ Indicated time may be extended due to the time needed for the water in the boiler to reach 85°C

DISHWASHER FUNCTIONS

²¹ "SOFT START" – activates the water pump at a lower pressure and gradually raises the pressure to avoid damaging delicate dishes

^{3]} "THERMO-PROTECTOR" system – prevents rinsing with cold water – guarantees that rinsing will start at 85°C

^{4]} Self-diagnosis system for a quick check of the dishwasher condition

HENDI

F

50X60 DISHWASHER FOR TRAYS AND POTS - ELECTRONICALLY CONTROLLED, WITH DETERGENT DOSING SYSTEM AND DRAIN PUMP



- Specialised dishwasher, perfect for washing and scalding pots, GN containers, 600x400 mm confectionery trays, flasks, trays or cutlery.
- 3 electronically controlled washing cycles: 120s, 180s, 240s.
- Scalding temperature: 82°C.
- Washing temperature: 60°C.
- Boiler capacity/power: 7.4 L/6 kW.
- Basin capacity/power: 58 L/6 kW.
- Electronic touch panel.
- Automatic cleaning system.
- Pump tightness coefficient: IP 44.
- Large basket: 500x600 mm.
- Two-layer housing made of AISI 304 stainless steel.
- Washing and rinsing arms made of stainless steel.
- Weight: 57 kg.

- EQUIPMENT:
- Detergent dispenser.
- Rinse aid dispenser.
- Electronic thermometer in boiler.
- Electronic thermometer in basin. - 1,2 kW washing pump.
- Drain pump.
- Plate basket 500x600x(H)105 mm.
- Universal basket 500x600x(H)105 mm.
- Cutlery basket 110x110x(H)130 mm.

code ٧ W mm 236574 400 7100 595x730x(H)1340

HENDI





GREASE TRAP

- Prevents grease from blocking the sewer system.
- For indoor use (dishwashing areas, kitchens).
- Compact size, completely made from stainless steel.
- The gasketed lid secured in place with four clamps.
- Water in & out connections Ø50 mm.
- Two vertical interior baffles separating grease and silt.
- Grease removal drain fitted with a ball valve.

code	-	liters	mm
975718	300l/h	30	650x346x(H)308
975725	600l/h	60	728x416x(H)398
979945	1800l/h	180	903x548x(H)629





GREASE FILTER FOR DEEP FRYER - 50 PCS

 Made of ray 	on (synthetic silk).	
code	packed per	mm
632802	50	254x254

632901



code	mm
632901	ø250x(H)240





297

S.S.

 $|\bigcirc$







SINGLE PEDESTAL PRE-RINSER

- Single pedestal pillar tap.
- Rinser resistant to high pressure water flow.
- Maximum water flow: 17 L/min. at a pressure of 4 bar.
- Plastic rinser handle.
- Adjustable column support.
- Wall mount (optional shortening).
- Connection hoses: 1/2", 400 mm long each.
- Table hole required: Ø 27 mm.

code	
970300	



PULL-OUT BASIN TAP

- Made from stainless steel
- Single hole, rotary spout
- Stream control
- Shower length: 150 cm
- Required table opening: 32 mm
- Connector hoses: 3/8", length: 350 mm
- Spout range: 230 mm
- Tap height: 230 mm

code 810255



SINK TAP

- Single-hole, separate knobs for hot and cold.
- Connection hoses: 1/2".
- Mounting hole required: ø30 mm.
- Swivel spout, radius 250 mm.

code

970508



SINK TAP WITH LONG LEVER

- Long lever for mixing hot and cold water.
- Connection hoses: 3/8".
- Mounting hole required: ø35 mm.
- Swivel spout, radius 215 mm.
- code

970522



TAP WITH PULL OUT RINSER

- Single-hole pillar tap.
- Rinser resistant to high pressure water flow.
- Plastic rinser casing.
- Adjustable column support.
- Wall mount (optional shortening).
- Connection hoses: 1/2".
- Table hole required: Ø 30 mm.
- Spout reach 280 mm.
 - code

970515



WASHBASIN KNEE OPERATED

- Made of stainless steel, button made from chrome plated plastic and the valve from copper.
- The basin has a diameter of 350 mm and a depth of 123 mm.
- Easy to operate with a knee.
- Connecting materials included.

code	mm	
810316	400x400x(H)450	



With kneeoperated faucet 18/10


810309

KITCHEN SINK - WITH KNEE-OPERATED FAUCET

- Turn on the water in a hygienic way by simply pressing your knee against the front panel.
- Equipped with hot and cold water mixer which is located under the front panel.
- Basin and backsplash made of 18/10 stainless steel.
- Comes with spout and soap dispenser.
- Front panel dimensions: 285x(H)185 mm.
- Sink dimensions: 330x230x(H)120 mm.
- Water connection: 1/2", drain hole Ø 52 mm.

code	mm
810309	400x335x(H)570





DISHWASHER BASKET FOR GLASSWARE

code	-	mm
877050	9 compartments	500x500x(H)104
877043	16 compartments	500x500x(H)104
877036	25 compartments	500x500x(H)104
877029	36 compartments	500x500x(H)104
877012	49 compartments	500x500x(H)104



- For use with HENDI dishwasher baskets. _

-	Unce	Instal	led r	not	remova	ble	with	out	brea	king.

code	-	mm
877302	1 compartment	500x500x(H)45
877548	9 compartments	500x500x(H)45
877531	16 compartments	500x500x(H)45
877524	25 compartments	500x500x(H)45
877517	36 compartments	500x500x(H)45
877500	49 compartments	500x500x(H)45



DISHWASHER UNIVERSAL BASKET

- Suitable for cups, pots, bowls, etc.
- The structure allows for maximum flow of water between the dishes in all directions With coarse mesh bottom



DISHWASHER BASKET FOR PLATES DISHWASHER BASKET FOR

- The structure allows for maximum flow of water between the dishes in all directions.
- With pre-shaped pins.
- The spaces between separators create the optimum tilt of plates necessary for effective washing.


500 50n 877203

CUTLERY

- The structure allows for maximum flow of water between the dishes in all directions.
- The fine mesh bottom prevents cutlery from falling through.

			, , , , , , , , , , , , , , , , , , ,		
code	mm	code	mm	code	mm
877005	500x500x(H)100	877104	500x500x(H)100	877203	500x500x(H)100








DISHWASHER BASKET FOR TRAYS

- The structure allows for maximum flow of water between the trays in all directions.
- With pre-shaped pins.
- With one open end for trays and other long items.

code	mm
877111	500x500x(H)100



DISHWASHER BASKET FOR GLASSES

- The structure allows for maximum flow of water between the glasses in all directions.

code	-	mm
871331		400x400x(H)150
871348	with 20 support pins	400x400x(H)110

Summer In



- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution - 100 kg.

5	5
code	mm
810583	615x560x(H)1700

			TT BART TT BART STREAM		polypropylene
871102		DE	871300	871324	(projp. opj.com)
CUTLERY B		polyethylene	CUTLERY B	ASKET	
– 8 sections wi	th handle.		code	mm	
code	mm		871300	110x110x(H)140	
871102	425x205x(H)150				
			CUTLERY B	BASKET	
			code	mm	
			871324	125x84x(H)135	
			LID FOR RA		877180
			code 877180	mm 500x500	
RACKS WIT	OR DISHWASHER HANDLE	2	RACKS	OR DISHWASHE	polypropylene
 4 wheels, 2 rev Stainless steel 		ACU.	4 WIICCIS, Z I	evolving with bidke d	nu z niteu.
code	mm		code	mm	
877197	575x545x(H)920		877173	575x545x(H)210	





 $|\bigcirc|$



EGG STERILIZER, 30 EGGS

- Indispensable for each kitchen in school, hotel, restaurant, canteen or pastry shop.
- Disinfects 30 eggs at a time.
- UV resistant grid fixed in bearing drawer.
- Eggs get sterilized in a process of irradiation with waves of 253,7 nm length.
- Irradiation (sterilization) takes around 2,30 minutes.
- Eggs can be used right after the disinfection process.
- Lamps are turned off automatically when opening the drawer.
- Stainless steel casing.
- Bearing-mounted egg rack made of stainless steel.
- UV radiator life: 7500 h.

code	-	٧	W	mm	
281208	30 eggs	230	78	358x512x(H)255	



CHEF'S HAT - 10 PCS

- Pleated nonwoven PP material.
- Perforated crown.

_	Adjus	tahla	cizo	
	Aujus	ubic	5120	

code	
560044	

302

ø600x(H)230

mm



UV STERILIZER

- Perfect for sterilizing knives, capacity for 14 knives.
- Made of stainless steel with plexiglass door.
- Fitted with stainless steel knife holder.
- Sterilizes by means of bactericidal ultraviolet light.
- Equipped with a microswitch to prevent operation while the door is open.
- Integrated timer adjustable up to 60 minutes.
- Accommodates the maximum size knives:
- handle length max 150 mm,
- blade length max 350 mm,
- grip thickness min 15 mm.

code	V	W	mm
281246	230	25	510x160x(H)610



221808

PMMA

HAND DRYER

- Electric activation by motion detector.
- Fitted with lead and plug Impact resistant metal casing in white epoxy finish.

code	V	W	mm				
221808	230	1500	240x210x(H)265				



D.S.



WET FLOOR SIGN

Foot-operated clamping mechanism keeps the bag closed

944660

TRASH BAG HOLDER

- Frame made of stainless steel.

- 2 caster wheels with brakes.

- Intended for 60x90 cm, 70/80L garbage bags.

S.S.

- Warning in 5 languages.

code	mm
663950	300x460x(H)615



LAUNDRY BAG FOR LAUNDRY TROLLEY – Laundry bag for HENDI Laundry trolley 691083.

- Made of Oxford fabric.
- Can be cleaned in a washing machine.

code 691090



mm

360x360x(H)740

TRAS	H BI	N 4	3 L	
N 4 1	<i>c</i> .	1.1		÷

-	Made	of stainless steel.	

-	With	swivel	lid.	

	c	le							

691120

S.S.

code	mm
691021	420x580x(H)960
944660	Rubber band for Trash bag holder

- Foot-operated clamping mechanism keeps the bag closed.

691021



AMER * BOX®

NEW













691038

ROUND CONTAINER BODY

code	liters	mm
691038	120	ø550x(H)690
691403	80	ø490x(H)620



691045



691052



691069



ROUND LID

code	-	mm
691045	fits 691038	ø570x(H)35
691410	fits 691403	ø505x(H)35

ROUND OPEN COVER

code	-	mm
691052	fits 691038	ø570x(H)135
691427	fits 691403	ø510x(H)120

FLIP OPEN COVER

code	-	mm
691069	fits 691038	ø580x(H)190
691434	fits 691403	ø505x(H)190

ROUND TROLLEY

code	-	mm
691076	fits 691038	ø455x(H)165
691441	fits 691403	ø400x(H)165













STEP-ON CONTAINER

code	liters	mm
691151	68	490x410x(H)660
691168	87	500x410x(H)815





SLIM RECTANGLE CONTAINER 60L

Removable ashtray

ø135 mm

ø240 mm

691397

for easy cleaning and emptying of the bin

mm

660 331

code	liters	mm
691137	60	455x315x(H)580

BINS AND ASHTRAY STANDS

- Stainless steel body Polished surface finish Comfortable, hygienic opening Anti-slip pedal Innovative "click-lock" system

locking the lid after opening Polypropylene inner bin - flexible, with a double handle to keep the bin liner in place



691137



STANDING WASTE BIN WITH ASHTRAY

÷

code	liters	mm
691380	15	ø200x(H)700



STANDING WASTE BIN WITH ASHTRAY

code	liters	mm
691397	33	ø240x(H)660



÷







306



COFFEE AUTOMAT CLEANER, **120 TABS**

- The coffee automat cleaner is suitable for regular use in coffee, espresso and tea machines.
- Removes stubborn deposits such as coffee or tea oil.
- Can also be used for cleaning thermo flasks.
- Use regularly to keep your appliances in perfect condition, and prevent replacement coste

0000				
code	weight (kg)	code	weight (kg)	
976739	0.24	976777	1	



COFFEE MACHINE CLEANER

- The coffee machine cleaner is suitable for regular use in coffee, espresso and tea machines.
- Removes stubborn deposits such as coffee or tea oil.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs.

code	liters	code	liters	
976753	1	976760	1	



976777

DESCALER POWDER

- Concentrated, professional descaling agent.
- Removes limescale deposits on commercial dishwashers, hot water devices, coffee machines and washing machines (washing program 40°C).
- Can also be used to clean stainless steel surfaces.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs

code	weight (kg)	
976777	1	



976760

DESCALER CONCENTRATE

- Highly concentrated, based on citric acid for the effective decalcification of hot water devices, coffee and washing machines, boilers, stainless steel pots and tiles.
- 1 liter bottle, dosage 100-200 ml per 1 liter of cold water.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs.

code	liters
976760	1







SOFT SERVE AND WHIPPED CREAM MACHINE CLEANER

976746

- Cleaner for all common cream & ice cream makers.
- Dissolves fat and protein residues.
- Can also be used on the outer surfaces of the device.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs.

code	liters
976746	1

STAINLESS STEEL CLEANER

- Clean all kinds of stainless steel and aluminum surfaces.
- Ready for use, just spray and wipe.
- Comes in a 500ml spray bottle.
- Removes fingerprints and has an anti-static effect.
- After use the treated surfaces are dirt and water repellent.

code	liters
976784	0.5



DEGREASER FOAM

- Thoroughly removes all greases, oils and dirt from grills, deep fryers, ovens, extractor hoods and tiles.
- Foam can be used on all washable, alkaliresistant surfaces.
- Not suitable for aluminum or painted surfaces!
- The thick foam is ideal for vertical surfaces.

code	liters
976791	1





PROF

PROFESSIONAL GRILL AND OVEN CLEANER

- Ready-to-use, strongly alkaline product for daily removal of oily and tarry deposits, burnt grease and organic discolourations.
- Cleans and degreases.
- Recommended for daily washing of grill, ovens, hoods.
- Helps keep the natural shine of surface.
- Fragrance free.

– pH 14.	
code	liters
975039	1

976791

OHENDI

DEG

1000 ml (



975039

minimu

 (\bigcirc)

Ĩ

WATER SOFTENERS (SEMI-)AUTOMATIC

- Using water softeners helps extend the life cycle of catering equipment.
- The softeners are based on an ion-exchange process wherein the calcium and magnesium ions that cause water hardness are captured by ion exchange resin inside the softener.
- It helps reduce maintenance costs thanks to effective prevention of lime scale deposits The device is fitted with a control head that makes it possible to configure working parameters of the water softening system as required.
- The elements inside the head are made of high quality ceramics, resistant to abrasion, corrosion and build-up of impurities (e.g. iron).
- This technology assures perfect seal inside the controller and

therefore long and trouble-free operation.

- Navy blue housing.
- Water connection diameter 3/4".
- Working pressure: 1.5-6.0 bar.
- Working ambient temperature: 5 38°C.
- Max.supply water temperature: 38°C.
- Regeneration time: 37 min.
- Output for 10°dH 1200 L.
- Resin bed 4,0 L.
- Regeneration tank: 8 kg.
- Maximum water flow: 5 L/min.
- Regeneration salt consumption per 1 cycle: 0.5 kg.



WATER SOFTENER, SEMI-AUTOMATIC

- The semi-automatic resin bed regeneration process using brine is initiated manually.

– Weight: 8 kg.

code	٧	W	mm
230442	230	18	195x360x(H)510



WATER SOFTENER, AUTOMATIC

- The automatic resin bed regeneration process using brine is initiated automatically.
- Using the control panel the working time, regeneration time and water amount to be treated can be set.
- Automatic lock prevents unwanted access.

- Weid	ht:	7.7	ka.	

5	5		
code	V	W	mm
230459	230	18	206x380x(H)480

SALT TABLETS FOR WATER SOFTENING

- Ingredients: sodium chloride NaCl.
- Bag 25 kg. code weight [kg] 231265 25





WATER SOFTENERS MANUAL

- Hard water contains dissolved minerals calcium and magnesium compounds, among others. Calcium and magnesium ions cause scale build-up, which is risky for objects and tools in contact with water or steam.
- Water softening is a process in which all calcium and magnesium compounds causing water hardness are removed.
- When passing through the resin column, calcium and magnesium ions are absorbed by resin particles.
- When ion-exchange ability of the resin wears off, it ought to be restored in an appropriate regeneration process with the use of a salt solution.
- Water softener may be installed wherever water temperature is below 45°C and the water input pressure does not exceed 2 bars
- Regeneration: uniodised salt only.
- For drinking water only.
- Suitable for softening water for coffee makers, combi steamers, dishwashers and ice cubers.
- Thanks to its small size it is perfect for bars and restaurants.
- Thanks to highest quality components used, the device remains fail-safe and operational for many years.
- Optimum working water pressure: 1-2 bar.

WATER SOFTENER

- During softener regeneration the connected machine must not be used.
- Maximum/minimum water pressure: from 1 to 8 bar.
- Nominal flow: 1000 L/h.
- Ambient temperature: from 4 °C to 35 °C.
- Supply water temperature: from 4 °C to 25 °C.

- Connection size: 3/8".

code	Filter capacity (20°F/30°F/40°F)	liters	mm
231210	1200/1000/900	8	ø185x(H)400
231227	2520/1680/1260	12	ø185x(H)500
231234	3360/2240/1680	16	ø185x(H)600







 $|\bigcirc|$





INSECT KILLERS FOR INDOOR USE

INSECT KILLER WITH ADHESIVE PLATE 100 M²

- Suitable for use in food preparation and serving areas.
- Metal casing including wall mounting.
- 2x15 W UV-A shatter-proof fluorescent tubes.
- Adhesive plate at the rear to catch the insects.
- Maximum range approx. 100 m².

- Adhesive plate included.

code	V	W	mm
270080	230	30	480x100x(H)285
270073	Adhesive pla	ate for Insect kill	ers - 10 sheets
270028	2 Replacement lamps for Insect killers		



INSECT KILLER 300 M²

- Makes use of durable UV-A LED light, avarage working life of 20.000 hours.
- Body made of fire resistant.
- ABS for high safety.
- Insects are electrocuted with 4000 V.
- Removable collection tray, easy to clean.
- Can be mounted to ceiling by chain or used free standing.

code	V	W	mm
270097	230	13	470x100x(H)263

Al

Ì **←**









Removable collection tray

HIGH VOLTAGE INSECT KILLER

- For indoor use.
- Body made of special treated aluminum alloy and ABS,
- fire resistant materials for high safety.
- 2x UV-A tubes.
- Insects are electrocuted with 2000 2500 V.
- Removable collection tray, easy to clean.
- Can be mounted to ceiling by chain or used free standing.

code	V	W	mm
270158	230	26	335x90x(H)260
270165	230	40	485x90x(H)310
270172	230	45	640x90x(H)360

 $\hat{\bigcirc}$





INSECT KILLER WITH ADHESIVE PLATE 120 M²

- Suitable for use in food preparation and serving areas.
- ABS fire-resistant casing, back panel of metal, suitable for wall mounting.
- 1x36 W UV-A shatter-proof fluorescent tubes.
- Adhesive plate at the rear to catch the insects.
- Lamp and adhesive plate are easily replaceable.
- Maximum range approx. 120 m².
- Adhesive plate (390x270 mm) included.


code	V	W	mm		
270196	230	36	475x80x(H)283		
270233	Adhesive plate for Insect killers - 10 sheets				
270240	Replacement lamp for Insect killers				



270196



INSECT KILLERS FOR OUTDOOR USE



Chain

included

270066

INSECT KILLER WATER RESISTANT

- ABS fire proof material for high safety.
- 2x UV-A tube.
- Insects are electrocuted with 2000 V.
- IPX4 waterproof, can be used indoor or outdoor.
- Removable collection tray, easy to clean.

- Chain mounting.

	•			
code	-	V	W	mm
270066	100 m ²	230	40	510x105x(H)315
270141	150 m²	230	45	680x135x(H)310
935286	Re	placement larr	nps for fly kill	ers – set of 2

REPLACEMENT LAMP FOR FLY KILLERS

- UV-A fluorescent tube.

code	For	٧	W	mm
934159	270158	230	8	285x15x(H)15
934166	270172 - 270141	230	20	570x20x(H)20

HENDI



Removable collection tray

934159

 $|\bigcirc|$

H

PROFILINE

 $|\bigcirc|$

PROFI LINE

Elegant yet sturdy.Hand polished, high gloss mirror finish.

Wash **18/0** stainless steel



code	Nº			length (mm)
code	IN*			tength (mm)
764404	1	Table knife	6 pcs	225
764411	2	Table fork	6 pcs	205
764428	3	Table spoon	6 pcs	205
764435	4	Dessert knife	6 pcs	205
764442	5	Dessert fork	6 pcs	186
764459	6	Dessert spoon	6 pcs	186
764466	7	Cake fork	12 pcs	136

Nº O			length (mm)
0			
8	Coffee spoon	12 pcs	111
9	Tea spoon	12 pcs	138
10	lce spoon	12 pcs	135
11	Sundae spoon	6 pcs	198
12	Butter knife	12 pcs	158
13	Steak knife	6 pcs	215
	9 10 11 12	9 Tea spoon 10 Ice spoon 11 Sundae spoon 12 Butter knife	9 Tea spoon 12 pcs 10 Ice spoon 12 pcs 11 Sundae spoon 6 pcs 12 Butter knife 12 pcs



 \bigcirc







////	0	111		
		Ÿ	0	
2	3	4	5	


code	N			length (mm)
764206	1	Table knife	6 pcs	215
764213	2	Table fork	6 pcs	197
764220	3	Table spoon	6 pcs	197
764237	4	Cake fork	12 pcs	150
764244	5	Tea spoon	12 pcs	146
764251	6	Coffee spoon	12 pcs	131
764268	7	Sorbet spoon	6 pcs	198





BUDGET LINE – Machine polished





764039	1	Table spoon	12 pcs	181
764022	2	Table fork	12 pcs	183
764015	3	Table knife	12 pcs	212
764084	4	Tea spoon	24 pcs	136
764091	5	Coffee spoon	24 pcs	110
764077	6	Cake fork	24 pcs	145
764138	7	Sorbet spoon	12 pcs	198



 $|\bigcirc|$

STEAK CUTLERY

- Stainless steel with ABS handle.







STEAK FORK - 6 PCS

code	packed per	mm	code	packed per	mm	code	packed per	mm
781432	6	(L)200	781449	6	(L)215	781456	6	(L)250

STEAK KNIFE - 6 PCS



NUT AND SEAFOOD CRACKER MATT BLACK

- Ideal for cracking nuts, but also very suitable for sea food.
- Finished with a black powder coating.
- The large handle fits nicely in the hand and provides plenty of grip.
- The two halves are connected by a durable hinge, suitable for
- multiple sizes of nuts.

- Not dishwasher safe.

code	mm
403747	160x35



LOBSTER AND CRAB CRACKER

- Ideal for opening hard lobster and crab shells.
- Wide, appropriately contoured handle for easy and comfortable use.
- Robust aluminium construction, powder coated red.
- The arms of the tongs are connected with a durable hinge.

– Not dishwasher safe.	
------------------------	--

code	mm
403754	140x62




STEAK KNIFE XL - 6 PCS

code	packed per	mm
403716	6	(L)205



code	packed per	mm
02528	2	(L)170
2028	Z	(L)1/0
		1

18/0



NAIL FORK - 6 PCS				
code	packed per	mm		
402221	6	(L)130		

402221



505168

SERVING BOARD, OLIVE WOOD, RECTANGULAR*

- Ideal for serving and presenting food.

- Comfortable, carved handles. s.

-	Avai	lable	e in	3	sizes	5

code	mm
505168	250x150x(H)18
505175	300x150x(H)18
505182	350x150x(H)18

SERVING BOARD, OLIVE WOOD, RECTANGULAR, WITH GROOVE*

505212

- Ideal for serving and presenting food.
- Natural, organic board shape and perfect craftsmanship.
- Comfortable, carved handles, with groove.

- Available in 2 sizes.

code	mm
505199	300x210x(H)18
505212	400x250x(H)18



SERVING BOARD, OLIVE WOOD, **RECTANGULAR, WITH OPENING***

- Ideal for serving and presenting food.
- Natural, organic board shape and perfect craftsmanship.
- With an opening for convenient carrying of the board.
- Available in 2 sizes.

code	mm	
505229	250x165x(H)18	
505236	350x210x(H)18	

SERVING BOARD, OLIVE WOOD, **RECTANGULAR, WITH HANDLE***

- Ideal for serving and presenting food.
- With a comfortable handle for easy carrying of the board.
- Available in 3 sizes.

code	mm
505243	350x120x(H)18
505250	400x140x(H)18
505267	600x200x(H)18

OLIVE WOOD HOLDER*

- Ideal for serving and presenting food, bringing cutlery, etc.
- With convenient cut-out handles for easy carrying of the holder.

code	mm	
505274	245x198x(H)194	

* Product made of natural wood. Image may differ from the actual product.



 \bigcirc

KARIZMA

 $|\bigcirc|$



444

KARIZMA

- White hotel porcelain
- Strengthened edges, high quality glazing
 High impact and wear resistance







1

DINNER PLATE

code	order unit	mm
795101	12	ø160
795309	12	ø200
795507	12	ø240
795705	6	ø280
795903	6	ø320



DEEP PLATE			BUFFET	PLATTER,	OVAL
code	order unit	mm	code	order unit	mm
794500	6	ø300	796306	6	290x200
			796405	6	340x235



SALAD BOWL

code	order unit	mm
796603	12	ø150
796702	12	ø190
796801	6	ø250



SOUP BOWL

code	order unit	liters	mm
798805	12	0.38	ø120

SAUCER FOR SOUP BOWL

code	order unit	mm
798904	12	ø180



CAPPUCCINO CUP

code	order unit	liters	mm
798249	12	0.23	ø85

SAUCER FOR CAPPUCCINO CUP

code	order unit	mm
798171	12	ø149



COFFEE CUP

code	order unit	liters	mm	code
798164	12	0.17	ø80	7980

SAUCER FOR COFFEE CUP

code	order unit	mm
798171	12	ø149



ESPRESSO CUP

code	order unit	liters	mm
798010	12	0.09	ø64

SAUCER FOR ESPRESSO CUP

code	order unit	mm
798034	12	ø125



MHENDI

 $|\bigcirc|$



PORCELAIN, CUTLERY, TABLEWARE

FLORA

- White hotel porcelain
- Strengthened edges, high quality glazing
- High impact and wear resistance










PLATE	
order unit	mm
12	ø160
12	ø200
12	ø255
12	ø270
6	ø300
	order unit 12 12 12 12





MUESLI/SALAD BOWL

code	order unit	liters	mm
787083	12	0.25	ø145x(H)45
787090	6	1	ø230x(H)65



SOUP BOWL

787267 12	0.25	ø100	

SAUCER FOR SOUP BOWL

code	order unit	mm
787182	12	ø158



CAP	PUC	CINO	CUP

code	order unit	liters	mm
787175	12	0.25	ø87

SAUCER FOR CAPPUCCINO CUP

code	order unit	mm
787151	12	ø138



COFFEE CUP

code	order unit	liters	mm
787144	12	0.18	ø82

SAUCER FOR COFFEE CUP

code	order unit	mm
787151	12	ø138



ESPRESSO CUP

code	order unit	liters	mm
787113	12	0.12	ø65

SAUCER FOR ESPRESSO CUP

code	order unit	mm
787120	12	ø130









 $|\bigcirc|$



HENDI

IIIII

 $|\bigcirc|$



SATURN

- White hotel porcelain.
- Strengthened edges, high quality glazing.
- High impact and wear resistance.



mm

ø200

ø240

ø260

ø280

ø300

ø320



SOUP PLATE

code	order unit	mm	
794395	12	ø220	7
794517	6	ø300	7



BUFFET PLATTER, OVAL

order unit	mm	code	order unit	mm
12	ø220	794371	6	290x200
6	ø300	794388	6	340x240

SALAD BOWL

DINNER PLATE

order unit

12

12

12

6

6

6

code

794319

794326

794333 794340

794357

794364

code	order unit	mm
794470	6	ø250
794463	12	ø150
794524	12	ø190







code	order unit	liters	mm
794449	12	0.38	ø120

MUG		
code	order unit	liters
794531	12	0.22

SAUCER FOR SOUP BOWL

code	order unit	mm
794456	12	ø190



CAPPUC	CINO	CUP
--------	------	-----

code	order unit	liters	mm
794487	12	0.23	ø87

SAUCER FOR CAPPUCCINO CUP

code	order unit	mm
794418	12	ø150



COFFEE CUP

code	order unit	liters	mm	
794401	12	0.17	ø79	7

SAUCER FOR COFFEE CUP

code	order unit	mm
794418	12	ø150



ESPRESSO CUP

code	order unit	liters	mm
794425	12	0.09	ø63

SAUCER FOR ESPRESSO CUP

code	order unit	mm
794432	12	ø125



 $|\bigcirc|$





DELTA

- White hotel porcelain.
- Strengthened edges, high quality glazing.
- High impact and wear resistance.





SOUP PLATE

code	order unit	mm
799420	12	ø230



DINNER PLATE

code	order unit	mm
794050	12	ø160
794067	12	ø200
794074	12	ø240
794081	12	ø270
794098	6	ø300

m	code	order unit	mm
30	799406	6	ø260
	799413	6	ø300

PASTA PLATE

OVAL DISH

code	order unit	mm
799437	6	290x200
799444	6	340x240



SOUP BOWL

code	order unit	liters	mm
799383	12	0.34	ø160

SAUCER FOR SOUP BOWL

code	order unit	mm
799390	12	ø170



CAPPUCCINO CUP

code	order unit	liters	mm
799147	12	0.23	ø90

SAUCER FOR CAPPUCCINO CUP

code	order unit	mm
799154	12	ø145



	code	order unit	mm
	799451	12	ø120
	799468	6	ø140
	799475	1	ø230
	799482	1	ø270



COFFEE CUP

code	order unit	liters	mm
799130	12	0.17	ø80

SAUCER FOR COFFEE CUP

code	order unit	mm
799154	12	ø145



ESPRESSO CUP

code	order unit	liters	mm
799161	12	0.09	ø63

SAUCER FOR ESPRESSO CUP

code	order unit	mm
799178	12	ø83



 \bigcirc



ENAMELLED

- Enamelled tableware has made a comeback.
- White enamelled steel with a nice blue border.
- High quality enamel.
- Abrasion resistant.





BOWL RECTANGULAR

 Dishes bowl. 	and desserts	can be	prepared in the
code		mm	1
621219		215x	160





MUG

code liters 621295 0.36 ø90x(H)80 621301 0.52 ø100x(H)90

mm



mm

ø240

ø180

ø200

ø220

code	liters	mm
621318	0.12	ø70x(H)50

621288

code

621288

SALAD BOWL



mm

ø160x(H)75

TUMBLER

code	liters	mm
621325	0.3	ø90x(H)90
621332	0.4	ø90x(H)120

621332







DEEP PLATE code

621271

621240

621257

621264

FLAT PLATE

code	mm
621226	ø200
621233	ø240





625804

625705

SOUP & GRAVY PAN - WITH LID

- Enamelled.
- Flanged stainless steel rim.
- Low lid.

code	-	liters	mm
625804	blue	0.5	ø115x(H)95
625705	black	0.65	ø135x(H)110





ENAMELLED PAELLA PAN WITH COMPARTMENTS

- Pan is divided into compartments to allow simultaneous preparation of different dishes.

code	mm
622759	ø430x(H)47
622766	ø430x(H)47

622759



-

622742

 \bigcirc

Ē



ENAMELLED PAELLA BOWLS

– Deep model.

622841

- Enamelled sheet steel.

code	mm	
622810	ø145x(H)40	
622827	ø170x(H)40	
622834	ø185x(H)43	
622841	ø205x(H)57	
622858	ø245x(H)70	

ENAMELLED PAN

- With two convenient handles.
- Made of enamelled steel.

	code	mm	
	622704	ø100x(H)20	
	622711	ø120x(H)25	
	622728	ø150x(H)27	
	622735	ø200x(H)36	
	622742	ø240x(H)40	



LIONHEAD

- Special, toughest porcelain type available on the market
- High-impact and wear resistance and still relatively light-weight



- Shining white



SOUP BOWL

code	order unit	liters	mm
784747	12	1	ø175x(H)120
784730	8	2	ø215x(H)155

SOUP BOWL

code	order unit	liters	mm
784778	6	0.125	ø90x(H)60
784761	4	0.25	ø120x(H)78
784754	4	0.5	ø138x(H)95

Å

0

J

P







- Ribbed, made of porcelain.

,		
code	order unit	mm
783153	12	ø70x(H)35
783160	6	ø90x(H)48
783627	6	ø100x(H)25
783177	6	ø120x(H)55





PLATE BARK

– Rectangular.

code	order unit	mm
785546	6	218x105x(H)23
785553	4	352x146x(H)40



BOWL VANILLA

code	order unit	mm
785560	6	225x111x(H)62
785577	4	290x136x(H)80





SOUP TUREEN

– With lid and serving spoon		
code	liters	mm
434208	2.7	ø270x(H)175



SAUCE BOAT

– On foot.			
liters	mm		
0.085	120x72x(H)50		
0.14	135x76x(H)70		
0.23	160x98x(H)90		
0.28	200x100x(H)105		
0.46	240x120x(H)120		
	0.085 0.14 0.23 0.28		



liters

0.35



code

430002

mm	
	_
	١

ø120x(H)50



VEGETABLE DISH

•	Wit	h ha	and	les.

code	mm
401200	ø160x(H)40
401002	ø120x(H)30
401101	ø140x(H)35





Jn foot.		
code	mm	
441107	ø90x(H)50	



S.S.

, <u>'</u>



OVEN DISHES WHITE PORCELAIN

- Special porcelain type, toughest type available.
- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively light-weight.
- Extremely pure and brilliant white.



TAPAS DISH OVAL With hondle

- with handles.		Stackable	
code	order unit	mm	
784006	6	200x107x(H)30	
784013	6	262x140x(H)33	
784020	3	324x185x(H)38	



TAPAS DISH RECTANGULAR

RUSTICA OVEN DISH OVAL

order unit

1

1

code

786321

786338

- With handles.

code	order unit	mm
784105	6	160x101x(H)45
784112	4	236x126x(H)48
784129	3	328x189x(H)58



RUSTICA OVEN DISH SQUARE

786352 1	165x165x(H)65



786369

RUSTICA OVEN DISH RECTANGULAR		
code	order unit	mm
786369	1	282x192x(H)65
786376	8	335x232x(H)62
786383	4	380x260x(H)70



RUSTICA OVEN DISH ROUND

code order unit mm 786307 4 ø100x(H)50





786321

mm

223x132x(H)42

245x145x(H)55







^{mm} 226x145x(H)37 D

CHILDREN'S PLATE "BEAR"

– Ø 190 mm without ears.

code	order unit	mm
786499	4	ø265



B	
porcelain	(micro)

mm

180x55x(H)130

CONDIMENT SET - 2-piece set: salt, pepper.

code	order unit	mm
786413	3	ø42x(H)80

CONDIMENT	CET	
– 3 piece set: sal	, pepper, toothpick h	
code	order unit	mm
786420	48	125x54x(H)90
		0

ICE CREAM BOWL CLOWN

order unit

6

code

786239

OVEN DISHES CREAM PORCELAIN

- Special porcelain type, toughest type available.

order unit

4

- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively light-weight.
- Cream white.

GRAVY BOAT

786437

OVEN DISH ROUND

code	order unit	mm
785904	6	185x152x(H)40



 $|\bigcirc|$

F



TAPASMINI

- Special, toughest porcelain type available on the market.
- High-impact and wear resistance and still relatively light-weight.

mm

ø100x(H)25

- Shining white.

code

784426



TAPAS DISH PLATO - 6 PCS

packed per

6



TAPAS DISH CUADRADO - 6 PCS

mm

80x80x(H)35

packed per

6

784327

code

784327



784365

TAPAS DISH REDONDO - 6 PCS		
code	packed per	mm
784365	6	ø75x(H)30



TAPAS DISH LEON - 6 PCS

code	packed per	mm
784433	6	ø55x(H)45



TAPAS DISH CUADRADO - 6 PCS		
code	packed per	mm
784419	6	59x59x(H)37





TAPAS DISH CONCHA - 6 PCS code packed per mm 784334 6 90x50x(H)20



TAPAS DISH TRIANGOLO - 6 PCS

6646	puerce a per	
784396	6	100x100x(H)25



TAPAS DISH CACEROLE - 6 PCS

code	packed per	mm
784389	6	ø60x(H)25



TAPAS DISH HUEVO - 6 PCS

6

mm	code	packed per
ø65x(H)15	785324	6

785324





 \bigcirc





MINI SAUCEPAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm
564509	162x121x(H)30



MINI ROUND PAN LITTLE CHEF

– Melamine presentation bowls and trays, shaped like cookware.

code	mm
564523	150x115x(H)37
564530	189x147x(H)37



MINI GRIDDLE PAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm
564516	320x162x(H)20



MINI OVAL PAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm
564547	155x80x(H)37
564554	263x140x(H)37







GREASEPROOF PAPER - 500 PCS

- Packed per 500 sheets.

code	-	mm
678237	neutral	250x200
678220	chef food pattern	250x200
678213	neutral	263x380
678183	neutral	306x305
678169	chef food pattern	306x305
678176	checked pattern	306x305
678206	kitchen mayhem	258x425

GREASEPROOF PAPER PLACEMAT - 500 PCS

- Packed per 500 sheets.

678169

code	-	mm
678145	kitchen mayhem	420x275
678152	checked pattern	420x275



GREASEPROOF PAPER LINING PRE-SHAPED -150 PCS

- Pre-shaped in a basket form.
- With illustration of a chef with food in a pattern.

- Packed per 150 pieces.

code	mm	
678190	160x160x(H)50	

678237



678138

GREASEPROOF PAPER - 500 PCS -00

Packed per 500		
code	colour	mm
678138	Beige	200x250
678114	Beige	250x350
678121	Newspaper print	200x250
678107	Newspaper print	250x350

 $|\bigcirc|$










PLACEMAT - SET

- Made from PVC (vinyl), in a woven pattern.
- Non-slip thanks to the material structure.
- Flexible, they don't deform after rolling up.





code	colour	mm
597880	Graphite	450x300
597897	Beige	450x300
597910	Light grey	450x300
597927	Brown	450x300
597934	Green	450x300
597941	Silver	450x300



 $|\bigcirc|$











CHIPS BAG HOLDER

		- Finished with a mai	
code	mm	code	
630907	ø110x(H)175	426494	



CHIPS BASKET

 Finished wit 	ied with a matt black powder coating.		
code	mm		
426494	ø115x(H)100		





DEEP FRYING BASKET MINIATURES STACKABLE

code	mm
425664	105x90x(H)60
425688	130x115x(H)80





DEEP FRYING BASKET MINIATURES STACKABLE BLACK

- Finished with a matt black coating.

code	mm
425671	105x90x(H)60
425695	130x115x(H)80



425695



CHIPS BAG HOLDER - Black wire frame, fits 1 chip bag.

code 630938

630914	630921
 CHIPS BAG HOLDER Black wire frame, with room for a sauce bowl. Melamine ramekin 80 ml fits perfectly (561713), not included. 	CHIPS SERVING FOR 3 BAGS - Finished in matte b - For 3 bags.

G STAND

black.

mm	code	mm	code	mm
ø115x(H)172	630914	210x110x(H)172	630921	270x270x(H)280



 \bigcirc







BUCKET MINIATURES

code	mm
426364	ø87x(H)93
426371	ø125x(H)127

SNACK CAN

code	mm
426463	ø45x(H)50
426470	ø70x(H)100





Made of 2.5 mm thick 3-ply material, copper/aluminium/stainless steel.

– Handle attached by rivets.

code	mm
607015	ø50x(H)30
607022	ø75x(H)40
607039	ø85x(H)50



SMALL FRYING PAN

Made of 2.5 mm thick 3-ply material, copper/aluminium/stainless steel.


– Handle	attached	by rivets.	

code	mm
607046	ø120x(H)30









PAN SERIES COPPER

426487

- 2,5 mm thick 3-ply construction consists of stainless steel (0,4 mm), aluminium (1,5 mm) and copper (0,4 mm).

185x95x(H)45



- Handles are attached by rivets.



GALVANIZED BUCKETS

- Made of galvanized sheet steel, this creates a rustic look.
 Galvanized steel isn't intended for food contact,
- Galvanized steel isn't intended for food contact, line the buckets with our greaseproof paper sheets when using it for serving food.





DOUBLE BUCKET WITH HANDLE

 Handle is made of woo

code	mm
425947	190x95x(H)90
425954	250x125x(H)105



425992	

TABLE CADDY

– With wooden grip handle.

code	mm
425978	245x180x(H)130

PARTY TUB

code	mm
425992	400x330x(H)220



BUCKETS WITH HANDLE

code	mm
425909	ø70x(H)65
425916	ø100x(H)90
425923	ø120x(H)105
425985	ø160x(H)140



D



7831	53

RAMEKIN

- 11	ibbeu,	inaue oi	porcetain.	~
	code		order un	it

783153	12	ø70x(H)35
783160	6	ø90x(H)48
783627	6	ø100x(H)25
783177	6	ø120x(H)55

Ð

<600°C

783177

565605	565612

RAMEKIN	I - 12	PCS	plastic temp food c	contact wash stackab
code		colour	liters	mm
565605		Black	0.045	ø60x(H)35
565612		lvory	0.045	ø60x(H)35



code	-	packed per	mm
561492	35 ml	1	ø60x(H)25
565643	35 ml	4	ø60x(H)25 NEW
561706	50 ml	1	ø70x(H)35
565650	50 ml	4	ø70x(H)35 NEW
561713	80 ml	1	ø80x(H)40
561720	100 ml	1	ø85x(H)45

561713



VELOCITY SLANTED BOWLS

code	mm
564578	70x70x(H)60
564585	97x97x(H)80
564592	110x110x(H)100

RAMEKIN - 12 PCS

packed per

12

12

12

12

12

12

code

400029 400012

400036

400043

400050

400067

liters

0.07

0.045

0.115

0.175

0.23

0.34



BUTTER & SAUCE DISH - 3 PCS

code	packed per	colour	mm
564561	3	Black	ø80x(H)30





mm

ø62x(H)40

ø62x(H)24

ø73x(H)47

ø85x(H)52

ø93x(H)58

ø100x(H)75

561720

Μ









 \bigcirc







mm

270x100x(H)45

270x100x(H)45

CUTLERY BA – With 4 compar		polypropylene
code	colour	mm
426074	Black	260x180x(H)150
426067	Light grey	260x180x(H)150





CUTLERY	BASKET	
aada		colo

code

code	colour	mm
426210	Black	ø100x(H)120
426197	Light grey	ø100x(H)120



code

426098

426081

SERVING BASKETS FAST FOOD STYLE

colour

Black

Light grey

- Ideal for fast food restaurant, diners and street food vendors.
- Set of 6 polypropylene serving baskets.Light weight, stackable and easy to clean.

Available in multiple colours.

code	colour	mm
426296	brown	275x175x(H)38
426319	red	275x175x(H)38
426890	black	275x175x(H)38







PP

Ē

 $|\bigcirc|$



BASKETS

– Polyrattan.



BREAD BAS	KET - OVAL	BREAD BAS	KET - RECTANGULAR	BREAD BAS	KET - ROUND
code	mm	code	mm	code	mm
426500	225x130x(H)55	426807	225x150x(H)65	426609	ø200x(H)65

BREAD BASKET - OVAL		BREAD BAS	BREAD BASKET - OVAL	
code	mm	code	mm	
426708	225x110x(H)60	426906	375x140x(H)70	

mm

ø150x(H)38

ø200x(H)50



PITTA BREAD BASKET - ROUND

[wash

PITTA BREAD BASKET - OVAL



code	mm
425503	195x140
425602	255x190

code

425701



WIRE BASKETS



BASIC WIRE BASKET, OVAL

- Finished in matte black.

code	
425831	

mm 230x180x(H)60



WIRE BASKET DECO RECTANGULAR

- With decorative rim.
- Finished with a matt black coating.

code	mm
425855	230x150x(H)80



WIRE BASKET DECO OVAL

- With decorative rim.
- Finished with a matt black coating.

code	mm
425879	255x160x(H)80



WIRE BASKET BASIC ROUND

- Finished in matte black.

code	mm
425817	ø100x(H)90
425824	ø120x(H)110



WIRE BASKET DECO ROUND

- With decorative rim.
- Finished with a matt black coating.

code	mm
425862	ø250x(H)80



WIRE BASKET DECO OBLONG

- With decorative rim.


 Finished with a matt black coating. 		
code	mm	
425886	385x160x(H)80	

425565	
C C C C C C C C C C C C C C C C C C C	425572
425534	425558
ING BASKET	SERVING BASKET BLACK – Finished in matte black.

HENDI

SERVIN

code	mm
425565	310x125x(H)55
425534	290x220x(H)60





 $|\bigcirc|$





BREAD BAG, ROUND

- Made of durable cotton.

- Available in gray/beige and gray/dark blue color combinations.

code	colour	mm
429006	Beige	ø150x(H)150
429013	Dark grey	ø150x(H)150
429020	Beige	ø200x(H)200
429037	Dark grey	ø200x(H)200
429044	Beige	ø250x(H)160
429051	Dark grey	ø250x(H)160

PAPER BREAD BAGS

- Made of food grade washable kraft paper.

code	colour	mm
429228	Beige	170x170x(H)150
429211	Black	170x170x(H)150





mm

FRUIT BASKET - Chrome-plated wire. code

426418

mm	

FRUIT BASKET BLACK - Finished with a matt black powder coating. code

427187

ø215x(H)205



FRUIT BASKET ANGLED ROUND BLACK

- Finished with a matt black powder coating.

code	mm
427095	ø150x(H)80
427088	ø280x(H)130
427071	ø300x(H)250



HENDI









VACUUM JUG

Tight sealing lid with push button for pouring.Double walled with glass inner bottle.

code	liters	mm
449615	1	ø110x(H)289

44961



 $|\bigcirc|$



448908

AIR POT

- Stainless steel mantle.
- With press system to tap drinks.

– Inside made from stainless steel.		
code	liters	mm
448908	2.2	ø150x(H)340



AIR POT - 3L

- Double wall vacuum body and PP head.
- Rotatable on base.
- Zinc alloy lever designed for extra strength.
- Lid opens to 125 degrees for brewing and is also detachable for cleaning.
- Secure carrying handle.

445877 (H)373	















VACUUM JUG WITH GLASS INNER BOTTLE

code	liters	mm
449608	1	ø140x(H)268



VACUUM JUG

- Double walled stainless steel.
- Seamless structure.
- Vacuum insulation.
- Metal chromed cover, lever, spout and handle.
- High insulation value.

18/10 stainless steel

445815

445822

445839

VACUUM JUG code

liters

0.6

1 1.5 mm

ø120x(H)168

ø136x(H)188

ø136x(H)258





VACUUM JUG

- Double walled stainless steel.
- With black push-button cap.
- Top and lid made of polypropylene.

code	liters	mm
446607	1.5	ø145x(H)230
446508	1	ø145x(H)205
446706	2	ø145x(H)260



446508

446607

446706



VACUUM JUG

- Double walled stainless steel.
- With yellow push-button cap.
- Top and lid made of polypropylene.

code	liters	mm
446522	1	ø145x(H)205
446621	1.5	ø145x(H)230
446720	2	ø145x(H)260



HENDI



 $|\bigcirc|$

Ē



COFFEE/ TEA POT WITH LID

- With hinged lid.
- Straight model.

ett algitt modelt		
code	liters	mm
453001	0.2	ø74x(H)95
453100	0.3	ø74x(H)123
453209	0.6	ø97x(H)142
453308	0.9	ø120x(H)158
453407	1.4	ø126x(H)185

453001

18/10

451502

453209

451519

453407

451533

MULTIPURPOSE JUGS

code	liters	mm
451502	0.35	ø76x(H)93
451519	0.6	ø90x(H)112
451526	0.9	ø102x(H)125
451533	1.5	ø112x(H)161



451526

MILK JUG

- Made of extra thick stainless steel, helps keep the content hot.
- V-shaped spout gives extra control during pouring.

code	liters	mm
451038	0.35	ø65x(H)99
451021	0.45	ø75x(H)111
451014	0.7	ø84x(H)130



350



451007

451106

MILK JUG - Simple design.

Simple design	•	
code	liters	mm
451007	0.35	ø85x(H)110
451106	0.75	ø100x(H)120







450109 450208

450307

450406

mm

ø90x(H)112

450505

CREAM JUG

- Made of stainless steel.

– Shape with an easy-pour spout designed for clean and efficient work.

– Dishwasher safe.

code	liters	mm
450109	0.03	ø35x(H)35
450208	0.04	ø40x(H)40
450307	0.07	ø50x(H)55
450406	0.12	ø60x(H)60
450505	0.25	ø75x(H)75



MILK JUG BLACK

code

458198

- Made from stainless steel with

liters

0.6

a black non-stick coating.







MILK JUG - MATT BLACK

- Made of extra thick stainless steel, helps keep the content hot. - V-shaped spout gives extra control during pouring.

	2	51 5
code	liters	mm
451045	0.7	ø84x(H)130



SALT GRINDERS & PEPPER MILLS









469699

469712

469750

469774 469798



469835





WOODEN PEPPER MILL

- Body made of rubber wood lightweight, but durable.
- Grinding mechanism (burrs) made of stainless steel, manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "P" letter for marking pepper.

code	-	mm
469576	black	ø50x(H)113
469569	black	ø55x(H)215
469552	black	ø60x(H)315
469545	black	ø65x(H)415
469682	light wood	ø50x(H)113
469705	light wood	ø57x(H)165
469729	light wood	ø57x(H)215
469743	light wood	ø60x(H)315
469767	dark wood	ø50x(H)113
469781	dark wood	ø57x(H)165
469804	dark wood	ø57x(H)215
469828	dark wood	ø60x(H)315

WOODEN SALT GRINDER

- Body made of rubber wood - lightweight, but durable.

- Ceramic grinding mechanism (burrs) non-corrosive (suitable for salt), manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "S" letter for marking salt.

code	-	mm
469613	white	ø50x(H)113
469606	white	ø55x(H)215
469590	white	ø60x(H)315
469583	white	ø65x(H)415
469699	light wood	ø50x(H)113
469712	light wood	ø57x(H)165
469736	light wood	ø57x(H)215
469750	light wood	ø60x(H)315
469774	dark wood	ø50x(H)113
469798	dark wood	ø57x(H)165
469811	dark wood	ø57x(H)215
469835	dark wood	ø60x(H)315



ACRYLIC PEPPER MILL

- Body made of transparent acrylic glass (PMMA) a lighter
- substitute for glass, but more resistant to scratching and breakage. – Grinding mechanism (burrs) made of stainless steel, manual and
- adjustable with a knob. - Lid protected from falling off with a screwed knob.
- Knob with a printed "P" letter for marking pepper.

code	mm	
469620	ø50x(H)113	
469644	ø50x(H)140	
469668	ø60x(H)215	

ACRYLIC SALT GRINDER

- Body made of transparent acrylic glass (PMMA) - a lighter

- substitute for glass, but more resistant to scratching and breakage. – Ceramic grinding mechanism (burrs) – non-corrosive (suitable for
- salt), manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "S" letter for marking salt.

code	mm
469637	ø50x(H)113
469651	ø50x(H)140
469675	ø60x(H)215





SUGAR DISPENSER

452400

- Glass dispenser.
- Spout made of stainless steel 18/0. code mm

– Glass disper	– Glass dispenser. – Stainless steel lever.		– With glass dish. – Including stainless steel spoon.	
– Stainless ste				
code	mm	code	mm	
452424	ø80x(H)115	465370	ø130x(H)90	



ø80x(H)140





SHAKER

PORCELAIN. CUTLERY. TABLEWARE

 \bigcirc

code	-	mm
631102	parmesan shaker	ø55x(H)75
631201	pepper and salt shaker	ø55x(H)75
631300	wire mesh powder shaker	ø55x(H)75

CONDIMENT SET

- 2-piece s	et: salt, pepper	
code	order unit	mm
786/13	3	ø42x(H)80

CONDIMENT SET

order unit

code

- 3 piece set: salt, pepper, toothpick holder.

mm





FREE-FLOW POURER - 3 PIECES

- the nozzle to open and close automatically when the bottle is tilted
- Facilitates precise dispensing
- with holes up to ø20 mm in diameter

2	Б	L		
J	J	4		



465301		3/O Desired 465349	Image: state sta		18/0 tanless ster
CONDIMENT					
– 2-piece - salt, – Matt finish.	pepper.	– 2-piece - oil, vin – Matt finish.	iegar.	– With stainless	pepper, mustard. steel mustard spoon.
code 465301	mm 85x55x(H)115	code liter 465349 0.1		- Matt finish.	mm
				465332	100x95x(H)115
F		B/O essited	18, starles		18/0 Juniess steel
1					
– Matt finish.	pepper, napkin holder.	– Matt finish.	epper, toothpick holder.	– Matt finish.	pepper, oil, vinegar.
CONDIMENT – 3-piece - salt,		CONDIMENT - 3-piece - salt, p		CONDIMENT - 4-piece - salt,	
CONDIMENT - 3-piece - salt, - Matt finish.	pepper, napkin holder. 	CONDIMENT 9 - 3-piece - salt, p - Matt finish.	mm 90x90x[H]115	CONDIMENT - 4-piece - salt, - Matt finish. code 465356 S. S. S. CODE 465356 S. S. CODE 465356 S. S. CODE 465356 S. CODE 465356 S. CODE 465356 S. CODE 465356 S. CODE 465356 S. CODE 465356 S. CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465356 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 465556 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 4655566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465566 CODE 465	nepper, oil, vinegar. mm 130x110x(H)185 S.S. states steel 461266 AKER
CONDIMENT - 3-piece - salt, - Matt finish.	pepper, napkin holder. mm 85x75x(H)115 Item 465363	CONDIMENT S - 3-piece - salt, p - Matt finish. code 465325 300 code 465325 4653	mm 90x90x[H]115	CONDIMENT - 4-piece - salt, - Matt finish. code 465356 Second A65356 Code 465356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A65356 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second A653566 Second	repper, oil, vinegar.
CONDIMENT - 3-piece - salt, - Matt finish. code 465318 Code CONDIMENT	pepper, napkin holder. mm 85x75x(H)115	CONDIMENT S - 3-piece - salt, p - Matt finish. code 465325 300 300 4653 300 4653 300 4653 300 4653 4653	mm 90x90x[H]115	CONDIMENT - 4-piece - salt, - Matt finish. code 465356 S. 461167 PEPPER SH/ - Body made of - Stainless steel opening. code pace 461167 SALT SHAKE - Body made of	pepper, oil, vinegar. mm 130x110x(H)185 S.S. Subset of the second se



 \bigcirc



mm

80x80x(H)95



code

664186

CUTLERY BOX

- Made from durable wood.

CUTLERY BASKET BLACK

code

427033

- Finished with a matt black powder coating.

mm

ø120x(H)150

664315

TABLE CADDY

- Made from durable wood.

- Has two compartments and a large handle.

667312 180×160×(H)500	code	mm	
004313	664315	190x160x(H)200	



CONDIMENT RACK RECTANGULAR

 Finished with 	a matt black powder coating.
code	mm
425770	205x90x(H)180



CONDIMENT RACK ROUND

- Finished with a matt black powder coating.

code	mm
425787	ø165x(H)205



MENU AND CUTLERY BOX

- Wooden box with integrated blackboard on two sides.
- Box has 4 compartments.

code	mm	
664148	210x150x(H)150	

 \bigcirc



CONDIMENT RACK BLACK

- Finished v	with a matt black powder coating.
code	mm
427170	135x65x(H)200



TABLE CADDY BLACK

- Fitted with a wooden handle.

- Finished with a matt black powder coating.

code	mm
427064	140x105x(H)190
427057	170x130x(H)160
427040	230x100x(H)240





TEA BOX

code

638101

S.S.

S.S.

- Box made of wood in a natural light shade.
- Lid: a wooden frame with an acrylic window, on hinges, opened upwards.
- 12 compartments in the box, each can store 12 tea bags.

code	mm
456514	300x280x(H)90



TEA STRAINER - WITH HINGED HANDLE

- For herbs and tea.

– With hinged hand	le.
--------------------	-----

code	mm	
570807	ø40x150	



mm

ø70x225





SUGAR	CURE	TONGS	- 2	Prs
JUGAN	CODL	101003	~	FUJ

code	packed per	mm
523629	2	(L)160



SUGAR/WHIPPED CREAM DISH

code	packed per	mm
452714	6	ø65x(H)20
452325	4	ø100x(H)20



– Without lid.		sta
code	liters	mm
452202	0.3	ø85x(H)65







RECEPTION BELL

- Chrome-plated with metal base.

Cr
chrome plated

1	9	19	1.	1
444023	6	24	ell	elle
				18/0

TABLECLOTH CLIP - 4 PCS

code	packed per	mm
444023	4	50x10x(H)40





NAPKIN HOLDER

_	Matt	finish.
	matt	minu.

code	mm
428511	170x30x(H)70



Cr

NAPKIN HOLDER plated with

CUL	ome	-plated	i wire.	

code	mm
428528	190x190x(H)65



NAPKIN HOLDER BLACK

- Finished with a matt black powder coating.

code	mm
427156	155x160
427163	205x210



EGG CUP - 6 PCS - Low model.

3.3.	
stainless steel	stackable

ø85x(H)15

code packed per 441466 6

 \bigcirc



EGG SPOO - White. - ABS	N - 6 PCS
code	packed per
441503	6



– On foot.	t.	
code	packed per	mm
441367	6	ø50x(H)45



				ſ		can be used as a cutlery holder
	440704		440711			421574
S.S. stainless steel		18/0 stainless steel		M		
 TABLETOP L Stainless steel Black ABS tun 	. container	 TABLETOP L With plastic to cover. 	ITTERBIN p and stainless steel swing	OR CUTL	DP LITTERI LERY HOLD Intainer made o	ER
code	mm	code	mm	code	colour	mm
440704	ø120x(H)165	440711	ø95x(H)130	421574	Black	ø130x(H)160



RECEIPT HOLDER

code	mm
513729	ø80x(H)150




RECEIPT HOLDER - 3 PCS

– With clamp.

code	packed per	mm
595206	3	152x110







S.S. stainless steel

 \bigcirc









MENU CLIPBOARD

Made from durable MDF with metal clamping mechanism.
Available in multiple sizes.

code	mm
664179	125x180
664162	185x245
664155	240x330





DOOR SIGN – With self-adh	-	S.S. stainless steel
code	-	mm
663608	men	ø75
663615	women	ø75
663622	toilets	ø75
663639	no smoking	ø75
663646	wheelchair	ø75
663653	mobile off	ø75










DOOR SIGN – Self-adhesive		S.S. stainless steel
code	-	mm
663790	no smoking	ø75
663820	smoking - big	ø160
663806	no smoking - big	ø160



TABLE SIG – 2 sides prin	N ,NO SMOKING' Ited.	18/0 stainless steel
code	mm	
663660	50x35x(H)40



 $|\bigcirc|$



 Numbers 25-36
 50x35x(H)40

 Numbers 37-48
 50x35x(H)40

 Numbers 49-60
 50x35x(H)40

 Numbers 61-72
 50x35x(H)40





 \bigcirc



TABLETOP BLACKBOARD - 2 PCS

-	Black,	with	wooden	stand	lard.


code	packed per	mm
664087	2	148x130x(H)120
664094	2	210x190x(H)150



TABLETOP BLACKBOARD - 2 PCS

- Black, with wooden stand.

code	packed per	mm
0000	pacifica per	
664056	2	150x50x(H)230
664063	2	210x50x(H)320





BLACKBOARD MARKERS 1 MM - 6 Markers with round nib, writing width 1 mm.

code

664285	3 white,	1	pink,	1	1



664124	
	M
	30
7	

BLACKBOARD WITH STAND

- Large format blackboard in wooden frame.

- Convenient stand included.

code	mm
664124	300x400
664131	400x600



BLACKBOARD MARKERS 3 MM

- 8 Markers with round nib, writing width 3 mm.



BLACKBOARD MARKERS 15 MM

- With wide flat nib, writing width 15 mm.

code	-
664339	1 white, 1 orange and 1 yellow marker
664223	3 white markers



664216

ASHTRAYS & ASH COLLECTOR

440605







ς

S.S. stainless steel



M		
melamine	in- & outdoor	wash

ASHTRAY

Made of black melamine.

code	mm
569757	ø146x(H)60

ASHTRAY WITH LID - 3 PCS

code	packed per	mm
440407	1	ø90x(H)28
440490	3	ø90x(H)28



mm

ø140x(H)40





ASHTRAY

code

440605

code	mm	code	mm	code	mm
440803	ø80x(H)30	440001	ø140x(H)30	440872	ø80x(H)30
440858	ø100x(H)30	440100	ø160x(H)30	440865	ø100x(H)30
440902	ø120x(H)30				

ASHTRAY WITH FIRE RIM







ASHTRAY

ASHTRAY WITH PUSH BUTTON

code	mm
440209	ø90x(H)45



BOWL ASHTRAY BLACK

- Stainless steel, outside with a matt black coating.
- With remoavble rim.

code	mm
440230	ø105x(H)58

ASH COLLECTOR

- With hinged lid.

code

440506

- For safe emptying of ashtrays.
- Self-extinguishing.

S.S.		
stainless steel	wash	

mm

202x170x(H)91









440216

WALL MOUNTED ASHTRAY

- Very robust design, easy to mount against walls and poles.

- Easy to empty thanks to the bottom that can be opened and closed with a key.

code		

code	mm
440216	ø75x(H)460





STANDING ASHTRAY POLE

- Very robust design, can be mounted on the floor or stand free.
- Easy to empty, upper part can be unlocked with a key and then emptied.
- Base is Ø 170 mm, pole is Ø 75 mm.

	mm
440223 ø1	70x(H)920



STANDING WASTE BIN WITH ASHTRAY

- Stainless steel body.
- Polished surface finish.
- Removable ashtray placed over the bin for easy cleaning and emptying of the bin.
- Bin opening Ø 135 mm.
- Anti-slip, rubber bottom to enhance bin stability and protect the floor against scratching.

5	5	
code	liters	mm
691380	15	ø200x(H)700



STANDING WASTE BIN WITH ASHTRAY

- Stainless steel body.
- Polished outer surface.
- Removable ashtray with a grid, placed over the bin for easy cleaning and emptying of the bin.
- Bin opening Ø 135 mm.
- Anti-slip, rubber bottom to enhance bin stability and protect the floor against scratching.

code	liters	mm
691397	33	ø240x(H)660



H







470411



Special design of the lid guides condensation back into the container

Display shows total operating time

UNIQ CHAFING DISH

- Stylish and functional design by Dutch designer Robert Bronwasser.
- Body made from high temperature resistant polypropylene.
- Removable GN1/1 container (H)100 mm made of AISI 304 stainless steel, easy to clean.
- Heating element made from AISI 304 stainless steel and placed in the water container for efficient heat transfer.
- Tempered glass lid fitted with insulated handle, ladle notch and aluminium hinge.
- The design of the two-part lid reduces the heat loss by opening, while maintaining optimal hygienic conditions.
- Integrated card holder on the lid for product name cards.
- Sloping edge design of the lid that guides condensation water back into the container.
- The sensitive water sensor module reminds users when it's time to refill the water container and thus prevents dry boiling.
- Digital control panel with display to show working time, set temperature and actual temperature.
- The last temperature setting is saved in memory and will be selected every time the power is turned on.
- Temperature can be set from 35 up to 85°C in 1° increments.
- Water container is embossed with a max. fill line, indicating ±4 L.

_	Not intended f	or cooking,	only for	keeping warm.	
		· · · · · · · · · · · · · · · ·			

code	colour	V	W	mm
470411	Black	230	700	607x402x(H)250
470428	White	230	700	607x402x(H)250
470435	Green	230	700	607x402x(H)250



0000



4704

BUFFET PRODUCTS

HENDI

design by Robert Bronwasser







860526

UNIQ SOUP KETTLE

- Stylish and functional design by Dutch designer Robert Bronwasser.
- Body made from high temperature resistant polypropylene.
- Removable 8 litre soup container made of AISI 304 stainless steel, easy to clean.
- Heating element made from AISI 304 stainless steel and placed in the water container for efficient heat transfer.
- Tempered glass lid fitted with insulated handle, ladle notch and aluminium hinge.
- The design of the two-part lid reduces the heat loss by opening, while maintaining optimal hygienic conditions.
- Integrated card holder on the lid for product name cards.
- Sloping edge design of the lid that guides condensation water back into the container.
- The sensitive water sensor module reminds users when it's time to refill the water container and thus prevents dry boiling.
- Digital control panel with display to show working time, set temperature and actual temperature.
- The last temperature setting is saved in memory and will be selected every time the power is turned on.
- Temperature can be set from 35 up to 85°C in 1° increments.
- Water container is embossed with a max. fill line, indicating ±1.5 L.
- Not intended for cooking, only for keeping warm.

code	colour	٧	W	mm
860526	Black	230	500	ø366x(H)325
860533	White	230	500	ø366x(H)325
860540	Green	230	500	ø366x(H)325



Special design of the lid guides condensation back into the container

200

Display shows total operating time



860540



 \bigcirc

 (\square)

ELECTRIC SOUP KETTLES

860502

Soup name card


holder in lid



Digital touch panel with display that alternates between set and actual soup temperature



Lid with insulated handle and ladle recess





Overheating protection – with alarm for low water level

SOUP KETTLE

- Thermal insulation reduces energy consumption and keeps the external housing cool.
- Reduction of energy consumption by up to 30%.
- Digital control panel with display showing the set temperature and actual soup temperature alternately.
- Removable lid made of tough, transparent polycarbonate.
- Aluminium water pan for efficient heat transfer.
- Food pan made of 18/8 stainless steel.
- Housing of polypropylene.
- Ring allows safe and easy removal of food pan.
- Overheating protection with low water level alarm.
- Soup name card holder in lid.

code	liters	٧	W	mm
860502	8	230	450	ø370x(H)300

SOUP PAN FOR ELECTRIC SOUP KETTLE

- Soup pan for use with the HENDI soup kettle 860502.
- Made of stainless steel and therefor easy to clean.

code	mm
926574	ø280x(H)200



KITCHEN LINE SOUP KETTLE, 8 L

- S.S. stainless steel
- Body Made of stainless steel. (painted black).
- Lid and water pan Made of stainless steel.

- Heating power control.

- Suitable ladles: 527306, 529003, 540305.

code	liters	V	W	mm
860083	8	230	435	ø340x(H)360

.





- Gastronorm 1/1.
- Water pan made of heat-resistant polypropylene.
- Continuous settings up to 85°C.
- On/off switch, pilot light.
- Very silent whilest heating.
- Including GN 1/1 food pan 65 mm deep.

code	liters	V	W	mm
204825	9	230	900	573x348x(H)284



- Gastronorm 1/1.
- Temperature adjustable up to 85°C.
- With lid stand.
- On/off switch with integrated indication light.
- Including Gastronorm 1/1 food pan 65 mm deep.
- Suitable for pans up to 100 mm deep.

code	liters	٧	W	mm
204900	9	230	850	615x355x(H)280



204900

CHAFING DISH ELECTRIC TESINO

- Water pan made of heat-resistant polypropylene.
- Continuous settings up to 85°C.
- Very silent whilest heating.
- On/off switch, pilot light.
- Including 6,8 ltr food pan.

code	liters	V	W	mm
204832	6.8	230	500	ø405x(H)248









S.S.

PP





18/0

18/0

S.S.

18/0

S.S

CHAFING DISH GASTRONORM 1/1

- Model Economic.
- High-gloss polished lid and lid stand.
- Including chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Suitable for food pans up to 65 mm deep.

code	packed per	liters	mm
472613	2	9	600x358x(H)295
475904	1	9	600x358x(H)295





470619



CHAFING DISH GASTRONORM 1/2

- Model Economic.
- High-gloss polished lid and lid stand.
- Including chafing dish fuel holder and stainless steel food pan 65 mm deep.

- Suitable for food pans up to 65 mm deep.

code	liters	mm
475201	4.5	385x295x(H)310

CHAFING DISH - ROUND

- Glass lid.
- Including chafing dish fuel holder and stainless steel food pan.

code	liters	mm
470619	3.5	ø390x(H)270

SOUP CHAFING DISH

- Model Economic.

- Including chafing dish fuel holder and stainless steel soup pan with lid.

code	liters	mm
472507	8	ø370x(H)325







code - mm 470930 conversion 530x325x(H)30

CHAFING DISHES PROFI LINE

- Ideal for buffets and catering.
- By using high-quality material and a beautiful finish, these chafing dishes give every presented dish a certain allure.
- The chafing dishes and accessories are entirely made from durable stainless steel.



CHAFING DISH GN 1/1 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/1 65 mm deep food pan and 2 chafing dish fuel can holders.

code	liters	mm
470251	9	570x430x(H)290



CHAFING DISH GN 2/3 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 2/3 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm
470275	6	395x430x(H)290





- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/2 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm
470268	4	365x370x(H)280



CHAFING DISH ROUND SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable round water pan, round 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm
470282	6	465x420x(H)320















470213

CHAFING DISH GN 1/1 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.

- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/1 65 mm deep food pan and 2 chafing dish fuel can holders.

1	J		
code	liters	mm	
470213	9	570x405x(H)320	



CHAFING DISH GN 2/3 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 2/3 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm
470237	6	395x405x(H)320



CHAFING DISH GN 1/2 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/2 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm
470220	4	365x345x(H)345



SOUP CHAFING DISH MIRROR FINISH

- The round soup container is placed in a large water pan which provides plenty of heat to easily keep the soup hot.
- Soup container fitted with two handles.
- The lid has a recess for the spoon.
- Supplied with removable water pan, round soup container and chafing dish fuel can holder.

code	liters	mm
470244	10	ø420x(H)380



Ē









ROLLTOP-CHAFING DISH GASTRONORM 1/1

- Model Rental-Top.
- Solid base with high-gloss polished roll top lid made of 18/0 stainless steel.
- Includes two chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Bottom fitted with fastening bolts for electric heating element 809709.
- Suitable for Gastronorm pans up to 100 mm deep.

code	liters	mm
470206	9	590x340x(H)400

CHAFING DISH HEATER

- The heater features a single and stable power level output (it does not have a temperature regulating function).
- Not intended for cooking, only for keeping warm.
- Fits perfectly to the HENDI Chafing dish water pan (code: 809716).
- Also suitable for the HENDI Rolltop-Chafing dish GN 1/1 (code: 470206) and any other GN 1/1 chafing dishes if a water pan is fitted with bolts.

code	V	W	mm
809709	230	380	300x200x(H)19



ROLLTOP-CHAFING DISH GASTRONORM 1/1

- Elegant buffet chafing dish.
- Patented extra quiet opening mechanism.
- Roll-top cover retractable up to 180°.
- Optional installation of electrical heating element.
- Highly polished stainless steel.
- Steel frame 2.3 mm, cover 1.2 mm.
- Set includes two fuel can holders and
- a GN 1/1 65 mm food pan.

code	liters	mm
470305	9	660x490x(H)460



ROLLTOP-CHAFING DISH - ROUND

- Elegant buffet chafing dish.
- Patented extra quiet opening mechanism.
- Roll-top cover retractable 180°.
- Set includes one fuel can holder and food pan (Ø 390x(H)60 mm).
- Highly polished stainless steel.
- Steel frame 2.3 mm cover 1.2 mm thick

Steet nume	2.0 mm, cover	1.2 min direk.
code	liters	mm
470312	5.6	510x540x(H)480



INDUCTION HOT PLATE KITCHEN LINE

- Unique induction hot plate with a rectangular induction coil which keeps pans warm while providing freedom of placement.
- Power adjustable in 11 steps by means of a knob.
- Temperature range: 40-100°C.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.

code	V	W	mm
239384	230	800	460x315x(H)62



CHAFING DISH HEATER

- For use as an alternative to conventional fuel holder.
- Only suitable for chafing dishes with a flat bottom.
- Extremely suitable for chafing dishes without preparation for electrical elements.
- Specifically suitable for HENDI chafing dishes with item number 470008, 475201, 470206 and 471005.

code	V	W	mm
809600	230	500	ø130x(H)100



DISH WARMER 2 BURNERS

- With stainless steel frame and grips.
- Anodized aluminium hotplate.
- Scratch-proof.
- Including 2 candle light holders.

code	
463000	

330x180x(H)65

mm

450x180x(H)65

S.S

<u>S.S</u>

Αl

Αl



DISH WARMER 3 BURNERS

- With stainless steel frame and grips.
- Anodized aluminium hotplate.
- Scratch-proof.
- Including 3 candle light holders.

code


463109

mm



463109





- Refillable.

- Supplied empty. code packed per mm 198124 2 (L)230



464809


 $|\bigcirc|$

╙═┦









CHAFING DISH FUEL

- Chafing dish fuel is made from natural ethanol alcohol, mixed with water and a thickening agent to make it a solid or gel.
- HENDI chafing dish fuel is artificially made to taste so bitter that it is impossible to swallow.
- To safely and efficiently warm chafing dishes, we urgently advise to place the chafing dish fuel can in the indicated fuel holders.
- The heating capacity is equal throughout the range while the heating rate depends on the size of the flame, determined by the distance the lid of the chafing dish fuel can holder is kept open.
- All HENDI chafing dish fuel burn soot and odourless.
- Cartouches and cans burning without the chafing dish fuel can holder become very hot during use, creating a significant risk of burns if they are not placed inside the chafing dish fuel can holder. Danger of burns!
- These chafing dish fuel can holders are included with the HENDI chafing dishes and available separately.
- Always read the product instructions before use.
- Make sure there are no open flames or hot objects nearby when working with chafing dish fuel.
- The flammable vapour easily escapes from the container.
- Make sure that no water (condensation) drips into the burning fuel. It can cause dangerous sputtering and splashing of fuel.
- Only light the fuel after placing the chafing dish fuel can

holder with can in the final location.

- The flames are almost entirely blue, making them very hard to see in the light. Caution is advised.
- Only ever extinguish the fuel by closing the lid of the chafing dish fuel can holder.
- Refilling: Always make sure the can and its holder have completely cooled down.
- Remove the can from the chafing dish fuel can holder to refill the can.
- Storage: Always store it in closed containers in a dark and well-ventilated location, below 20°C.
- To store larger amounts of fuel, please consult your local regulations.
- If the above instructions are followed, the risk of accidents will be minimal.
- In case of a starting/small fire: use a fire blanket (or a large, wet blanket) to cover the fire and deprive it of oxygen.
- In case of fire on clothes/body: use a fire blanket or a powder/ CO, fire extinguisher.
- Never try to extinguish the fire with a small towel as this would only spread the fuel and the flames! After extinguishing the fire keep the body cool for 15 minutes or until medical assistance arrives.
- Leave clothes in place.
- Always seek medical assistance immediately.



Benefits:

- + Doesn't contain toxic methanol
- + Safe to use indoors
- + No toxic fumes or bad odours

CHAFING DISH FUEL CAN NL DE FR EN

- 200 grams pack for chafing dish.
- Burning time: ± 3 hours.

- Pallet: 40x 194355, 117x 194300, 135x 19436	2.
-----------------------------------------------	----

code	packed per	
194362	12	
194300	24	
194355	72	







CHAFING DISH FUEL BOTTLE – Bottle 1 liter.

code	order unit
195109	12



CHAFING DISH FUEL JERRY CAN

– Jerry can 5 liter. code order unit 195505 4



190401

CHAFING DISH FUEL BUCKET Bucket / kilos

- DUCKEL 4 KILUS.	
code	order unit
190401	3



CHAFING DISH FUEL CAN HOLDER - 2 PCS.

470527 2 ø90x(H)60	code	packed per	mm
470027	470527	2	ø90x(H)60



FUEL DISPENSER – Suitable for e.g. can of chafing dish fuel 195505		
code	mm	
195604	(L)280	



packed per

3

FUEL FOR FONDUE-BURNERS - 3 PCS

- For gourmet, fondue, rechauds and stone grills.
- 80 grams portion packs.
- Burning time: ± 2 hours.
- For use with 111420.

code 190036



FONDUE-BURNER - 2 PCS - Suitable for fuel for fondue-burners.

code	packed per	mm
111420	2	ø92x(H)40



Cr

É



LIQUID FUEL WITH WICK

- HENDI tin with wick, contains 100% diethylene glycol.
- Burns up completely.
- Soot and odour free.
- Special wick provides proper burning temperature and time.
- The can does not overheat, no fuel holder needed.
- Equal flame temperature and height during the whole burning process.
- Box 4x6 tins.
- Due to the special cap, it is possible to use the same can several times, store it and transport it safely.









Burns ± 6 hours

193716

LIQUID FUEL WITH WICK

code	-	packed per	weight (kg)	order unit
193761	burns ± 4 hours	6	0.145	4
193952	burns ± 4 hours	24	0.145	1
193716	burns ± 6 hours	6	0.2	4
193938	burns ± 6 hours	24	0.2	1
193679	burns ± 8 hours	24	0.25	1



Ē



CHOCOLATE FOUNTAIN

- Made of stainless steel.
- With warming function, temperature can be set up to 150 °C.
- Minimal chocolate capacity: 1 kg.
- Maximal chocolate capacity: 8 kg.With separate switch for motor and heating element.









HENDI

4



	Chocolate fountain 3 tiers	Chocolate fountain 5 tiers	Chocolate fountain 6 tiers
code	274101	274156	274163
temperature control	45°C	110°C	150°C
min. capacity chocolate	1 kg	2,5 kg	2,5 kg
max capacity chocolate	1,5 kg	6 kg	8 kg
dimensions	ø210x(H)390	ø330x(H)700	ø370x(H)840
power/voltage	170 W/230 V	265 W/230 V	300 W/230 V





 \bigcirc

LADLES AND SERVING SPOONS BUFFET SUPREME



HENDI

٩H



code	colour	mm	code	colour	mm	code	colour	liters	mm
564158	Black	235x55	564455	Black	335x90	563649	Black	0.03	180x70
564202	Transparent	235x55	564400	White	335x90	563632	lvory	0.03	180x70
564103	White	235x55							



SERVING TONGS

UNIVERSAL TONGS

code

657621

657607







mm

(L)230

(L)230

UNIVERSAL TONGS

code	colour	mm
657669	Black	(L)250
657676	Black	(L)300



colour

Transparent

Black



PASTRY TONG code

	code	mm
1	71622	(L)276
1	71608	(L)220



HENDI

BUFFET PRODUCTS





- Two rows of bread slices fit next to eachother on the conveyor.

426982

- Two separate heating elements.
- Suitable for continuous toastin – Supplied with front and back tr

 Suitable for continuous toasting of sliced bread. 	code	colour	V	W	mm
- Supplied with front and back trays.	261309	Steel	230	2240	418x368x(H)387
- Adjustable toasting time up to 3 minutes.	261347	Red	230	2240	418x368x(H)387
	261354	Black	230	2240	418x368x(H)387





BREAD BASKET ROUND

426999

- Reinforced with a stainless-steel wire frame.

- Available in multiple colours.

code	colour	mm
426920	Beige	ø400x(H)90
426982	Black	ø400x(H)90
426999	Brown	ø400x(H)90

ROLL TOP FOR BREAD BASKET ROUND

- Fits bread basket 426920, 426982 & 426999.

- With easy opening.

code	mm	
426289	ø405x(H)230	



PP

Ē



BAKERY BASKET ANGLED ROUND

code	colour	mm		
426562	Light grey	ø310x(H)120		
426579	Black	ø310x(H)120		
426586	Light grey	ø370x(H)120		
426593	Black	ø370x(H)120	N	



BASKET RISER


code	mm
426814	ø250x(H)180
426821	ø250x(H)265





code	colour	mm	code	colour	mm
426555	Black	400x300x(H)50	426678	Black	400x300x(H)120
426524	Light grey	400x300x(H)50	426661	Light grey	400x300x(H)120





code	-	mm
426746	GN 1/6	176x162x(H)65
426722	GN 1/4	265x162x(H)65
426715	GN 1/3	325x176x(H)65
426692	GN 1/2	325x265x(H)65
426753	GN 2/3	325x354x(H)65
426685	GN 1/1	530x325x(H)65



F



BREAD BASKET GN 1/1

- Reinforced with a stainless steel wire frame.	
code	mm
561102	530x320x(H)90



BREAD BASKET OVAL

 Reinforced with a stainless steel wire frame. 		
code	mm	
561003	380x270x(H)90	



BREAD BASKET DISPLAY GN 1/2

- Set of 2 baskets with chrome-plated stand.
- Baskets reinforced with a stainless-steel wire frame.
- Basket dimensions: 360x280x(H)90 mm.
- Stand isn't dishwasher safe.

code	mm
561201	360x280x(H)290



561201



BASKET WITH ROLL TOP COVER

561102

- Basket made of heavy duty polypropylene (poly-rattan).

-	Roll top hood	made of	polyc	arbon	ate.		

code	GN	mm
426968	GN 2/3	365x335x(H)245





PC S.S. ₩ ABS







COOLED DISPLAY WITH COVER - GASTRONORM 1/1

- Cooling by included ice pack, to go below 0°C.
- Stainless steel Gastronorm 1/1 serving tray included.
- With transparent polycarbonate cover.

- ABS housing.

code	-	mm
424186	set	555x357x(H)175
424193	cooling element for use with cooling tray 424186	528x324x(H)30



ABS	*
plastic	cooling

COOLING DISPLAY TRAY

- 5-piece set:
- Base made of polystyrene.
- Tray made of stainless steel, with a profiled rim.
- Transparent cover made of ABS.
- 2 cooling elements.
- NOTE: Before freezing, fill in the cooling element with water up to 90% of its volume.
- The tray is also sold separately (code: 871829).

code	mm
424155	430x290x(H)150



 $|\bigcirc|$



ROLL-TOP COOLING DISPLAY SINGLE

- 5-piece set:
 - Base made of ABS.
 - Tray made of stainless steel, with a profiled rim.
- Transparent roll-top cover made of SAN, opened upwards up to 90°.
 2 cooling elements.
- NOTE: Before freezing, fill in the cooling element with water up to 90% of its volume.

code	mm
871805	440x320x(H)205

ROLL-TOP COOLING DISPLAY DOUBLE

- 9-piece set:
 - 2-level base made of ABS.
 - 2 trays made of stainless steel, with a profiled rim.
- 2 transparent roll-top covers made of SAN, opened upwards up to 90°.
 4 cooling elements.
- NOTE: Before freezing, fill in the cooling element with water up to 90% of its volume.

code	mm
871812	440x320x(H)440



ROLL TOP DISPLAY, DOUBLE-PURPOSE, SINGLE DECK

- Made of polypropylene with a stainless steel insert.
- Transparent Rolltop cover made of polystyrene.
- Convenient access to served food from both sides of the display case.
- Two functions: cooling or heating display.
- Cooling/heating elements placed under the stainless steel tray to maintain the temperature in the compartment.
- Easy to clean.
- Designed and produced 100% in Italy.
- The set includes 2 gel inserts for cooling or heating.
- Dishwasher safe.

code	mm
871775	465x315x(H)195







mm 465x310x(H)190

871706

ROLL TOP DISPLAY - SINGLE

- Transparent SAN plastic rolltop cover.

– Made of ABS plastic.

code

871706



871713

ROLL TOP COOL DISPLAY TRAY DOUBLE DECK

- Transparent Roll Top cover made of polystyrene.
- Convenient access to served food from both sides of the display case.
- Easy to clean.
- Dishwasher safe.

code	mm	
871713	465x310x(H)410	
871768	380x260x(H)355 NI	EW



ROUND DISPLAY ROLL-TOP COVER

- Tray made of stainless steel, with a profiled rim.
- Cover made of SAN, with a chrome button, opened one-sidedly up to 90° (included in set).
- Tray is dishwasher safe.
- The cover is also sold separately (code: 427514).

code		mm
424001		ø380x(H)240
427514	Round roll-top cover	ø380x(H)200





╙═┦

ROUND TRAY WITH COVER

- Tray made of stainless steel, with handles.
- Cover made of SAN, with an extruded grip.
- Both elements of the set are dishwasher safe.

code	mm
980101	ø300x(H)110









– Clear polycarbonate.		polycarbonate wash
code	mm	
427507	540x330x(H)180	





couc	
866009	

545x335x(H)95



A A		427538
ROLLTOP F – Clear polyca	PRESENTATION COVER	GN 2/3 Representation of the second s
code	-	mm
427538	Roll top cover only	365x335x(H)175



code 427415









ROTATING CAKE STAND

- Made of stainless steel.
- Effortless base rotation in both directions facilitating
- decorating and cutting cakes.
- On a stable foot with non-slip base.
- The cover is also sold separately (code: 523834).

code	mm
523827	ø300x(H)90

CAKE STAND COVER

- Made of polystyrene.
- Transparent, with an extruded grip.
- Not dishwasher safe.
- Suitable for the HENDI Rotating cake stand (code: 523827).

code
523834

mm ø300x(H)110

mm

PP	S.S. stainless steel	wash

CAKE SERVER	
-------------	--

- With polypropylene handle.

code 523902

260x55			

CAKE SCOOP/CUTTER - Black polypropylene handle

ĸ		0.0
۵	polypropylene	stainless

- Thanks to its sharpened edges it can be used as a knife.

E000E7 000.7E	code	mm
5Z3957 300X75	523957	300x75





F



code	plates max.	mm
425466	Ø 170 mm	185x175x(H)260
425473	Ø 275 mm	290x290x(H)440

SEA	FOOD	TRAY	STAN	D

- With two serving trays, Ø 300/400 mm.

code	-	mm
480519		ø400x(H)200
480502	Stand only	ø250x(H)190

TIERED	STAND	
--------	-------	--

– With 3 trays, Ø 166/220/268 mm.

code		mm	
200	429914	ø268x(H)320	





NON-SLIP DISPLAY STANDS

- Steel frame with PVC coating.
- Supports a variety of display trays and bowls.

code	mm
561973	265x230x(H)200
561966	260x230x(H)100





NON-SLIP DISPLAY STANDS ROUND

- Steel frame with PVC coating.
- Supports a variety of display trays and bowls.

code	mm
561980	ø200x(H)100
561997	ø200x(H)200



ĥ





PC

MUESLI DISPENSER

- Designed for dispensing bulk products.
- Stainless steel stand.
- Polycarbonate dispenser.
- Airtight lid to retain long freshness of the ingredients.
- Hygienic, controlled dosing prevents spillage.
- Dispenser opening located at a height of 140 mm.
- Mountable can be placed on a worktop or wall-mounted.

code	liters	mm
557402	4	184x240x(H)600





MULTIRACK

- Frame made of polished AISI 304 stainless steel.
- 3 levels, for pre-packed products and condiments.
- 3 removable 1 L containers, made of SAN.
- Containers are dishwasher safe.

code	mm
428245	190x240x(H)410





PITCHER WITH ICE TUBE

clear SAN plastic with lid. - With ice cube tube for cooling.

code

425107

425121

- Pear shaped model of scratch resistant

liters

2.2

3





F

PITCHER

Very break resistant.		
code	liters	mm
567906	1.8	ø125x(H)210

very break resistant.			
code	liters	mm	
567906	1.8	ø125x(H)210	

0	A	۲A	FE

Cover with pourer.		
code	liters	mm
425763	1	ø92x(H)245

	4231
JUICE J	IUG

- Straight model of scratch resistant plastic with lid.

code	liters	mm
425138	2	ø120x(H)250

HENDI

mm

ø150x(H)260 ø170x(H)285

DISPENSERS AND JUGS





JUICE DISPENSER - With ice cylinder cooling.

- Easy to clean dripping tray.
- Clear polycarbonate juice container.With non-drip tap.

code	liters	mm
425299	8	265x350x(H)580
425411	16	560x350x(H)580





JUICE DISPENSER - With ice cylinder cooling. - Easy to clean dripping tray.

- Clear polycarbonate juice container.

- With non-drip tap.

code	liters	mm
425428	3	215x315x(H)490
425435	6	415x315x(H)490



ĪH



425190			S.S. Santas stel		
JUICE DISPEI	NSER poling. pnate juice containe	r.	- Stainless steel - With ice cylinde - Removable con	housing.	
code	liters	mm	code	liters	mm

HENDI



JUICE DISPENCER 2X12L

- Two 12 liter containers with quick dispense tap.
- With temperature controller, temperature can be set between 0°C and 10°C. - Containers can be removed to ease cleaning.
- Refrigerant: R290.
- Drip tray included.

code	liters	V	W	mm
425206	24	230	370	430x430x(H)640





 $|\bigcirc|$



BUFFET PRODUCTS

Ē

396

- California

HENDI

MELAMINE



- Hygienic and shock resistant.
- Light weight.



GN BANQUET TRAY

code	-	mm
566046	GN 1/4	265x152x(H)20
566022	GN 1/3	325x177x(H)20
566015	GN 1/2	325x265x(H)20
566053	GN 2/4	530x163x(H)20
566930	GN 2/3	354x325x(H)20
566008	GN 1/1	530x325x(H)20





PLATTER, RECTANGULAR

code	mm
561508	360x205x(H)38
561515	495x270x(H)56



GN 1/1 TRAY

code	mm
561607	530x325x(H)20



SQUARE BOWL

code	colour	mm
561560	White	130x130x(H)65
561577	White	190x190x(H)100
561584	White	270x270x(H)105











- Polished, with matt rim.
- Made of stainless steel.
- Suitable for cooling tray 424186.

/3/103 530v325v(H)13	code	mm	
456105	436103	530x325x(H)13	

BANQUET TRAY GN 1/1 WITH SMOOTH RIM

code	mm
807705	530x325x(H)10



mm

530x325x(H)20



COOLING DISPLAY TRAY

- Made of stainless steel.
- With a profiled rim that holds the cover in place.
- Fits into set: the HENDI cooling tray with cover (code: 424155) and the HENDI cooling displays (codes: 871805 and 871812).

code	mm
871829	395x283



code	-	mm
807804	GN 1/1	530x325





SERVING TRAY, ROUND

- Decorative pattern.

code

410110

- Made of stainless steel.

mm	
ø300x(H)17	
ø400x(H)19	
	ø300x(H)17

398



S.S



405000

SERVING TRAY, OVAL

- Satin finish.

- Made of stainless steel.

code	mm
405000	200x140
405208	265x195
405307	285x220



B	E	E	R	T	R	Δ

code	mm
480106	ø315x(H)45

ĺ	S.S.	
ĺ	stainless steel	

SERVING DISH

code	mm
404003	190x140
404102	245x170
404201	300x220
404300	350x240
404409	400x260
404508	450x290
404607	500x350



FAST FOOD TRAYS





POLYPROPYLENE FAST

POLYPROPYLENE FAST FOOD TRAY, SMALL

FOOD TRAY, MEDIUM **FOOD TRAY, LARGE** code colour mm code colour mm code colour mm 878705 265x345x(H)20 878903 305x415x(H)20 350x450x(H)20 Light grey Light grey 878804 Light grey 878712 Red 265x345x(H)20 878910 Red 305x415x(H)20 878811 Red 350x450x(H)20 878729 Blue 265x345x(H)20 878927 Blue 305x415x(H)20 Blue 350x450x(H)20 878828 878736 Green 265x345x(H)20 878934 Green 305x415x(H)20 878835 Green 350x450x(H)20 878743 Brown 265x345x(H)20 878941 Brown 305x415x(H)20 878842 Brown 350x450x(H)20 878750 Black 265x345x(H)20 878958 Black 305x415x(H)20 878859 Black 350x450x(H)20

POLYPROPYLENE FAST

PP	<80°C	
polypropylene	temp	sta

stackable

F

 $|\bigcirc|$



POLYPROPYLENE EURONORM



878101

SERVING TRAY, RECTANGULAR, NON-SLIP, BLACK

– Black.	
code	mm
878118	255x355
878101	530x325



SERVING TRAY, ROUND, NON-SLIP – Black. code mm 878125 ø280x(H)20 ø360x(H)20

ø410x(H)20



SERVING TRAY, ROUND, NON-SLIP – Black.

code	mm
878606	ø320x(H)37
878408	ø360x(H)39



878132


878149



POLYPROPYLENE FAST FOOD TRAY, OVAL

- Oval-shaped, with a low rim

code	colour	mm
878507	Light grey	265x195x(H)15
878552	Black	265x195x(H)15







ſ	Μ	ſ	
l	melamine	l	stackabl

SERVING TRAY WITH MELAMINE LAMINATE, NON SLIP, WITH WOOD DESIGN

- Finished with melamine laminate

- Excellent resistance to chemicals, stains, and scratches.
- Available in 3 different, elegant designs.

code	colour	mm
508909	Wood light	240x340
508916	Wood	240x340
508923	Wood dark	240x340
508862	Wood light	330x430
508879	Wood	330x430
508886	Wood dark	330x430
508930	Wood light	370x530
508947	Wood	370x530
508954	Wood dark	370x530








FIBREGLASS

- Fibreglass reinforced polyester.
- Ideal for heavy use scenarios.
- Non-slip rubber surface, effective both wet and dry.
- Shockproof, break resistant.







508657 POLYESTER TRAY, NON-SLIP, RECTANGULAR

– Black.			-
code	-	mm	
508657		200x280	
508626		325x530	
508619	Euronorm	370x530	



POLYESTER TRAY, NON-SLIP, ROUND

Black. code mm 508824 ø280x(H)22 ø350x(H)22 508817 508800 ø400x(H)22 508794 ø460x(H)22 ø500x(H)22 508787

508831



POLYESTER TRAY, NON-SLIP, OVAL

code	mm
508718	160x230
508725	200x265
508732	210x290



POLYESTER TRAY, OVAL, XL

-	Black.
	code

code	mm
508831	735x600



mm

520x410x(H)800

COLLAPSIBLE TRAY STAND

- High quality materials, sturdy construction. - Fitted with black belts, easy to set up.

code 810507



S.S.







 (\square)

SERVING TRAYS, NON-SLIP

- Laminated trays with rubber non-slip coating.
- Resistant to chemicals, stains, and scratches.





code

507865

SERVING TRAY, RECTANGULAR, NON-SLIP, LAMINATED



SERVING TRAY, ROUND, NON-SLIP, LAMINATED

> mm ø380x(H)15

131

-10°C 100°C

507711

SERVING TRAY, ROUND, NON-SLIP, **HIGH RIM, LAMINATED**

code	mm
507711	ø320x(H)35
507766	ø360x(H)30
507773	ø420x(H)30

SERVING TRAY, OVAL, NON-SLIP, LAMINATED

code	mm
507964	230x160
507568	200x265
507933	290x210

mm

325x530

330x430

370x530 430x610



GRANITE FORM

code

507216

507469

507117

507018



HENDI



CUTLERY TRAY

- 4 sections GN 1/1.

code	colour	mm
552315	Black	530x325x(H)100
552308	Light grev	530x325x(H)100





CUTLERY TRAY

- 6 sections.

- Suitable for coffee spoons, teaspoons and cake forks GN 1/1.

code	colour	mm
552353	Light grey	530x325x(H)105
552360	Black	530x325x(H)105



552360



CUTLERY BASKET HOLDER

– For 4 baskets.

- Baskets not included.

code	mm
552407	255x295x(H)215



POLYPROPYLENE CUTLERY BASKET	
code	mm
074004	05 (11)405

871201	ø97x(H)137	polypropylene

STAINLESS STEEL CUTLERY BASKET

code 552490

mm ø97x(H)137





PP

S.S.

CATERING FURNITURE FOLDABLE

- Multi-functional foldable furniture for indoor and outdoor use.
- Tops made of HDPE polyethylene.
- Frame made of powder-coated metal profiles.

- Easy transport and storage.
- Easy to clean and stain resistant surfaces.




BUFFET TABLE FOLDABLE

- Foldable to suitcase model for easy transporting and storage.

code	mm	
810927	1520x700x(H)740	
810910	1830x750x(H)740	





BUFFET TABLE

code	mm
810347	870x870x(H)740
810897	1800x740x(H)740



TROLLEY FOR TABLES

- Eases transport of round and square tables.
- Can hold up to 10 round tables upright or 20+ rectangular tables stacked.

code	mm
811221	1800x850x(H)990



H







BUFFET TABLE

code	mm
810934	1220x610x(H)740

ROUND BAR TABLE

code	mm
810958	ø800x(H)1100



TABLE COVER SYMPOSIUM, ROUND OEKO-TEX® CONFIDENCE IN TEXTILES

- Fabric: plain jersey 160 g/m².
- 90% micro polyester, 10% elastan.
- No ironing needed.
- Excellent color fastness.
- Fits tables with table top diameters ø800-850.

code	colour	mm
813157	White	ø850x(H)1150
813171	Cream	ø850x(H)1150
813164	Black	ø850x(H)1150

TABLE COVER SYMPOSIUM, RECTANGULAR – Fabric: plain jersey 160 g/m².

- 90% micro polyester, 10% elastan.
- No ironing needed.
- Excellent color fastness.

Execution co	tor rustricss.		
code	colour	-	mm
814376	Black	810934	1200x760x(H)730
814390	White	810927	1500x760x(H)730
814406	Black	810927	1500x760x(H)730
814420	White	810910 810897	1830x760x(H)730
814437	Black	810910 810897	1830x760x(H)730
	code 814376 814390 814406 814420	814376 Black 814370 White 814406 Black 814420 White	code colour - 814376 Black 810934 814390 White 810927 814406 Black 810927 814420 White 810910 810897



TABLE COVER SYMPOSIUM, **ROUND Ø70-85 CM**

- Fabric: plain jersey 160 g/m².
 - 90% micro polyester, 10% elastan.
 - No ironing needed.
 - Excellent color fastness.

814437

- Fits tables with table top diameters ø700-850.

code	colour	mm
813829	White	ø850x(H)1150
813850	Cream	ø850x(H)1150
813836	Black	ø850x(H)1150





<u>لط</u>

810996	1		E ROUND FOLDABLE se model for easy transporting
		code	mm
		810996	ø1500x(H)740





CATERING CHAIR - LIGHT GREY

	1	
•	A	4
1	\Box	A
1	Y	, 1
		810989

CATERING CHAIR - BLACK

code	mm	code	mm	– 100% _I
810965	540x440x(H)840	810989	540x440x(H)840	– No iro

	7
T	
1988	
	813096
FOLDING CHAIR COVER	

- 6 polyester. roning needed.

code	colour	mm
813096	White	540x440x(H)840









RESTAURANT CALLING SYSTEM

- Digital displays on pagers for marking order/table number (programmable numbers from 001 to 998).
- Controller with a touch keypad.
- Built-in antenna in the controller ensuring no signal interference from other devices.
- 3 notification modes: vibration, sound, LED light.
- Combine notification modes all switched off with one click.
- Space-saving charging: pagers are stacked on the charger.
- Reach: 500 m.
- Pager dimensions: 65x65x15 mm.
- Max. pagers programmable into 1 controller: 998.
- Included in set: controller, 10 pagers, charging station, charger.
- Pagers are also sold separately 10 pcs. (code: 201640).

coue			
201	633		

RESTAURANT PAGERS - SET OF 10 PCS.

- Digital displays on pagers for marking order/table number (programmable numbers from 001 to 998).
- 3 notification modes: vibration, sound, LED light.
- Combining notification modes all switched off with one click.
- Space-saving charging: pagers are stacked on the charger.
- Reach: 500 m.
- Pager dimensions: 65x65x15 mm.
- Included in set: 10 pagers, charging station, USB-C cable.
- Pagers operate only with the controller from the HENDI Restaurant calling system sold separately (code: 201633).

code 201640



╙═┦

CORKSCREWS & BOTTLE OPENERS



WAITER'S CORKSCREW

- Chrome plated, with.
- ABS handle 4 functions With separate bottle-opener

code	mm
596807	(L)140



WAITER'S CORKSCREW

- Made of stainless steel, ABS grip.
- 3 functions.
- Patented lever, spiral for long corks and foil cutter.

code	mm
597323	37x130x(H)14



WAITER'S CORKSCREW

Curved model 3 functions.


code	mm	
597200	(L)110	



WAITER'S FRIEND CORKSCREW

- Waiter's friend with corkscrew, blade and bottle cap opener.
- The long corksrew allows to open bottles without breaking or bending the cork.
- The small blade cuts through foil with ease.
- With a durable steel frame which is covered with a gripped casing.
- Folds away compact and is easy to carry in a pocket.

code	mm
594018	110x25



À



59750 Create CORKSCREW - Lever model.	
– Chrome-plated. – With bottle-opener.	
code	mm
597507	(L)170



^{mm} 179x40x(H)2

BAR BLADE		
code		
596746		





599488

599464

599471



SLOW POURER WITH FLIP TOP - 6 PIECES

- For use in bars, pubs and restaurants
- Facilitates precise dosing
- Made of stainless steel with rubber stopper
- Suitable for standard 0.5 1.5 liter bottles with holes up to \emptyset 20 mm in diameter

code	packed per	mm
599334	6	ø30x120



Fast flow

Slow flow

With flip top

FREE-FLOW POURER - 6 PCS

- LVA plastic.		
code	packed per	
599372	6	



18/8

6

6

6

F



FREE-FLOW POURER SET - 4 PCS

– EVA plastic.

code	-	packed per
599402	Blue	4
599419	Red	4
599426	Transparent	4
599433	Yellow	4



599440

599457

FREE-FLOW POURER SET - 4 PCS

- EVA plastic.

code	-	packed per
599440	2 black, 2 white, 2 red	6
599457	2 blue, 2 red , 2 green	6





NON-DRIP POURER

code	liters	
598313	0.04	
598214	0.035	
598016	0.02	
598412	0.05	

wall mounted

shelf mounted





NON-DRIP BRACKET WALL MOUNTED

- Bottle height: 240-350 mm.For shelves up to 35 mm thick.

code	
598719	shelf mounted
598818	wall mounted



BALL MEASURING POURER - 2 PCS

code	packed per	liters
599013	2	0.02
599112	2	0.035
599198	2	0.04
599211	2	0.05

plastic



Ì



BOTTLE STOPPER - 3 PCS.

- Prevents leaks and spills of the beverage

- Hermetic seal extends the life of the product in an already opened bottle
- Made of nylon with a very durable ABS lever
- Integrated silicone ring that seals the bottle tightly when the lever is pressed
- Suitable for standard bottles with a capacity of 0.5 1.5 litres, holes up to $\emptyset 20 \text{ mm}$ in diameter
- Includes 3 caps in green, white and red

code	packed per	mm
552049	3	ø36x81



BOTTLE CAP PERFORATOR

- "Prikit".

- Peforates bottlecaps and cans easily with a \emptyset 6,5 mm hole.
- Passing a straw through the hole keeps insects out of the drink.
- Reduces spillage if a drink is knocked over.
- Suitable for 6 mm biodegradable straws.

code	mm
595572	ø45x(H)80



CHAMPAGNE STOPPER

- For storing opened bottles.
- With silicone gasket.

	2
code	
595589	

595558

STOPPER - 6 PCS.

- For use in bars, pubs and restaurants
- Made of hard and flexible black EVA
- Protect against spillage of open bottles
- Sealed closure to extend product life
 Suitable for standard 0.5 1.5 liter bottles with holes up to ø20 mm in diameter



STOPPER WITH CAP - 6 PCS.

- For use in bars, pubs and restaurants
- Protect against spillage of open bottles
- Made of hard and flexible EVA
- Sealed closure to extend product life
- Suitable for standard 0.5 1.5 liter bottles with holes up to Ø20 mm in diameter

code	packed per	mm	code	packed per
595558	6	ø31x31	595565	6



 \bigcirc

 \mathbb{H}

INGREDIENT BOXES

- For use in bars, pubs and restaurants
- Made of premium plastics
- HIPS enclosure and transparent ABS lid to protect food from contamination or insects
- Each container can be easily removed from the holder. e.g. to replenish the product
- Dishwasher safe containers





CONDIMENT HOLDER -3 CONTAINERS

552018

- 3 polypropylene containers to store fruit or spice additives separately

code	mm	
552018	480x150x(H)100	

552025 **CONDIMENT HOLDER -**

4 CONTAINERS

- 4 polypropylene containers to store fruit or spice additives separately code mm 552025 480x150x(H)100



CONDIMENT HOLDER -5 CONTAINERS

- 5 polypropylene containers to store fruit or spice additives separately code mm 552131 480x150x(H)100

552032

CONDIMENT HOLDER -6 CONTAINERS

1 21	opylene containers to uit or spice additives ely
code	mm
552032	480x150x(H)100



CONDIMENT HOLDER

- Made of top-quality materials.
- Stainless steel with transparent polypropylene lid to protect food from contamination or insects.
- Polypropylene storage containers for storing additives or spices separately. The containers – Two smaller compartments measuring can be easily lifted out of the holder.
- Containers are dishwasher safe.



596890

NAPKIN HOLDER WITH **3 COMPARTMENTS**

- For use in any food and beverage establishment
- Made of polystyrene
- Large napkin compartment 135x135 mm
- 24x115 mm for straws, stirrers, etc.



BAR CADDY

- 6 compartments for organizing straws, napkins, stirrers etc.
- Container for napkins 130x130 mm, 2 compartments 51x48 mm, 2 compartments 51x44 mm, 1 compartment 102x46 mm.
- Made of ABS plastic.

Containe							
code	-	mm	code	mm	code	mm	
552100	5 containers	375x140x(H)90	596890	193x143x(H)136	596760	240x145x(H)105	





Ą

PARING KNIVES AND PEELERS

– High quality

PARING KNIFE

polypropylene	S.S. stainless steel	wash
---------------	-------------------------	------

|--|

code	-	blade length (mm)	mm
841105	straight model	75	(L)180
841112	pointed model	87	(L)190
841129	curved model	60	(L)165

TOMATO KNIFE

- Polypropylene handle.

-	Made	in	Germany.

HDPE

	,	
code	blade length (mm)	length (mm)
841136	110	215



CUTTING BOARD WITH HANDLE

– Made of polyethylene HDPE.

- Both sides suitable for cutting.

code	colour	mm	thickness (mm)
826348	White	250x150	10
826478	Black	250x150	10
826355	White	300x200	10
826485	Black	300x200	10







MUDDLER

- Made of polypropylene .

- For grinding and crushing drink ingredients, e.g. raspberries, limes, mint etc.

code	-	mm
596739	profiled, grid	ø34x207
596944	smooth	ø34x207
596951	profiled, star-shaped	ø34x207







Ē









MUG COPPER PLATED

- Made of stainless steel, copper plated.

code	-	liters	mm
596975	Mule mug	0.5	ø97x(H)100
596982	Beer mug	0.4	ø85x(H)105









BARTENDER BAG

- Made of thick cotton with plain weave. The bag has a rim with overstitching for reinforcement and an elegant finish.
- Stainless steel fittings finished in an antique gold colour.
- Straps made from brown natural leather (suede).
- Black cotton shoulder strap adjustable in length and detachable.
- Secure fastening by means of buckles and leather straps.
- Lay-out:
- 8 pockets (e.g. for bartending spoons, tweezers),
- 8 elastic open compartments (e.g for jiggers),
- 3 flaps secured with velcro,
- zippered compartment for a shaker/boston shaker glass, measuring 37x15 cm.
- Dimensions of the internal part (with closed flaps): 37x33,5 cm.

code	
700259	



ABS

3-TIER GLASS RIMMER

- For decorating glass rims.
- 3 appropriately labelled tiers: lime juice, salt, sugar.
- Sponge in lime juice container to prevent spilling.
- Made of ABS plastic.

code	mm
596777	200x160x(H)75



ICE BUCKET – DOUBLE WALLED

code	liters	mm
594704	5	ø200x(H)230



ICE BUCKET WHITE

code	liters	mm
594742	5	ø190x(H)200
594759	10	ø292x(H)220







WINE COOLER STAND

 Very compactl 	y packed 4-part assembly.
code	mm
593608	ø185x(H)750



		Pr	6			P
		471500	C	471524		593165
		S.S.		S.S	PARTY TUB - Made of transparent pla	SAN plastic
code 471500	liters 13.5	mm ø370x(H)230		liters mm 9.5 ø350x(H)230	- Transparent. - Oval.	mm 70x290x(H)230
						P
	593202	S.S.		593103 5 93103		593158
VINE COOLE With ring hand The large form	les. at ensures that		WINE COOLER – With tulip handles		CHAMPAGNE COOL – Transparent. – Compatible with wine co	ER
bottles fit witho code 593202	liters 3.3	mm ø220x(H)190		liters mm 3.5 ø210x(H)210	593905. code liters 593158 3	mm 220x185x(H)226
						T
		chrome plated		For use without ice cubes		
-	F	11	_ 1		Light weight but highly	
-	5939) 05	S.S. staties steel	593806	Light weight	
The ring is Ø 18 will fit. The mounting (E R TABLE BI 85 mm, so mos rods are finishe	RACKET t wine coolers		ainless steel. ce cubes.	Light weight but highly insulating	ulating. hbreakable. wine rises at about
VINE COOLE The ring is Ø 18 will fit. The mounting is ends to preven Wine cooler no code	ER TABLE BI 85 mm, so mos rods are finishe t damage.	RACKET t wine coolers ed with rubber	• Double-walled st • For use without in	ainless steel. ce cubes.	Light weight but highly insulating 5938 WINE COOLER EPP - Made of EPP, highly ins - Stable heavy bottom, u - The temperature of the	ulating. hbreakable. wine rises at about

HENDI



- Made of durable, food-grade silicone.
- Made of durable, food grade shicone.

code	mm
679012	190x105x(H)30



ICE CUBE MOULD MINI CUBE

- For preparing 15 small ice cubes (±3x3x3 cm).
- Made of durable, food-grade silicone.

code	mm
679043	190x120x(H)35



ICE CUBE MOULD XL CUBE

- For preparing 6 large slow-melting ice cube balls (±5x5x5 cm).
- Made of durable, food-grade silicone.

code	mm
679036	170x110x(H)52



ICE CUBE BALL MOULD

- Ideal for whisky, a must have for bar professionals.
- Creates 6 big spherical shaped ($\pm \emptyset$ 4,5 cm), slow melting ice cubes.
- Consists of 2 parts with locking ring so the balls can be made
- without leaking.
- Made of durable, food grade silicone.

code	mm	
679029	180x125x(H)50	



ICE SHOT GLASS MOULD

679050

- Ideal for serving shots, a must have for bar professionals.
- Creates 6 shot glass shaped ice cubes.
- Made of durable, food grade silicone.

dur	able,	tood	grade	silicone.		
					mm	

125x190x(H)60

679050

code

ICE SHOT GLASS MOULD

- For preparing 4 shot glass-shaped ice cubes.
- Made of durable, food-grade silicone.

code	mm
679067	122x122x(H)60

SIL






- Made of soft rubber.

– Capacity: 32 cubes.

code	mm
679005	335x18

Soft rubber in holder







SODA SIPHON

- Stainless steel soda siphon.
- Makes fresh carbonated water in no time.
- Requires carbon dioxide chargers for use.

code	liters	mm
588574	1	ø100x(H)320



SODA CHARGERS - 10 PCS

– Contains 8 grams of CO_2 , a single filling of a 1L soda siphon.

code	packed per
588406	10



KITCHEN LINE CREAM WHIPPER

- Matte black coated aluminium bottle and head.
- Not suitable for preparing hot sauces.
- Supplied with: 3 different polypropylene nozzles and a cleaning brush.
- To be used with cream whipper chargers $\{N_20\}$ (chargers not included).

code	liters	mm
588420	0.5	ø80x(H)260



CREAM WHIPPER CHARGERS

HENDI

- Suitable for commercially available cream dispensers.


– N_2O Best before 5 ye	ears after production date.

code	packed per	
588208	10	
588215	24	
586907	50	
000707		



		A second a second and
		696040
GLASS BRUSH H – Polypropylene with – Bottom plate fitted	3 nylon brushes.	polypropylene
code	mm	
696040	190x100x(H)250	





DRAINAGE MAT

- Made of white polypropylene.
- Connectable.
- HACCP compliant.

	1		
code packed per		mm	
597958	5	313x209	

PP

BAR

Ì





HENDI





- JUICE DISPENCER 2X12L
 Two 12 liter containers with quick dispense tap.
 With temperature controller, temperature can be set between 0°C and 10°C.
- Containers can be removed to ease cleaning.
- Refrigerant: R290.Drip tray included.

code	liters	٧	W	mm
425206	24	230	370	430x430x(H)640



BAR

Ì

NEW





SLUSH MACHINE

- 12 liter container with quick dispense tap, the lids are lit.
- Digital temperature controller with cold beverage and slush modes.
- Efficient compressor, in slush mode temperature varies between $-10\,^\circ\text{C}$ and $-2\,^\circ\text{C}.$
- Containers can be removed to ease cleaning.
- Day and night mode.
- Refrigerant: R290.
- Drip tray included.

code	liters	V	W	mm
274255	12	230	740	470x520x(H)810

SLUSH MACHINE 2X12L

- Two 12 liter containers with quick dispense tap, the lids are lit.
- Digital temperature controller with cold beverage and slush modes.
- Efficient compressor, in slush mode temperature varies between $-10\,^\circ\text{C}$ and $-2\,^\circ\text{C}.$
- Containers can be removed to ease cleaning.
- Day and night mode.
- Refrigerant: R290.
- Drip tray included.

code	liters	V	W	mm
274224	24	230	740	470x520x(H)810

Ý

F

R





221099

221204

CITRUS JUICER ELECTRIC

- Made of rust-resistant material.
- With stainless steel squeeze bowl.
- Including 3 interchangeable.
- ABS cones for small and large citrus fruit.
- ABS sieve.
- Speed 1500 RPM.
- Manually operated by means of on/off switch.
- Including polycarbonate anti-splash cover.
- All elements except the body are dishwasher safe.

code	V	W	mm	
221204	230	180	308x218x(H)463	



3 cones for different sizes of fruit

CITRUS JUICER ELECTRIC

- Top with lever provides easy and safe operation.
- Removable bowl and cone of stainless steel.
- With splash screen. – RPM: 980/min.

- RPM: 980/MI				
code	٧	W	mm	
221099	230	230	280x200x(H)470	



Splash screen Stainless steel bowl



Top with lever provides easy and safe operation

BAR

Ŷ





CENTRIFUGAL JUICE EXTRACTOR

- For making juice of hard and soft fruits or vegetables.
- With a large, 7 liter, pulp container.
- Very powerful, can juice up to 120 kg per hour.
- Housing, bowl, juicer basket and grating disk made of stainless steel.
- Feeder tube and pusher made of ABS, pulp container and lid made of polypropylene.
- Motor spins the grating disk at 3000 rpm.
- Safe in operation, will only work if the lid and safety arm are locked into place.
- Very easy to disassemble and clean.
- Not suitable for ice or frozen fruits/vegetables.

code	٧	W	mm
221105	230	700	246x480x(H)531



BLENDER WITH NOISE COVER

- This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Replaceable stainless steel blades with titanium coating.
- Noise cover made of polycarbonate, for safety the blender only works when the cover is completely closed.
- Comes with 2,5L break-resistant BPA free Tritan jug, firm lid made of polypropylene and a small BPA free Tritan lid cover.
- Detachable jug can withstand temperatures of -40°C up to 90°C.
- Hi-speed motor with variable speed and pulse function drives
- the blades from 8350 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.





BLENDER WITH NOISE COVER

- Manual control panel power setting knob and a pulse switch.

code		٧	W	mm
230688		230	1680	252x258x(H)547
230602	BPA free	230	1680	252x258x(H)547







DIGITAL BLENDER WITH NOISE COVER

- Digital control panel has touch control for three power settings, three time settings and a pulse function.

code		V	W	mm
230695		230	1680	252x258x(H)547
230664	BPA free	230	1680	252x258x(H)547

Solid construction of the gear



Durable metal gear socket



BAR

Ý

HENDI





HIGH POWER BLENDER

- This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Replaceable stainless steel knife with titanium coating.
- Manual control panel, power setting knob and a pulse switch.
- Comes with 2,5L break-resistant polycarbonate jug, firm lid made of ABS and a small polycarbonate lid cover.
- Detachable jug can withstand temperatures of -40°C up to 90°C.
- Hi-speed motor with variable speed and pulse function drives the blades from 16000 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.

code		V	W	mm
230718		230	1680	270x250x(H)550
230213	BPA free	230	1680	270x250x(H)550

Very powerfull, can even crush ice

> Comes complete with 2,5L break-resistant jug, pusher and firm lid



BLENDER JAR BPA FREE

- Replacement jar for blender 230718/230695/ 230688/230213/230602/230664.
- 2,5L break-resistant BPA free Tritan jug, firm lid made of polypropylene and a small BPA free Tritan lid cover.
- Fitted with blades made of stainless steel with titanium coating.

code	mm
933688	200x170x(H)360





BLENDER JAR WITH TITANIUM COATED BLADE

- Replacement jar for blender 230718/230695/ 230688/230213/230602/230664.
- 2,5L break-resistant polycarbonate jug, firm lid made of polypropylene and a small polycarbonate lid cover.
- The jar is fitted with blades made of stainless steel with titanium coating.

	J	
code	mm	
943489	200x170x(H)360	



230718



 $|\bigcirc|$

H

PERFECT FOR PREPARING FREDDO CAPPUCCINO, FRAPPÉ AND MILKSHAKES

HENDI





design by Robert Bronwasser

Powerful motor with two speeds: 15,000 and 19,000 rpm.



MILKSHAKE MIXER - DESIGN BY BRONWASSER

2 sets of replaceable polycarbonate stirrers (2 pieces each) Designed by Dutch Designer Robert Bronwasser and available in 6 attractive colours.

- Make Freddo cappuccinos, Frappés and of course milkshakes without effort.
- The housing is made from ABS plastic.
- The base is weighted for extra stability and is fitted with rubber feet.
- The motor can spin the agitator disc at two speeds, 15.000 and 19.000 RPM.
- Control the milkshake mixer with the two-speed switch on the top which is easily accessible.
- The milkshake mixer is fitted with a micro switch so it can only operate when the cup is properly placed.
- Choose between two different stirrers to control the level of aeration.
- Very complete, comes with a stainless steel mixing cup (0.95 liter) and polycarbonate mixing cup (0.9 liter) and 2 sets of 2 stirrers.
- Cups and stirrers are dishwasher safe.

code	colour	V	W	mm
221617	White	230	400	170x196x(H)490
221600	Black	230	400	170x196x(H)490
221624	Caramel	230	400	170x196x(H)490
221631	Yellow	230	400	170x196x(H)490
221648	Red	230	400	170x196x(H)490
221655	Blue	230	400	170x196x(H)490

2 cups: made of stainless steel (capacity: 0.95 l) and of polycarbonate (capacity: 0.9 l)

221631

À



NEW

ABS	S.S.	BPA
plastic	stainless steel	free

MILKSHAKE MIXER BPA FREE - DESIGN BY BRONWASSER

- Designed by Dutch Designer Robert Bronwasser.
- Make Freddo cappuccinos, Frappés and of course milkshakes without effort.
- The housing is made from ABS plastic.
- The base is weighted for extra stability and is fitted with rubber feet.
- The motor can spin the agitator disc at two speeds, 15.000 and 19.000 RPM.
- Control the milkshake mixer with the two-speed switch on the top which is easily accessible.
- The milkshake mixer is fitted with a micro switch so it can only operate when the cup is properly placed.
- Choose between two different agitators to control the level of aeration.
- Included in the set: stainless steel mixing cup (0.95 liter), tritan mixing cup (0.9 liter) and a set of 2 tritan stirrers.
- Cup and agitators are dishwasher safe.

code	colour	V	W	mm
221495	Black	230	400	170x196x(H)490







POLYCARBONATE MIXING CUP FOR MILKSHAKERS - DESIGN BY BRONWASSER

- Made of durable polycarbonate.
- To be used with milkshakers:
- 221600, 221617, 221624, 221631, 221648, 221655.

mm

ø116x(H)161

- Dishwasher safe.

code

961124

961124





code



STIRRERS BPA-FREE FOR MILKSHAKE MIXERS - DESIGN BY BRONWASSER

- Made of tritan BPA-free material.
- The set includes 2 pieces: single and double stirrer.
- Specially created for the HENDI Milkshake mixer - Design by Bronwasser, code: 221495. Dishwasher safe.





STAINLESS STEEL MIXING CUP FOR MILKSHAKERS - DESIGN BY BRONWASSER

- Made of stainless steel.
- To be used with milkshakers:
- 221600, 221617, 221624, 221631, 221648, 221655.
- Dishwasher safe.

code	mm
961117	ø113x(H)160



STIRRERS FOR MILKSHAKE MIXERS - DESIGN BY BRONWASSER

- Made of polycarbonate.
- The set includes 2 pieces: single and double stirrer.
- Specially created for the HENDI Milkshake mixers - Design by Bronwasser: codes 221600, 221617, 221624, 221631, 221648, 221655, 221495.
- Dishwasher safe.

code	mm
961131	32x27x(H)50

957066





 $(\bigcirc$

 \mathbb{H}







271520

ICE CRUSHER - ELECTRIC

- Large ABS plastic ice chute and brushed stainless steel housing.
- Stainless steel blades and durable grinding mechanism.
- Clear, break resistant container with capacity for 12 cups of crushed ice.
- Crushes up to 12 kilos of ice per hour.

- Not for continuous use.

ICE CRUSHER ELECTRIC - Cup and stainless steel blades made of

- Motor housing made of cast aluminium.

a full cup of ice without overheating.

- Crushing a full cup of ice takes ±30 s.

W

200

mm

194x329x(H)523

- Hinged lid, equipped with a safety

- Powerful ventilated motor - it can handle

AISI 301 stainless steel.

- Knife speed: 1000 RPM.

- Water protection rating: IP23.

۷

230

microswitch. – Cup capacity: 3 L. – Cup wall thickness: 0.8 mm.

- Output: 160 kg/h.

code

271599

code	V	W	mm
271520	230	70	170x260x(H)460



ICE CRUSHER - MANUAL

- Chrome-plated zinc alloy.
- Stainless steel blade.
- Ice scoop included.
- Removable container.

code		
695708		

^{mm} 160x140x(H)270

SAFETY SENSOR -It makes it impossible to start up in an open processing space.

HORIZONTAL BREAKER

Stainless steel blades set on horizontal drive plates – fast and effective processing up to 120 kg/h.

LONG SERVICE LIFE OF THE DRIVE UNIT

The fan uses the energy of rotation of the crushing axis while cooling the motor.

BASE SHOCK ABSORBERS They eliminate vibrations and prevent spontaneous movement of the device.

Ì

BAR







- Tabletop model.
- Body made of stainless steel, lid made from black ABS.
- Capacity of 12 kg per 24 hours, buffer stock of 3,2 kg -9 cubes per cycle.
- No fixed water connection coolant: R600A.
- Choice of 3 ice cube sizes, cubes are formed around cooling rods.

-	Stores	100	ice	cubes.	
			-		-

code	V	W	mm
271568	230	120	297x367x(H)378

- Tabletop model.
- Body made of stainless steel.
- Capacity of 15 kg per 24 hours, buffer stock of 4,5 kg -12 cubes per cycle.
- No fixed water connection coolant: R290.
- Choice of 3 ice cube sizes, cubes are formed around cooling rods.

 Holds 150 ice 	cubes.		
code	V	W	mm
271551	230	130	380x435x(H)431





. اطا





code	-	V	W	mm
271773	~26 kg/day	230	241	398x546x(H)682
271780	~50 kg/day	230	293	398x546x(H)682

- Refrigerant: R290.				
code	-	٧	W	mm
271797	~85 kg/day	230	430	548x612x(H)867



Cubes need to be separated from each other

ICE CUBE MACHINE

PP


- Stainless steel casing suitable for installation under the counter.
- Can produce up to 35 kg of ice per day and has buffer stock for 15 kg.
- Produces 45 square ice cubes per cycle of 13-16 minute.
- Cubes need to be separated from each other.
- Comes with supply hose and ice scoop.
- Air-cooled injection system, coolant R290.

code	V	W	mm
271575	230	300	448x400x(H)798

BAR

Ą







PMMA

ABS

plastic

TABLE BEER TAP – Plexiglas.

- With strong non-drip tap. <u>code liters mm</u> 598955 3 ø100x(H)815 598962 5 ø100x(H)1150



BEER GLASS	CARRIER
- For 12 glasses 5	5 mm hole diameter

code	mm	
696200	ø315x(H)35	







COIN TOKENS - 100 PCS.

code	packed per	colour	mm
665145	100	Red	ø25
665138	100	Green	ø25
665121	100	Blue	ø25
665152	100	White	ø25
665169	100	Black	ø25
665381	100	Yellow	ø25



- With bottle opener integrated in the handle.

code	mm
516751	ø230x(H)180

Ē



BACK BAR REFRIGERATORS

- Powder coated housing, embossed aluminium chamber, plastic lockable door(s) with toughened glass.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Chamber fitted with LED lighting.
- Digital display and temperature control.
- Fitted with 4 adjustable non-slip feet.
- Refrigerant: R600a.









434

BAR

À





WINE COOLERS, DUAL ZONE

- Two cooling zones with the possibility to set different temperatures in each of them.
- Black powder-coated housing, frameless tempered glass door with stylish stainless steel handle.
- Static cooling supported with a fan, automatic defrosting, chiller located at the back of the cooler.
- LED light at the top of the chamber.

THE IDEAL TEMPERATURE OF SPECIFIC WINES (FROM REDS TO WHITES):

(IntellintEbe i e finiti Ee).		
Temperature	Types of wine	
18°C	Bordeaux, Cabernet Sauvignon, Shiraz	
16°C	Rioja, Pinot Noir	
15°C	Chianti, Zinfandel	
14°C	Chinon, Porto, Madeira	
10°C	Chardonnay, Sauternes	
9°C	Sauvignon Blanc	
(00		



- Digital display and electronic thermostat.
- Temperature displayed in degrees Celsius, possibility to switch to Fahrenheit.
- 4 adjustable non-slip feet.
- Climatic class: N-ST.
- Refrigerant: R600a.







 \bigcirc

ШÌ



mm

ø58x(H)35

PALM TAMPER ADJUSTABLE

- Suitable for most portafilters.
- Pre-tamper made of stainless steel, handle made of black aluminium.

- The depth is adjustable.

code

208632



COFFEE TAMPER WITH SPRING

- Used to compact coffee, suitable for most portafilters.
- Tamper made of stainless steel with spring. - Black aluminium handle.

mm

ø58x(H)100

code

208625





COFFEE TAMPER

- Used to compact coffee, suitable for most espresso machines.
- Tamper made of stainless steel.
- Wooden painted handle.

- Weight: 380 g.

208687

tamping.

TAMPING STAND

code	mm
208731	ø58x(H)95

SIL



- Made of silicone, with recess for placing

mm

125x140x(H)30

- With a socket to place the tamper in.

a portafilter during tamping.

code

208670

SIL 208649

TAMPING MAT DOUBLE

code

208649

- Made of silicone, with recess for placing 2 portafilters during tamping.

- With two sockets to place the tamper

mm

205x150x(H)45

rs in.	– With a socket to place the tamper in.			
	code	mm		
	208687	93x142x(H)60		

- With recess for placing a portafilter during



B



mm

350x250x(H)90

KNOCK BOX RECTANGULAR

- Drawer model made from carbon steel.

- Fitted with removable knock bar and





208380 SIL SICCE KNOCK BOX IN WOODEN FRAME

Frame made from dark wood, with a stainless steel GN 1/4 knock box.
Removable knock bar fitted with silicone sleeve.

code	mm
208380	275x175x(H)110

18/10



perforated top.

code

208694



MILK FROTHING THERMOMETER

- With a clip to fasten the thermometer to the milk jug.
- Green marking indicates the perfect milk temperature for cappuccino etc.
- Temperature adjustable from -10°C to 110°C.
- 1°C gradation, accuracy: $\pm 2\%$.
- Stainless steel probe, cover with clip.
- Easy to read.

code	range	mm
271247	-10/110°C	ø44x(H)140



mm

153x185x(H)165

ROUND KNOCK BOX

– Made from stainless steel.

- Fitted with removable knock bar.

code

S.S.

208618

18/10 stainless steel

KNOCK BOX GN

sleeve.

code

208342

208335

- Made from stainless steel.

- Removable knock bar fitted with silicone

mm

265x162x(H)100

176x162x(H)100



MILK JUG BLACK

 Made from stainless steel with a black non-stick coating.

code	liters	mm
458198	0.6	ø90x(H)112



MILK JUG - MATT BLACK

- Made of extra thick stainless steel, helps keep the content hot.
- V-shaped spout gives extra control during pouring.

code	liters	mm	
451045	0.7	ø84x(H)130	



MULTIPURPOSE JUGS

18/10

code	liters	mm
451502	0.35	ø76x(H)93
451519	0.6	ø90x(H)112
451526	0.9	ø102x(H)125
451533	1.5	ø112x(H)161



 $|\bigcirc$

-





COFFEE MACHINE

- Makes a can of coffee in about 6 minutes.
- Design casing made of polypropylene with black rubber coating.
- With 1.8 liter glass decanter, polypropylene filter holder and lid.
- With 2 separately operated warming plates.
- With indicator light that shows when the coffee is ready.
- Suitable for 110/250 filters.

code	٧	W	mm
208533	230	2020	204x380x(H)425



B



1.8

1			2)
	۲	ľ		
l p	olypr	ору	lene	J

ø160x(H)185

R	In	
8		THE REAL
all.		20

COFFEE FILTERS Ø 25 CM - 1000 PCS

- For i.e. HENDI, Bravilor and Animo coffee machines.
- Diameter of the entire filter 250 mm.

208656

- Bottom diameter of the filter - 110 mm.

code	packed per	mm
208656	1000	ø250x(H)70





NEW



COFFEE MACHINE

- Top and bottom hotplate, indicator light.
- Fast filtering system with flow-through element 1.8 litres in 5 minutes.
- Continuous temperature of 93 96°C.
- Casing and filter holder made of stainless steel.
- 2 x 1.8 l decanters and 25 (90/250) filters are included.

code	٧	W	mm
208304	230	2100	195x370x(H)430



SPRING FOR COFFEE FILTER HOLDER

code 904206

ELECTRIC MILK FROTHER

- Housing and milk jug made of stainless steel with a handle made of ABS.
- 6 functions: hot thick milk foam, hot thin milk foam, cold milk foam, warm milk, hot chocolate, tea with hot milk.
- The milk jug is detachable for easy pouring.
- Capacity frothing: 300 ml / heating: 600 ml.
- Jug diameter: 130 mm.
- For use with cold milk.
- Lid and whisk are dishwasher safe.
- Included in the set: lid, whisk accessories.
- The frothing effect also can be achieved with vegan milks, such as oats, almond, soya; preferably "Barista" type. The effect may vary depending on the milk producer.

code	٧	W	mm
209097	230	500	200x167x(H)245

ਤਿ











Control panel with digital display





S.S.	PP
stainless steel	polypropylene

ELECTRIC KETTLE - 2,5 L

- Perfect for intensive use.
- With fast-boil.
- Separate power base for easier kettle handling, enabling full 360° rotation of the kettle.
- Fitted with ergonomic polypropylene handle.
- With heating indicator light.
- Heater placed under the bottom, protected against limescale.
- Automatic switch-off when water boils.
- With dry-boil protection, doesn't work without water.
- AISI 304 stainless steel housing and bottom.

- Weight: 1.12 kg

5	5			
code	liters	٧	W	mm
209936	2.5	230	2150	225x168x(H)288

CORDLESS ELECTRIC KETTLE WITH TEMPERATURE CONTROL

- For preparing beverages with indicated brewing conditions, such as green tea, white tea, or yerba mate.
- AISI304 stainless steel housing and heater.
- Polypropylene handle, lid, and base.
- Temperature regulation and maintenance water can be heated to one of these temperatures: 40°C, 60°C, 80°C, 100°C.
- Heater placed under the bottom, protected against scale.
- Control panel with digital display.
- Thermostat indicator light.
- Internal maximum water level indicator.
- Automatic shut-off function after the water boiled.
- Double protection against switching on an empty kettle.
- Kettle can be rotated 360° base.
- CAUTION: intended for boiling water only, boiling other liquids may damage the kettle.

-				
code	liters	V	W	mm
209943	1.8	230	1800	225x168x(H)288







PC S.S.

HOT CHOCOLATE DISPENSER

- Bain-Marie heating system prevents hot chocolate from being burned to the bottom.
- Bottom of the container is made of stainless steel.
- Side walls are made of Polycarbonate.
- Drip tray with float indicator warning when full.
- Protection against overheating.
- Continuous stirring guarantees homogeneous consistency of chocolate.
- Special anti-drip tap.
- Temperature range: 65 to 85°C.
- Required temperature of environment: 10 to 32°C.

code	liters	V	W	mm
274125	5	230	1006	410x280x(H)465
274149	10	230	1006	410x280x(H)580



2/414

Bain-Marie heating system prevents hot chocolate from



HOT DRINKS BOILER

- Kettle made from stainless steel.
- Fitted with polypropylene insulated handles and non-drip tap.
- Thermostat adjustable up to 110°C.
- Ideal for mulled wine or hot water.
- Time needed for boiling ± 75 min.

-	Not	suitable	for	chocolate	milk.	
---	-----	----------	-----	-----------	-------	--

code	liters	٧	W	mm
240700	25	230	2500	447x441x(H)485



HOT DRINKS BOILER

- Kettle made from coated stainless steel.
- Fitted with polypropylene insulated handles and non-drip tap.
- Thermostat adjustable up to 110°C.
- Ideal for mulled wine or hot water.
- Time needed for boiling ± 75 min.
- Not suitable for chocolate milk.

code	liters	٧	W	mm
240601	25	230	2500	447x441x(H)485

B

442



S.S

AUTOMATIC FILL BOILER

- Made from brushed stainless steel with polypropylene lid and handles.
- The double walled kettle increases heating efficiency and insulation.
- When connected to the water mains the boiler will refill
- automatically.
- Fitted with two waterlevel sensors.
- Control panel fitted with digital display and heating and keep warm indicator lights.
- Temperature can be set from 30°C up to 100°C.
- With keep warm function, auto power down and overflow prevention sensor.



- The non-drip tap is made from stainless steel, has a cool touch handle, and is installed so a pot can be placed underneath it.
- Lid fitted with a twist-lock and cool touch handles.
- Comes with a removable drip tray.
- Available in 2 sizes:
 - 240717 max. capacity 8.5 l, can boil up to 23 l/h. 240724 – max. capacity 17.5 l, can boil up to 33 l/h.





code	liters	V	W	mm
240717	8.5	230	2000	300x285x(H)503
240724	17.5	230	2600	353x345x(H)598

Connection to the water supply





The tap is made of stainless steel with a nice-to-touch handle





HENDI

 $|\bigcirc|$

H

PERCOLATOR AND HOT DRINKS BOILER MATT BLACK - DESIGN BY BRONWASSER



- Designed with your guests in mind by renowned Dutch designer Robert Bronwasser.
- The unique design and attention for details make this appliance an eye-catcher on any buffet.
- Single walled matt black coated stainless steel body, with stylish polypropylene handles and lid.
- Unique non-drip tap design with integrated graduated glass.

design by Robert Bronwasser



PERCOLATOR MATT BLACK - DESIGN BY BRONWASSER

- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.

code	liters	V	W	mm
211489	14	230	1750	357x380x(H)502
211472	7	230	1050	307x330x(H)450

- The drip tray is magnetic, it can be removed without lifting or spilling.
- The boiler keeps the drink at serving temperature after boiling.
- The indicator light signals the end of the boiling process and if descaling is needed.



HOT DRINKS BOILER MATT BLACK - DESIGN BY BRONWASSER

- The boiler keeps the drink at serving temperature after boiling.
- The indicator light signals the end of the boiling process and if descaling is needed.
- Not suitable for chocolate milk.

code	liters	V	W	mm
211458	9	230	950	307x330x(H)450
211465	16	230	1650	357x380x(H)502

Unique non-drip tap design with integrated graduated glass



The drip tray is magnetic

The boiler keeps the drink at serving temperature after heating





म

PERCOLATOR AND HOT DRINKS BOILER - DESIGN BY BRONWASSER

- Designed with your guests in mind by renowned Dutch designer Robert Bronwasser.
- The unique design and attention for details make this appliance an eye-catcher on any buffet.
- Single walled stainless steel body, with stylish polypropylene handles and lid.
- Unique non-drip tap design with integrated graduated glass.

design by Robert Bronwasser



PERCOLATOR - DESIGN BY BRONWASSER

- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.

code	liters	٧	W	mm
211441	14	230	1750	357x380x(H)502
211434	7	230	1050	307x330x(H)450

- The drip tray is magnetic, it can be removed without lifting or spilling.
- The boiler keeps the drink at serving temperature after heating.
- The indicator light signals the end of the heating process and if descaling is needed.



HOT DRINKS BOILER - DESIGN BY BRONWASSER

- The boiler keeps the drink at serving temperature after boiling.
- The indicator light signals the end of the boiling process and if descaling is needed.

- Not suitable for chocolate milk.

code	liters	٧	W	mm
211410	9	230	950	307x330x(H)450
211427	16	230	1650	357x380x(H)502

Unique non-drip tap design with integrated graduated glass





The boiler keeps the drink at serving temperature after heating



PERCOLATORS AND HOT DRINKS BOILERS

- Single walled stainless steel body.
- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.
- With graduated glass, non-drip tap and fitted with automatic reset.
- The indicator light signals the end of the brewing process and if descaling is needed.



208007

PERCOLATOR

- Single walled stainless steel body.
- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.
- With graduated glass, non-drip tap and fitted with automatic reset.
- The indicator light signals the end of the brewing process and if descaling is needed.

code	liters	V	W	mm
208007	6	230	1500	340x227x(H)468
208106	10	230	1500	387x275x(H)530
208205	16	230	1500	387x275x(H)595



209882

HOT DRINKS BOILER

- Single-walled.
- Ideal for mulled wine and boiling water for tea.
- Time to boiling: 209882 9liter ± 23 min / 209899 18 liter ± 52 min.
- Maximum temperature 94-99°C.
- Protected against boiling dry.
- Not suitable for hot chocolate.

code	liters	V	W	mm
209882	9	230	2200	340x227x(H)468
209899	18	230	2200	387x267x(H)595
209905	30	230	2200	500x465x(H)490

With graduated glass





Built-in filter for coarsely ground coffee





COFFEE MACHINES, BOILERS, ACCESSORIES

B



S.S.

PERCOLATORS AND HOT DRINKS BOILERS DOUBLE WALLED

- Insulated double-wall polished stainless steel structure reduces heat loss through conduction, convection and radiation.
- Up to 20% lower energy consumption compared to similar singlewalled percolators.
- Body and tank made of stainless steel.
- Welded stainless steel handles with silicone grip.

- Anti-drip tap.

SAVES UP TO

% OF ENERGY

- Glass gauge.
- Descaling indicator.
- Dripping tray with stainless steel grid.
- Easy disassembly of parts for cleaning.







211205

PERCOLATOR DOUBLE WALLED

code	liters	٧	W	mm
211106	6	230	1500	345x343x(H)517
211205	10	230	1500	386x393x(H)576
211304	16	230	1500	386x393x(H)641

HOT DRINKS BOILER DOUBLE-WALLED

211403

- Thermostatic temperature control adjustable up to 110°C. - Not suitable for chocolate milk

Not Suitable		ute mitt.		
code	liters	٧	W	mm
211403	9	230	2200	343x345x(H)517
211502	18	230	2200	386x393x(H)641

Double walled - up to 20% lower energy consumption





Easily removable dripping tray



HENDI

H

B





18/0	
stainless steel	outdoor

GRILL BARBECUE GREEN FIRE

- Much less sensitive to wind thanks to the improved air supply. Easy to clean, due to e.g.fully removable burners and removable Gastronorm 2/1 dripping tray.
- Improved burners grant 90% of the surface useful heat.
- Technical parts mounted out of sight.
- Very clean burning, low CO_2 emissions.
- Removable legs.





C

0

GREEN FIRE WITH 2 BURNERS

- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
- Gas hose and regulator attach to gas bottle improved portability.

code	-	kW[HS]	mm
149621	2 Stainless steel Gastronorm 1/1 barbecue grids	11.6	740x612x(H)825

GREEN FIRE WITH 2 BURNERS

- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
- Gas hose and regulator attach to gas bottle improved portability.

code	-	kW[HS]	mm
149508	Enamelled cast iron Gastronorm 1/1 griddle and grid	11.6	740x615x(H)825









GREEN FIRE WITH 3 BURNERS

- Enamelled cast iron griddle and 2 Gastronorm 1/1 grids included.
- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
- Gas hose and regulator attach to gas bottle improved portability.

code	kW[HS]	mm
149591	17.4	1078x612x(H)825



GREEN FIRE WITH 4 BURNERS

- 2 Enamelled cast iron griddles and 2 Gastronorm 1/1 grids included.
- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
- Gas hose and regulator attach to gas bottle improved portability.

code	-	kW[HS]	mm
149614	on wheeled base	22	1400x612x(H)825



449

<u>\$\$\$</u>



CAST IRON GRIDDLE

- Suitable for all Green Fire Profi Line barbecues.

- Both sides usable, one side smooth, one side ribbed.

code	GN	mm
932001	GN 1/1	325x530



932094





CAST IRON GRID

- Suitable for all Green Fire Profi Line barbecues.

code	GN	mm
932018	GN 1/1	325x530

REAR SHELF FOR GREEN FIRE GRILLS

- For gas grills: 149508, 149621, 149607, 149614.

 Rear shelf 149539 is half the length of a Green Fire 4-burner grill; install 2 full length shelves.

code	mm
149539	650x298x(H)160

SIDE TABLE FOR GREEN FIRE BARBECUES

- Suitable for: 149508, 149591, 149607, 149614, 149621.

code	mm	
149522	480x298x(H)160	

code packed per mm	ECUE SKEWERS	SKEWEDS
170045 24 (L)210	045 24	24 (L)210
		(L)210

BARBECUE SKEWERS

code	packed per	mm
170120	6	(L)250
170328	6	(L)350



Ä







GRID

- Chrome plated grid.

- Suitable for all Green Fire Profi Line barbecues.

code	mm
939949	325x530







FLAME TAMER

- Place the flame tamer over the burner element to prevent fat dripping directly on the burner element.
- Flame tamer made of stainless steel.

LAVA ROCKS - COARSE

- Coarse, relatively large rocks.

- Suitable for various types of gas barbecues.

- Suitable for all Green Fire Profi Line barbecues.

code	mm
939956	650x530





LAVA ROCKS - FINE

- Suitable for various types of gas barbecues.

- Fine, relatively small rocks.


	,	
code	-	weight (kg)
152706	box	3



- Suitable for all Green Fire Profi Line barbecues.

code 149553

GN 2/1





152904

HENDI

451

555 A







GAS BARBECUE 'EUROPA'

- The Europa 3 has excellent cooking properties. The high temperature sears meat evenly and quickly, reducing adhesion to the grid even when the grid hasn't been greased.
- The three, separately adjustable, lengthwise burners have thermocouple security and electronic ignition.
- The Europa 3 has a completely black epoxy coated frame with four wheels, two of which are caster wheels, and a secure gas bottle holder.
- Grease which is drained from meat during cooking is led through a special channel to a grease collector.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.
- The Europa 3 is supplied complete with lava rocks and a roasting pan.
- Griddle surface: 1100 x 500 mm.

code	kW[HS]	mm
700051	21.6	1260x580x(H)900



- The Atlanta has excellent cooking properties due to the optimal heat distribution and hot air circulation inside the burner enclosure. The high temperature sears meat evenly and quickly, reducing adhesion to the grid even when the grid hasn't been greased.
- The 3 separately adjustable transverse burners have thermocouple security and electronic ignition.
- The burner assembly is made entirely of stainless steel and the grids are removable for easy cleaning.
- The three burners also allow the surface to be divided in separate heat zones for simultaneous cooking of meat, vegetables & fish.
- The Atlanta has a completely black epoxy coated frame with four caster wheels and a secure gas bottle holder.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.
- Griddle surface: 1100 x 500 mm.

code	kW[HS]	mm
700105	13	1285x770x(H)917



TAMPA GAS GRILL

- The Tampa has excellent cooking properties due to the optimal heat distribution and hot air circulation inside the burner enclosure.
- The high temperature sears meat evenly and quickly, reducing adhesion to the grid even when the grid hasn't been greased.
- The burner assembly is made entirely of stainless steel and can be completely disassembled for easy cleaning.
- The single lengthwise burner is adjustable, has thermocouple security and piezo ignition.
- The Tampa has a completely black epoxy coated frame with four wheels, two of which are caster wheels, and a secure gas bottle holder.
- Grease which is drained from meat during cooking is led through a special channel to a grease collector.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.

- Griddle surface: 1022 x 500 mm.

code	kW[HS]	mm
700044	10	1260x580x(H)900









Burner unit can be removed for easy cleaning

146804

146002

FIESTA 600

- Stainless steel base and sheet steel paella pan Ø 600 mm.
- Includes gas hose, electronic ignition and pressure regulator.
- With thermocouple and a round burner.
- Burner unit can be removed for easy cleaning.
- The space underneath is suitable for gas cylinders of 5 or 6 kg.
- Suitable for propane gas, consumption 334 g/h.

code	kW[HS]	mm
146002	4.8	600x600x(H)870

FIESTA 800

- Stainless steel base and sheet steel paella pan Ø 800 mm.
- Includes gas hose, electronic ignition and pressure regulator.
- With thermocouple and a round burner.
- Burner unit can be removed for easy cleaning.
- The space underneath is suitable for gas cylinders of 5 or 11 kg.
- Suitable for propane gas, consumption 489 g/h.

code	kW[HS]	mm
146804	7	800x800x(H)900





PAELLA PAN

- Top-quality frying pans made of sheet steel.

- With 2 handles.

code	Suitable for Fiesta gas grill	mm
622100		ø340x(H)40
622308		ø460x(H)40
622407	146002	ø600x(H)40
622605	146804	ø800x(H)50

mm

810x660

BARBECUE APRON

-	Canvas	280	g/m².	

– Flame retardant coating.	
code	

```
556696
```



 $|\bigcirc|$

╟╤╟

Ä

BAKE- & GRILL-MASTER





154601

BAKE-MASTER MINI

- Frame made of 18/0 stainless steel.
- With enamelled frying pan.
- Inner dimensions of frying pan 290x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,215 m³/h.

code	kW[HS]	mm
154601	5.8	340x540x(H)300

Enamelled frying pan included





GRILL-MASTER MINI

- Frame made of 18/0 stainless steel.
- With chrome plated grid and enamelled frying pan.
- Inner dimensions of frying pan 290x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,215 m³/h.

code	kW[HS]	mm
154700	5.8	340x540x(H)840



BAKE-MASTER MAXI

- Frame made of 18/0 stainless steel.
- With enamelled frying pan.
- Inner dimensions of frying pan 590x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,430 m³/h.

code	kW[HS]	mm
154618	11.6	650x540x(H)300



GRILL-MASTER MAXI

- Frame made of 18/0 stainless steel.
- With chrome plated grid and enamelled frying pan.
- Inner dimensions of frying pan 590x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,430 m³/h.

code	kW[HS]	mm
154717	11.6	650x540x(H)840





ROAST-MASTER MAXI

- With chrome plated grid and heavy duty flame tamer.
- Frame and flame tamer made of 18/0 stainless steel.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane or butane gas.
- Consumption 0,430 m³/h.

code	kW[HS]	mm
154878	11.6	650x540x(H)840







Cr

-	Mad	e of	UV-	resis	tant	PEVA.	

code	-	mm
144923	Grill- / Roast- Master Maxi 154717 154878	720x560x(H)360



code	kW[HS]	mm
154540	11.6	650x540x(H)840

– On a base wit	h bottom shelf and 4	wheels for easy moving.
code	kW[HS]	mm
154908	22	1330x600x(H)920



 $|\bigcirc|$

<u>\$\$\$</u>



GRID FOR GRILL MASTER

- For HENDI Grill-master barbecues 154717 154878 154908.





TOP GRID FOR XANTOS BARBECUE

– For HENDI Xantos barbecue 148624

code	
148723	



PRESSURE REGULATOR 50 MBAR FOR GAS BARBECUE PROPANE/BUTANE

- For HENDI gas barbecues & Hokkers.

code		
152157		





GAS REGULATOR WITH RUBBER SEAL BAKE-, GRILL- & ROAST-MASTER

 For HENDI Bake-, Grill- & Roast-master barbecues 154908 154502 154601 154618 154700 154717.

code 145678







GRID FOR GRILL-MASTER MINI

- Grid made from stainless steel for HENDI Grill-Master Mini 154700

code mm 154663 540x340



BAKING TRAY ENAMELLED FOR BAKE & GRILL-MASTER MINI

- For HENDI Bake- & Grill-master mini barbecues 154601 154700.

code 154687



152188

PRESSURE REGULATOR 37MBAR

- Pressure regulator 37mBar BE uni with pillar and hose clamp.
- For use with barbecues and patio heaters.

code			
152188			



GAS HOSE ASSEMBLY BAKE-, GRILL- & ROAST-MASTER

 For HENDI Bake-, Grill- & Roast-master barbecues 154908 154502 154601 154618 154700 154717.

code 145753







GRID FOR ROAST MASTER 50/50

- Made from chrome plated steel.

code	mm
155028	477x300



TOP GRID FOR ROAST-MASTER

- For HENDI Roast-master barbecues 154878.

154885

code



GRID FOR GRILL MASTER

- For HENDI Grill-master barbecues 154717 154878 154908

154632

code



– Inner dimensions: 590x480 mm.	
code	mm

coue		
154656	700x520x(H)55	

- This stainless steel power grill with folding base is easy to move thanks to its wheels and can be flat-packed into a compact unit

- The burner develops a high temperature in the windproof unit and

therefore this barbecue is suitable for high volume production. - The unit itself is easy to clean thanks to these high temperatures. - The grill is fitted with a thermocouple and electronic ignition, gas







NEW

154632



Ä

GAS HOSE ASSEMBLY XENON PRO & FIESTA BARBECUES

- Grid surface area 860x260 mm (2 grids of 430x260 mm).

- Gas hose, electronic ignition and pressure regulator included.

mm

1120x410x(H)900

- For HENDI Xenon Pro 148105.

- For HENDI Hokker Profi Line 147108.

hose and pressure regulator are included.

kW[HS]

7.5

code

18/0

XENON PRO

during transport.

- Suitable for propane gas.

- Folding and mobile base.

- Consumption 536 g/h.

code

148105

152171



Prices net of VAT

CHARCOAL BARBECUES

- 18/0 stainless steel with removable stands.



150801



- Fitted with 2 grids of 345x345 mm each.
- Inside dimensions basin: 710x350x(H)max110 mm.
- Double bottom for ash collection.

code	mm
150603	770x380x(H)760

- Fitted with 3 grids of 345x345 mm each.
- Inside dimensions basin: 1070x350x(H)max110 mm.
- Double bottom for ash collection.

code	mm
150801	1145x380x(H)770



458

HENDI

BIG CHUNKS

- Intended for medium to high temperatures
- Ideal for pizza ovens, outdoor ovens and barbecues direct to charcoal
- Unique aroma
- Strengthen the taste of your favourite dishes
- Made from the best wood or from the best aging barrels.
- Our offer includes wood chunks made from:
 wine, whisky, or cognac barrels.
- beech, olive, citrus, almond, or peach wood.







Ä





OVEN	MITTS,	COTTON	- 2 PCS
------	--------	--------	---------

code	packed per	mm
556603	2	(L)350



Headi B.V. Inno	END raticiaan é
6745 XW De Klo www.hendi.eu	mp, The Netherlands
	ze 11
	556627
Baumwol Bawełr Di cotoni	Cotton/ lle/Katoen/ na/Coton/ e/Bumbac/ ε/Βαμβάκι
EN 388: 201	6
+ A1: 2018	EN 407: 2020
E.	- W
1242F	4232XX
0	6
П	
<u> </u>	10/2020

Size 11 n 55

120000 CE

OVEN MITTS, FIBERGLASS - 2 PCS

code	packed per	mm
556627	2	(L)360





4232XX

OVEN GLOVE HEAT RESISTANT - 2 PCS

- Heat resistant up to 250°C.

– Comfortable fit.

code	packed per	mm
556634	2	(L)300

-<u>555</u>

460




OVEN MITTS, FLAME RETARDANT COTTON - 2 PCS

– Extra long to protect the forearm.

– 2 pcs.

code	packed per	mm
556610	2	(L)380









- Lamp for restaurant terraces.
- It can accommodate a 12 "gas cylinder with 11 kg capacity.
- Easy to transport thanks to its 2 wheels.
- Including electronic ignition, gas hose and pressure regulator.
- With anti-tilt protection.
- Weight: 18,8 kg.

code	kW	mm	
272602	12.5	ø770x(H)2200	
144916	Protective cover	ø790x(H)2220	

PATIO HEATER - RETRACTABLE

- Suitable for propane or butane gas.
- Easy to transport thanks to the 2 wheels.
- Retractable shaft to facilitate transport and storage.
- Including electronic ignition, gas hose and pressure regulator.
- With anti-tilt protection.
- Retractable to (H)160 cm for storage and transport purposes.

- Weight: 16	.5 ka.
--------------	--------

code	kW	mm
272701	12.5	ø770x(H)1580
144916 Protective cover		ø790x(H)2220

-H





PATIO HEATER PYRAMID

- Heating with a real flame in a glass tube, improves ambiance.
- Aluminium structure with black metal side panels and guartz glass tube.
- Gas tank fits in the base.
- Includes electronic ignition, gas hose and pressure regulator.
- With anti-tilt protection.
- Suitable for propane or butane gas.
- Weight: 22,6 kg.

code	kW	mm 500x500x(H)2220 480x480x(H)2220	
272404	11.2		
144909	Protective cover		

Protective cover

- to be ordered

separately

ITTTTTTT

144954







 $|\bigcirc|$

È

H

- Including electronic ignition, gas hose and pressure regulator. - Easy to transport thanks to the 2 wheels.

- Compact design with hinged door for easily replacing the gas bottle.

- With tilt switch, flame failure device and flame guard for enhanced

- Suitable for propane or butane gas, max. 15 liter gas bottles.

272411

- Weight: 14 kg.

safety.

LOUNGE HEATER

code	kW	mm
272411	8.5	ø556x(H)1430
144954	Protective cover	ø580x(H)1460







BOLA PATIO INFRARED RADIANT HEATER

- Suitable for heating and warming up patios on cold days.
- Powerful will keep your guests comfortable even when the temperature is low.
- Designed for wall mounting, it can heat an area from about 16 to 32 $\ensuremath{m^2}\xspace$.
- The heating lamp uses modern carbon fiber, which translates into longer life and high heating efficiency with low energy consumption.
- Robust housing with protective grid made of heat-resistant aluminium.
- Supplied with remote control for easy adjustment of settings.
- You can choose between 4 heating power levels.
- With built-in timer for up to 25 hours.

code	٧	W	mm
272428	230	2500	879x85x(H)195

TRIPOD FOR INFRARED PATIO HEATER

- For use with Bola infrared patio heater 272428.

code	mm
270349	364x495x(H)601




TORNADO INFRARED RADIANT HEATER

- Suitable for heating and warming up both indoor and outdoor areas.
- Powerful will keep your guests comfortable even when the temperature is low.
- Free-standing, with a stable base, it can heat an area from about 16 to 32 $\mbox{m}^2.$
- The heating lamp uses modern carbon fiber, which translates into longer life and high heating efficiency with low energy consumption.
- Robust housing with protective grid made of heat-resistant aluminium.
- Supplied with remote control for easy adjustment of settings.
- LED display indicating the current heating level.
- You can choose between 2 heating power levels.
- With built-in timer for up to 25 hours.

code	V	W	mm
272435	230	2000	130x90x(H)900







272428

BARBECUES & HEATERS




GENERAL INFORMATION

This product is protected by copyright. Use for commercial activities is only allowed if the original context is left intact, unless explicit permission for adaptation is given in writing by the author. In all cases of (partial) reproduction Hendi BV is to be clearly credited as source. Because of our striving for continuous product development, we reserve the right to change a product's specification, price and appearance without prior warning. Printing and typesetting errors reserved. The printed colors of products in this catalogue may have a limited deviation from the physical product.



For more information see www.hendi.eu





Stackable



Polyethylene

HENDI

465

Magnetic